SECTION 1 / S1.2
3/4"=1'-0"

SECTION 2 / S3.1
3/4"=1'-0"

SECTION 3 / S3.1
3/4"=1'-0"

TYP WOOD NAILER TO HSS COL DETAIL
N.T.S.

SECTION 4 / S3.1
3/4"=1'-0"

SECTION 5 / S3.1
3/4"=1'-0"

(SOLID LVL MEMBERS WITH EQUIVALENT MULTI PLY WIDTHS MAY BE USED)

TYP "BUILT-UP" LVL DETAIL, U.N.O.
N.T.S.

TYP WOOD NAILER/WEB BLKG TO W-BM DETAIL N.T.S.

PL 3/4x4 1/2x0'-10"
W/(2)-1 5/16"ø HOLES FOR
(2)-3/4"ø GR 36 ANCHOR RODS
W/9" EMBED & 5" PROJ

BP-1

PL 3/4x4 1/2x0'-10"
W/(2)-1 5/16"ø HOLES FOR
(2)-3/4"ø GR 36 ANCHOR RODS
W/9" EMBED & 5" PROJ

BP-2

TYP COL TRANSFER DETAIL
N.T.S.

TYP BEAM TO HSS COL CONN U.N.O.
N.T.S.

TYP BEAM/BEAM CONN DETAIL
N.T.S.

TYP MOMENT CONN DETAIL
N.T.S.

NOT FOR CONSTRUCTION
PERMIT SET 10/3/2014

THESE DWGS ARE NOT COMPLETE. DESIGN IS STILL IN PROGRESS. CONTRACTOR SHALL CARRY APPROPRIATE CONTINGENCY.

THIS DRAWING IS AN INSTRUMENT OF SERVICE AND SHALL REMAIN THE PROPERTY OF BECKER STRUCTURAL ENGINEERS INC. IT SHALL NOT BE REPRODUCED, COPIED, LENT OR DISPOSED OF DIRECTLY OR INDIRECTLY NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT IS SPECIFICALLY FURNISHED AND MUST BE RETURNED TO BECKER STRUCTURAL ENGINEERS INC. ON COMPLETION OF WORK, IF REQUESTED.

CITY OF PORTLAND, MAINE — RESURGAM
Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 12/08/14

BECKER STRUCTURAL
75 York Street, Portland, ME
207.879.1838

STATE OF MAINE — NATHAN R. MERRILL No. 12279 — PROFESSIONAL ENGINEER

Rev. No	Date	Issued For	Appvd

BRAMLEY/SIMMONS RESIDENCE
PORTLAND, ME

FOUNDATION DETAILS & SECTIONS

Designed	Scale
NRM	NOTED
Drawn MSK	Date 10/3/14
Checked PBB	Becker Job Number 3354

S3.1