SECTION 1
1/2"=1'-0" S1.1

SECTION 2
1/2"=1'-0" S1.1

P1

P2

P3

TYP SLAB DETAIL
N.T.S.

TYP SLAB ON GRADE DEPRESSION DETAIL
N.T.S.

NOTE: ALSO PROVIDE #4x24" (TOP) IN SLAB @ INSIDE RE-ENTRANT CORNERS (SEE PLAN)

TYP SLAB CORNER DETAIL @ DOOR
N.T.S.

REBAR LAP SPLICE TABLE

BAR SIZE	LAP LENGTH
#3	30"
#4	36"
#5	48"
#6	56"
#7	81"
#8	93"

TYP SLAB ON GRADE CONTRACTION JOINT DETAIL
N.T.S.

TYP OPENING IN WALL OR SLAB DETAIL
N.T.S.

TYP WALL DEPRESSION DETAIL @ DOOR
N.T.S.

TYP SLAB DETAIL @ DOOR
N.T.S.
t = SLAB THICKNESS

NOT FOR CONSTRUCTION
PERMIT SET 10/3/2014

THESE DWGS ARE NOT COMPLETE. DESIGN IS STILL IN PROGRESS. CONTRACTOR SHALL CARRY APPROPRIATE CONTINGENCY.

THIS DRAWING IS AN INSTRUMENT OF SERVICE AND SHALL REMAIN THE PROPERTY OF BECKER STRUCTURAL ENGINEERS INC. IT SHALL NOT BE REPRODUCED, COPIED, LENT OR DISPOSED OF DIRECTLY OR INDIRECTLY NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT IS SPECIFICALLY FURNISHED AND MUST BE RETURNED TO BECKER STRUCTURAL ENGINEERS INC. ON COMPLETION OF WORK, IF REQUESTED.

CITY OF PORTLAND MAINE
Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 12/08/14

BECKER STRUCTURAL
75 York Street,
207.879.1838

STATE OF MAINE
NATHAN R. MERRILL
No. 12279
PROFESSIONAL ENGINEER

Rev. No.	Date	Issued For	Appvd

BRAMLEY/SIMMONS RESIDENCE
PORTLAND, ME

FOUNDATION DETAILS & SECTIONS

Designed NRM	Scale NOTED
Drawn MSK	Date 10/3/14
Checked PBB	Becker Job Number 3354

S2.1