Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 01/31/14

1 Electrical Plan
1/4"=1'-0"

Legend of Symbols

R1	Equipment Outlet, see specs	BQ	Convenience outlet located at banquette base
C15	Convenience outlet, 15" AFF	C36	Convenience outlet, 36" AFF
C48	Convenience outlet, 48" AFF	C38	Convenience outlet, 38" AFF

General Notes:

1. Contractor to review all equipment & install outlets and/or other electrical service as indicated in manufacturer's product literature. See Equipment Plan A5 for equipment locations. Notify Architect if any requirements need further installation information.
2. Electrical contractor to coordinate with HVAC contractor regarding electrical service and connections to all new HVAC and ventilation/exhaust equipment. See equipment cut sheets and drawings provided as attachment to these drawings; outlets/services not shown on this sheet. Work includes both interior and rootop equipment.
3. All outlets near wet services to be GFI.
4. All outlets to be mounted horizontally unless otherwise noted.
5. Provide dedicated outlets as required for equipment.. At convenience outlets located above back bar (C48), provide dedicated line for every two outlets.

90 CONGRESS STREET RESTAURANT / Electrical Plan

90 Congress Street, Portland, Maine 04101 December 16, 2013

Reiter Architecture & Design / PO Box 275 / Brooklin ME 04616 / 207-359-2300 / laurenjreiter@yahoo.com

LICENSED ARCHITECT LAUREN J. REITER No. 3302 STATE OF MAINE

A-11