MARK R310 EMERGENCY ESCAPE AND RESCUE OPENINGS SLEEPING ROOMS SHALL HAVE AT LEAST ONE EGRESS WINDOW WITH A SILL HT OF NOT MORE THAN 44", A MINIMUM CLEAR OPENING HEIGHT OF 24" AND A MINIMUM CLEAR OPENING WIDTH OF 20" FLOOR SHALL BE TEMERED.
WINDOW GLAZING WITHIN 60" OF THE BOTTOM OF A STAIRWAY AND LESS THAN 36" ABOVE THE FLOOR SHALL BE TEMERED. ALL GLAZING SHALL CONFORM TO IRC 2012 R308
WINDOW GLAZING WITH SILL HTS LESS THAN 18" TO BE TEMPERED.
WINDOW GLAZING 24" OR CLOSER TO DOORS SHALL BE TEMPERED.
WINDOW GLAZING 36" OR CLOSER TO STAIRWAYS AND 36" OR LESS ABOVE ALL WINDOWS SHALL CONFORM TO R312.2 WINDOW FALL PROTECTION ALL WINDOWS WITH SILL HTS LESS THAN 24" AND MORE THAN 72" ABOVE GRADE TO HAVE OPENING LIMITERS TO RESITRICT OPENING TO 4". WINDOW NOTES: ALL WINDOWS SHALL BE LOW E, ARGON FILLED INSULATING GLASS. ALL WINDOWS TO HAVE A U-FACTOR RATING OF 0.30 OR BETTER. ALL WINDOW GRILLES SHALL BE SIMULATED DIVIDED LITE. WIDTH 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" 2'-7 1/2" SIZE HEIGHT Casement
Casement
Casement
Casement
Casement
Double Hung
Double Hung
Casement
Casement
Casement
Casement
Casement
Casement Double Hung Double Hung Double Hung Double Hung
Double Hung
Double Hung Double Hung
Double Hung
Double Hung
Double Hung
Double Hung **TYPE** Grilles 2/2 SDL 2/2 SD TEMPERED Egress Marvin Integrity or Anderson 400 Series
Marvin Integrity or Anderson 400 Series Marvin Integrity or Anderson 400 Series
Marvin Integrity or Anderson 400 Series
Marvin Integrity or Anderson 400 Series
Marvin Integrity or Anderson 400 Series
Marvin Integrity or Anderson 400 Series
Marvin Integrity or Anderson 400 Series
Marvin Integrity or Anderson 400 Series
Marvin Integrity or Anderson 400 Series
Marvin Integrity or Anderson 400 Series
Marvin Integrity or Anderson 400 Series
Marvin Integrity or Anderson 400 Series NOTE A-201  $\langle \vec{a} \rangle$ LIVING ROOM EXPAND OPENING ADD NEW 3 1/2" X 11" LVL HEADEF BASEMENT DINING ROOM KITCHEN  $\langle v \rangle$  $\langle \infty \rangle$ A-201  $\langle \overline{1} \rangle$ MUDROON
DOUBLE LAYER 5% TYPE X GWB
ABOVE CEILING TO UNDERSIDE
OF SUBFLOOR PORCH CRAWLSPACE 29 ATLANTIC A-101 **BASEMENT AND FIRST** FLOOR PLANS SUSAN GRISANTI PERMIT SET 75 Market Street, Suite 203, Portland, ME