



FLOOR CONSTRUCTION:
 4 1/4" LIGHT WEIGHT CONCRETE OVER
 2" - 20 GAGE GALV. COMPOSITE FLOOR DECK
 TOTAL T = 6 1/4"
 REINFORCED WITH WWF 6x6-W2.9xW2.9
 TOP OF CONCRETE EL. 160'-9 1/2"

SECOND FLOOR FRAMING PLAN
 1/8"=1'-0"

- FLOOR FRAMING NOTES:**
- FOR TYPICAL DETAILS AND GENERAL NOTES SEE DRAWINGS S2.01 TO S2.03.
 - TOP OF STEEL SHALL BE AT EL. 160'-2 1/4" UNLESS NOTED OTHERWISE.
 - (± 0") INDICATES DEVIATION FROM TOP OF STEEL ELEVATION.
 - "C..." INDICATES COLUMN MARK. FOR COLUMN AND BASE PLATE SIZES SEE COLUMN SCHEDULE DRAWING S2.04.
 - "(X)" INDICATES THE NUMBER OF EQUALLY SPACED 3/4" DIA. x 4" LONG HEADED SHEAR STUDS.
 - "E.O.D." INDICATES EDGE OF FOUR STOP AND / OR EDGE OF DECK. DIMENSION FROM COLUMN GRIDLINE OR C. OF BEAM IF NO COLUMN GRIDLINE.
 - USE CHAIRS SPACED AT 4'-0" O.C. TO SUPPORT #4 BARS TO PROVIDE 1" CLEAR COVER.
 - "44k" INDICATES CONNECTION DESIGN SHEAR (ASD). IF REACTION IS NOT SHOWN, REFER TO SPECIFICATIONS & GENERAL NOTES.
 - "c=..." INDICATES AMOUNT OF CAMBER.
 - INDICATES SEISMIC MOMENT CONNECTION.
 INDICATES GRAVITY MOMENT CONNECTION.
 FOR DETAILS SEE DRAWING S2.04.
 - "BRACE X" INDICATES A BRACED FRAME. SEE DRAWING S3.02 FOR BRACE ELEVATIONS AND DETAILS.
 - "TOC EL." INDICATES TOP OF CONCRETE SLAB ELEVATION.
 - "TOS EL." INDICATES TOP OF STEEL ELEVATION.
 - "BOS EL." INDICATES BOTTOM OF STEEL ELEVATION.
 - INDICATES SPAN OF METAL DECK.
 - INDICATES WEB OPENING AT MIDHEIGHT OF BEAM. SEE PLAN FOR OPENING SIZE AND LOCATION.

Prepared For: 118 on Munjoy Hill, LLC 118 CONGRESS STREET PORTLAND, ME 04101	Consultant: VEITAS VEITAS engineers 68 Granite Street, Suite 10184 Portland, ME 04104 TEL: (207) 772-4056 FAX: (207) 772-4056
Architect: ARCHETYPE architects 48 Union Wharf Portland, Maine 04101 (207) 772-6022 Fax (207) 772-4056	Project: 118 ON MUNJOY HILL
Revisions: 100% CONSTRUCTION DOCUMENTS	Date: 5 MAR 2014
Scale: As indicated	SECOND FLOOR FRAMING PLAN
S1.02	