1 DECK POST ATTACHMENT
1" = 1'-0"

3 DECK LEDGER ATTACHMENT
1" = 1'-0"

4 DECK STAIR DETAIL
1" = 1'-0"

5 HANDRAIL DETAIL
1" = 1'-0"

2 DECK POST ATTACHMENT
1" = 1'-0"

6 DECK RAILING DETAIL
1" = 1'-0"

STAIR NOTES:
STAIRS SHALL HAVE HARDWOOD TREADS.
STAIR NOSING SHALL EXTEND 1/2" BEYOND RISER.
PROVIDE WALL MOUNTED HANDRAIL 34" ABOVE NOSING.

NEW STAIR RAILING ON THIRD FLOOR TO BE 1" X 1-1/2" PAINTED STEEL POSTS WITH 7/8" X 1" STEEL BALUSTERS @4" ON CENTER. RAILING WILL BE DECK MOUNTED OR ATTACHED TO FLOOR FRAMING.

NEW STAIR RAILING ON THIRD FLOOR SHALL BE 36" HIGH.
MAXIMUM SPACING BETWEEN BALUSTERS IS 3 7/8".
MINIMUM HEADROOM IS 7'-0".
EXISTING STAIRWAYS TO BE PAINTED.
HANDRAILS SHALL BE ON BOTH SIDES OF EXTERIOR STAIRS

7 ENTRY STEP AND DECK FOUNDATION DETAIL
1/8" = 1'-0"

A FIRST FLOOR DECK FRAMING
1/4" = 1'-0"

B SECOND FLOOR DECK FRAMING
1/4" = 1'-0"

C THIRD FLOOR DECK FRAMING
1/4" = 1'-0"

PROSPECT DESIGN
58 FORE ST, PORTLAND, ME
www.prospectdesign.me
T: 207 - 749 - 7400

54 WATERVILLE
54 WATERVILLE STREET, PORTLAND
TOM LANDRY, CORNERSTONE BUILDING RESTORATION

SHEET TITLE
DETAILS

REVISION

DRAWN BY: BB

DATE: NOVEMBER 9, 2015

A4