DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



This is to certify that

CPB2 LLC

Located at

58 FORE ST

PERMIT ID: 2015-00637

ISSUE DATE: 04/10/2015

CBL: 018 A001001

has permission to

Special Event/Staging for Dessert First event

Set up and breakdown 04/25/15.

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise clsoed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ David Petruccelli

/s/ Tammy Munson

Fire Official

Building Official

THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY
THERE IS A PENALTY FOR REMOVING THIS CARD

Approved Property Use - Zoning

Building Inspections

Fire Department

BUILDING PERMIT INSPECTION PROCEDURES Please call 874-8703 (ONLY)

or email: buildinginspections@portlandmaine.gov

Check the Status or Schedule an Inspection On-Line at http://www.portlandmaine.gov/planning/permitstatus.asp

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.
- Permits expire in 6 months. If the project is not started or ceases for 6 months.
- If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.
- Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC). One set of printed approved stamped construction documents shall be kept at the site of work and shall be open to inspection by building officials.

REQUIRED INSPECTIONS:

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

City of Portland, Maine - Building or Use Permit 389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-87					2015-00637	Date Applied For.	CBL.		
						04/01/2015	018	A001001	
Proposed	Use:			Proposed	Proposed Project Description:				
Portland Yacht Services/Boat Yard/Train Museum/Special events/offices					Special Event/Staging for Dessert First event Set up and breakdown 04/25/15.				
Dept:	Zoning	Status:	Approved	Reviewer:	Ann Machado	Approval Da	ite:	04/09/2015	
Note:							Ok to I	ssue:	
Condi	tions:								
Dept: Note: Condi	Building Inspect	i Status:	Approved	Reviewer:	Tammy Munson	Approval Da		04/09/2015 Issue: 🗹	
Dept:		Status:	Approved w/Conditions	Reviewer:	David Petruccelli	II.	nte: Ok to I	04/08/2015	

Conditions:

- 1) A minimum 1 radio equipped firefighter shall be hired.
- 2) Installation shall comply with City Code Chapter 10.
- 3) Fuel-fired heating equipment and propane tanks shall be installed outside of the buildings and not with 5 feet of an exit discharge.
- 4) Cooking within the buildings has not been reviewed and approved.
- 5) Fire protection systems shall be maintained. If system is to be off line over 4 hours a fire watch shall be in place. Dispatch notification required 874-8576.
- 6) Any cutting and welding done will require a Hot Work Permit from Fire Department.
- 7) Assembly and educational occupancies and uses with an occupant load of 100 or more persons required listed panic or fire exit hardware on doors serviing as a means of egress.
- 8) Shall meet the requirements of 2009 NFPA 1 Fire Code.