



TYP. ROOF CONSTRUCTION:
 1 1/2" - 20 GA F44-40KSI
 GALV. METAL ROOF DECK
 TOP OF STEEL EL. 81'-11 1/2"

LOW ROOF AREA
 SEE DWG. S104

1 HIGH ROOF FRAMING PLAN
 1/16" = 1'-0"

- ROOF FRAMING NOTES:**
- FOR TYPICAL DETAILS AND GENERAL NOTES SEE DWG. S201 - S206.
 - TOP OF STEEL ELEVATION VARIES, SEE PLAN.
 - (± 0") INDICATES DEVIATION FROM TOP OF STEEL ELEVATION
 - "G..." INDICATES COLUMN MARK. FOR COLUMN AND BASE PLATE SIZES SEE COLUMN SCHEDULE ON DRAWING S301.
 - "EOD" INDICATES EDGE OF DECK DIMENSION FROM COLUMN GRIDLINE OR CENTERLINE OF BEAM IF NO GRIDLINE IS INDICATED. "EOS" INDICATES EDGE OF SLAB.
 - INDICATES GRAVITY MOMENT CONNECTION. FOR DETAILS SEE DRAWING S205.
 - "BRACE X" INDICATES A BRACED FRAME. SEE DRAWINGS S302 & S303 FOR BRACE ELEVATIONS AND DETAILS.
 - "TOS EL." INDICATES TOP OF STEEL ELEVATION.
 - "BOS EL." INDICATES BOTTOM OF STEEL ELEVATION.
 - ← INDICATES SPAN OF METAL DECK.
 - PROVIDE 5/8" DIA. PUDDLE WELDS @ 36"/1 PATTERN AT ROOF DECK. PROVIDE 5/8" DIA. PUDDLE WELDS @ 36"/4 PATTERN AT FLOOR DECK. PROVIDE #10 SCREWS @ 18" O.C. AT SIDELAPS (ALL LEVELS).
 - ALL MECHANICAL AND ELECTRICAL CONDUITS, PIPING, AND HUNG SOFFITS SHALL BE SUSPENDED FROM STEEL BEAMS. THESE ITEMS SHALL NOT BE HUNG FROM THE METAL DECK. THIS SUPPLEMENTARY FRAMING SHALL BE SUPPLIED BY THE RESPECTIVE TRADES.
 - LOCATIONS AND DIMENSIONS SHOWN FOR RTU'S AND OPENINGS ARE FROM FACE TO FACE OF ANGLES OR FACE OF ANGLES TO CENTER OF BEAM. THE SIZE AND LOCATION OF ROOF OPENING FRAMES SHALL BE VERIFIED AND COORDINATED BY THE GENERAL CONTRACTOR AND THE MECHANICAL CONTRACTOR SHALL VERIFY ALL ROOF OPENINGS BEFORE SUBMITTING SHOP DRAWINGS. REFER TO "ROOF OPENING AND ROOF TOP UNIT SUPPORT" ON DRAWING SXX FOR FRAMING INFORMATION.

| | | | | | | | | | | | | | |
|---|---|------------------------------|----------|------------|----------|---------------|----------|--------------|----------|------------------|----------|-------------------|---|
| | | | | | | | | | | | | | |
| Prepared For: 0 Hancock Street LLC | Consulting Engineer: VEITAS SVEITAS engineers <small>680 Granite Street, Suite 101 Portland, Maine 04101 TEL: (207) 772-6022 FAX: (207) 772-4056</small> | | | | | | | | | | | | |
| Architect: ARCHETYPE architects <small>48 Union Wharf Portland, Maine 04101 (207) 772-6022 Fax: (207) 772-4056</small> | Project: 0 HANCOCK STREET PORTLAND, MAINE | | | | | | | | | | | | |
| Revisions: <table border="1"> <tr> <td>08-11-17</td> <td>Issued for Foundation Permit</td> </tr> <tr> <td>08-31-17</td> <td>Permit Set</td> </tr> <tr> <td>09-15-17</td> <td>Steel Bid Set</td> </tr> <tr> <td>09-22-17</td> <td>Pile Bid Set</td> </tr> <tr> <td>09-29-17</td> <td>Concrete Bid Set</td> </tr> <tr> <td>10-06-17</td> <td>Issued for Permit</td> </tr> </table> | 08-11-17 | Issued for Foundation Permit | 08-31-17 | Permit Set | 09-15-17 | Steel Bid Set | 09-22-17 | Pile Bid Set | 09-29-17 | Concrete Bid Set | 10-06-17 | Issued for Permit | Date: 08/11/17 Scale: High Roof Framing Plan |
| 08-11-17 | Issued for Foundation Permit | | | | | | | | | | | | |
| 08-31-17 | Permit Set | | | | | | | | | | | | |
| 09-15-17 | Steel Bid Set | | | | | | | | | | | | |
| 09-22-17 | Pile Bid Set | | | | | | | | | | | | |
| 09-29-17 | Concrete Bid Set | | | | | | | | | | | | |
| 10-06-17 | Issued for Permit | | | | | | | | | | | | |
| S106 | | | | | | | | | | | | | |