

TYP. ROOF CONSTRUCTION:
3 1/2" NORMAL WEIGHT CONCRETE SLAB
(3500 PSI) REINF. W/ 6x6-W2.9xW2.9 WWF
OVER 3" - 19 GA Fy=40KSI GALV. COMP. METAL DECK.
TOTAL T = 6 1/2"
TOP OF SLAB EL. 70'-4 1/2 EXCEPT WHERE NOTED.
TOP OF STEEL EL. 69'-10" EXCEPT WHERE NOTED.

(FIFTH FLOOR FRAMING PLAN)

4 ELEVATOR ROOF FRAMING PART PLAN
1/8" = 1'-0"



5 SECTION
3/4" = 1'-0"



6 SECTION
3/4" = 1'-0"



7 SECTION
3/4" = 1'-0"



1 TYPICAL ELEVATOR GUIDE RAIL SUPPORT AT SLAB EDGE DETAIL
NOT TO SCALE



2 TYPICAL ELEVATOR GUIDE RAIL SUPPORT AT DIVIDER BEAM
NOT TO SCALE



3 TYPICAL ELEVATOR GUIDE RAIL SUPPORT AT PIT
NOT TO SCALE

STATE OF MAINE
RIMANTAS M. VEITAS
No. 9477
LICENSED PROFESSIONAL ENGINEER
Date: 10/27/17

Prepared For:
0 Hancock Street LLC

Consulting Engineer:
VEITAS pue VEITAS engineers
891 Granite Street, Suite 101
Braintree, Massachusetts 02184
TEL: 781-842-2800 FAX: 781-849-2065

Architect:
ARCHETYPE architects
48 Union Wharf Portland, Maine 04101
(207) 772-6022 Fax (207) 772-4056

Project:
0 HANCOCK STREET
0 HANCOCK STREET
PORTLAND, MAINE

Revisions:
08-11-17 Issued for Foundation Permit
08-31-17 Permit Set
09-15-17 Steel Bid Set
09-22-17 Pile Bid Set
09-29-17 Concrete Bid Set
10-06-17 Issued for Permit

Scale:

Date: 08/11/17

Steel Sections & Details

S502