

1 FOUNDATION PLAN
1/16" = 1'-0"



A CENTER CORE FDN. PART PLAN
1/8" = 1'-0"

FOUNDATION NOTES:

1. FOR TYPICAL DETAILS & GENERAL NOTES SEE DRAWINGS S201 THRU S205.
2. SLAB ELEVATION SHALL BE AS NOTED ON PLAN.
3. PC..... INDICATES PILE CAP MARK. FOR SIZES SEE PILE CAP DETAILS ON DRAWING S305.
4. ALL PILES INDICATED SHALL BE 80 TON PILES.
5. P... INDICATES PIER TYPE. FOR DETAILS AND SCHEDULE SEE DRAWING S301.
6. C... INDICATES COLUMN MARK . FOR SIZES SEE COLUMN SCHEDULE ON DRAWING S301.
7. (T/PC...) INDICATES TOP OF PILE CAP ELEVATION.
8. GB... INDICATES GRADE BEAM. SEE
9. BOTTOM OF EXTERIOR GRADE BEAM SHALL BE AT ELEVATION 10'-3" UNLESS NOTED THUS: (....).
10. TOP OF INTERIOR PILE CAP SHALL BE -2'-0" FROM FLOOR SLAB ELEVATION, UNLESS NOTED THUS: (T/PC....).
11. TOP OF GRADE BEAM (T/GB) SHALL BE EL. 14'-2" UNLESS OTHERWISE NOTED ON PLAN, NOTED THUS: "T/GB EL.-----"
12. TOP OF EXTERIOR PIERS AND TOP OF EXTERIOR WALL PIERS SHALL BE -0'-1' FROM FLOOR SLAB ELEVATION, NOTED THUS: <....>.
13. TOP OF INTERIOR PIERS SHALL BE -2'-0' FROM FLOOR SLAB ELEVATION, NOTED THUS: <....>.
14. (-----) INDICATES **BOTTOM** OF GRADE BEAM ELEVATION.
15. W.S. INDICATES WALL AND/OR SHELF STEP.
16. ALL EXPOSED CONCRETE TO BE "RUBBED" FINISH.
17. FOR FLOOR DRAIN ELEVATIONS, SLAB DEPRESSIONS AND SLOPING CONCRETE FLOORS SEE ARCHITECTURAL DRAWINGS.
18. FOR DIMENSIONS & SLOPES OF LOADING DOCKS, RAMPS & SIDEWALKS SEE ARCHITECTURAL DRAWINGS.
19. FOR ELEVATIONS OF GRADE BEAM PENETRATIONS SEE MECHANICAL AND CIVIL DRAWINGS. SEE DRAWING S FOR TYPICAL DETAIL AT PIPE SLEEVES.
20. THE GENERAL CONTRACTOR SHALL COORDINATE DEPTH OF ALL SLAB DEPRESSIONS SHOWN ON PLANS.
21. FOR LOCATION AND EXTENT OF FOUNDATION INSULATION SEE ARCHITECTURAL DRAWINGS.
22. D.O. INDICATES DOOR OPENING. COORDINATE LOCATION AND WIDTH WITH ARCH. DWGS.

STATE OF MAINE
RIMANTAS M. VEITAS
No. 9477
LICENSED PROFESSIONAL ENGINEER

Date: 10/27/17

Prepared For:
0 Hancock Street LLC

Consulting Engineer:
VEITAS PLLC engineers
901 Granite Street, Suite 101
Braintree, Massachusetts 02184
TEL: 781-843-2800 FAX: 781-843-2005

Architect:
ARCHETYPE architects
48 Union Wharf Portland, Maine 04101
(207) 772-6022 Fax (207) 772-4056

Project:
0 HANCOCK STREET
0 HANCOCK STREET
PORTLAND, MAINE

Revisions:

08-11-17	Issued for Foundation Permit
08-31-17	Permit Set
09-15-17	Steel Bid Set
09-22-17	Pile Bid Set
09-29-17	Concrete Bid Set
10-06-17	Issued for Permit

Scale:

Date: 08/11/17

Foundation Plan

S101