


PLAN D=38"

PILE CAP - PC-1




PLAN D=38"

PILE CAP - PC-2




PLAN D=38"

PILE CAP - PC-2A




PLAN

PILE CAP - PC-3




PLAN

PILE CAP - PC-4

1/2"=1'-0"




ALTERNATE SECTION
AT TOP OF STEEL PILE

1 1/2" = 1'-0"

## FOUNDATION NOTES:

1. FOUNDATIONS SHALL BEAR ON DRIVEN PILES OF 80 TONS CAPACITY. SEE PLANS FOR REQUIRED CAPACITIES.
2. THE CONTRACTOR SHOULD REVIEW THE GEOTECHNICAL REPORT PREPARED BY SUMMIT GEOENGINEERING SERVICES. ANY RECOMMENDATIONS MADE BY THE REPORT SHALL BECOME PART OF THE JOB SPECIFICATIONS.

STATE OF MAINE
RIMANTAS M. VEITAS
No. 9477
LICENSED
PROFESSIONAL ENGINEER

Reviewed for Code Compliance
Inspection Division
Portland, Maine

Date: 10/27/17

Prepared For:
0 Hancock Street LLC

Consulting Engineer:
VEITAS and VEITAS engineers
890 Granite Street Suite 101
Braintree, Massachusetts 02184
TEL:(781)842-2868 FAX:(781)849-2065

Architect:
ARCHETYPE architects
48 Union Wharf Portland, Maine 04101
(207) 772-6022 Fax (207) 772-4056

Project:
0 HANCOCK STREET
0 HANCOCK STREET
PORTLAND, MAINE

Revisions:
08-11-17 Issued for Foundation Permit
08-31-17 Permit Set
09-15-17 Steel Bid Set
09-22-17 Pile Bid Set
09-29-17 Concrete Bid Set
10-06-17 Issued for Permit

Date: 08/11/17
Scale:

Pile Cap Details

S305