Reviewed for Code Compliance
Inspections Division
Approved with Conditions

Date: 06/09/16

DOOR SCHEDULE

Level	DOOR No.	LOCATION	DOOR W	DOOR H	DOOR THCK	DOOR TYPE	DOOR MAT'L	DOOR FINISH	FRAME JAMB	FRAME Head	Fire Rating	REMARKS
1ST FLOOR												
1ST FLOOR	101	OFFICE	3'-0"	7'-6"	2"	C	EXIST		EXIST	EXIST TRANSOM		EXISTING MAIL SLOT
1ST FLOOR	102	OFFICE	3'-0"	7'-6"	2"	C	EXIST		WOOD	TRANSOM		EXISTING MAIL SLOT
1ST FLOOR	103	OFFICE	3'-0"	7'-6"	2"	C	EXIST		EXIST	EXIST TRANSOM		EXISTING MAIL SLOT
1ST FLOOR	104	STAIRWELL	3'-0"	7'-6"	2"	F	BIRCH VENEER	PTD	EXIST			
1ST FLOOR	105	STAIRWELL	3'-0"	7'-0"	1 3/4"	H	HM		EXIST		60 MIN	PROVIDE MAGNETIC HOLD OPEN AND SMOKE SEALS
1ST FLOOR	106	EMR	3'-0"	7'-0"	1 3/4"	EXIST	EXIST		EXIST			
1ST FLOOR	107	ATM/ITM VAULT	3'-0"	7'-0"	1 3/4"	E	BIRCH VENEER	PTD	WOOD			
1ST FLOOR	108	ADA TOILET ROOM	3'-0"	7'-0"	1 3/4"	E	BIRCH VENEER	PTD	WOOD			
1ST FLOOR	109	TOILET ROOM	3'-0"	7'-0"	1 3/4"	E	BIRCH VENEER	PTD	WOOD			
1ST FLOOR	110	OFFICE	3'-0"	7'-6"	2"	B	EXIST		WOOD	TRANSOM		
1ST FLOOR	111	OFFICE	3'-0"	7'-6"	2"	B	EXIST		EXIST	EXIST TRANSOM		
1ST FLOOR	112	CONFERENCE	3'-0"	7'-6"	2"	B	EXIST		EXIST	EXIST TRANSOM		
1ST FLOOR	113	CONFERENCE	3'-0"	7'-6"	2"	B	EXIST		EXIST	EXIST TRANSOM		
1ST FLOOR	114	ELECT. ROOM	3'-0"	7'-0"	1 3/4"	H	HM		HM		60 MIN	
1ST FLOOR	115	STAIRWELL	3'-0"	7'-0"	1 3/4"	H	HM		EXIST		60 MIN	PROVIDE MAGNETIC HOLD OPEN AND SMOKE SEALS
1ST FLOOR	116	RECEPTION	3'-0"	7'-6"	2"	B	EXIST		EXIST	EXIST TRANSOM		
1ST FLOOR	117	RECEPTION	3'-0"	7'-6"	2"	B	EXIST		EXIST	EXIST TRANSOM		
SECOND FLOOR												
SECOND FLOOR	201	CORRIDOR	3'-0"	7'-6"	2"	A	EXIST		EXIST			
SECOND FLOOR	202	UTILITY	3'-0"	7'-0"	1 3/4"	E	BIRCH VENEER	PTD	WOOD			
SECOND FLOOR	203	ADA TOILET ROOM WITH SHOWER	3'-0"	7'-0"	1 3/4"	E	BIRCH VENEER	PTD	WOOD			
SECOND FLOOR	204	TOILET ROOM	3'-0"	7'-0"	1 3/4"	E	BIRCH VENEER	PTD	WOOD			
SECOND FLOOR	205	BREAK	3'-0"	7'-6"	2"	B	EXIST		WOOD	TRANSOM		
SECOND FLOOR	206	OFFICE	3'-0"	7'-6"	2"	A	EXIST		WOOD	TRANSOM		
SECOND FLOOR	207	OFFICE	3'-0"	7'-6"	2"	F	EXIST		WOOD	TRANSOM		
SECOND FLOOR	208	OFFICE	3'-0"	7'-6"	2"	B	EXIST		EXIST	EXIST TRANSOM		
SECOND FLOOR	209	OFFICE	3'-0"	7'-6"	2"	B	EXIST		EXIST	EXIST TRANSOM		
SECOND FLOOR	210	STAIRWELL	3'-0"	7'-0"	1 3/4"	G	HM		EXIST		60 MIN	PROVIDE MAGNETIC HOLD OPEN AND SMOKE SEALS
SECOND FLOOR	211	CONFERENCE	3'-0"	7'-6"	2"	B	EXIST		WOOD	EXIST TRANSOM		
SECOND FLOOR	212	CORRIDOR	3'-0"	7'-6"	2"	F	BIRCH VENEER		EXIST			
SECOND FLOOR	213	OFFICE	3'-0"	7'-6"	2"	B	EXIST		EXIST	EXIST TRANSOM		
THIRD FLOOR												
THIRD FLOOR	301	BOARD ROOM	6'-0"	7'-0"	1 3/4"	J	BIRCH VENEER		WOOD			
THIRD FLOOR	302	BOARD ROOM	3'-0"	7'-0"	1 3/4"	I	BIRCH VENEER		WOOD			
THIRD FLOOR	303	ADA TOILET ROOM	3'-0"	7'-0"	1 3/4"	E	BIRCH VENEER		WOOD			
THIRD FLOOR	304	TOILET ROOM	3'-0"	7'-0"	1 3/4"	E	BIRCH VENEER		WOOD			
THIRD FLOOR	305	EXEC OFFICE	3'-0"	7'-0"	1 3/4"	F	BIRCH VENEER		WOOD	TRANSOM		
THIRD FLOOR	306	EXEC OFFICE	3'-0"	7'-0"	1 3/4"	I	BIRCH VENEER		WOOD			
THIRD FLOOR	307	EXEC OFFICE	3'-0"	7'-0"	1 3/4"	I	BIRCH VENEER		EXIST	EXIST TRANSOM		
THIRD FLOOR	308	CORRIDOR	3'-0"	7'-0"	1 3/4"	I	BIRCH VENEER		WOOD			
THIRD FLOOR	309	EXEC OFFICE	3'-0"	7'-0"	1 3/4"	F	BIRCH VENEER		EXIST	EXIST TRANSOM		
THIRD FLOOR	310	OFFICE	3'-0"	7'-0"	1 3/4"	F	BIRCH VENEER		EXIST	EXIST TRANSOM		
THIRD FLOOR	311	CORRIDOR	3'-0"	7'-0"	1 3/4"	I	BIRCH VENEER		WOOD			
THIRD FLOOR	312	STAIRWELL	3'-0"	7'-0"	1 3/4"	G	HM		EXIST		60 MIN	PROVIDE MAGNETIC HOLD OPEN AND SMOKE SEALS

PUBLIC AREA DOORS

1 DOOR TYPES
1/4" = 1'-0"

LICENSED ARCHITECT
DAVID LLOYD
NO. 936
STATE OF MAINE

Prepared For:
GORHAM SAVINGS BANK
10 WENTWORTH DRIVE
GORHAM, ME 04038

Consultant:

Architect:
ARCHETYPE architects
48 Union Wharf Portland, Maine 04101
(207) 772-6022 ARCHETYPE@ARCHETYPEPA.COM

Project:
GRAND TRUNK BUILDING
1 INDIA STREET
PORTLAND, ME

Revisions:

Scale: 1/4" = 1'-0"

Date: MAR 10 2016

DOOR SCHEDULE

A8.01