



© 2016 RYAN SENATORE ARCHITECTURE

RESIDENCES
107 INDIA STREET
PORTLAND, MAINE



RYAN SENATORE ARCHITECTURE
565 CONGRESS STREET
PORTLAND, MAINE 04101
207-747-5159
senatorearchitecture.com

CONSULTANTS:
STRUCTURAL:
Structural Integrity
77 Oak Street
Portland, ME 04101
207-774-4614

REVISIONS:

DATE: FEBRUARY 5, 2016

PROJECT No.

DRAWN BY: RRT

CHECKED BY: RJS

SCALE: AS NOTED

SHEET TITLE:
WINDOW
SCHEDULE

A7-1

A DOUBLE HUNG A' DOUBLE HUNG B DOUBLE HUNG C DOUBLE HUNG C' DOUBLE HUNG D DOUBLE HUNG E DOUBLE HUNG

F ARCHED WINDOW - FIXED G ARCHED WINDOW - EGRESS H SKYLIGHT J FIXED

ALL WINDOWS:
(EXTERIOR COLOR = BLACK)
(INTERIOR COLOR = WHITE)

2 TYPICAL WINDOW TRIM WITHIN DWELLING UNIT
NOT TO SCALE

LEGEND:
T = TEMPERED GLASS
FG = FIBERGLASS
AL = ALUMINUM
DH = DOUBLE HUNG
AW = AWNING
LV = LOUVER
F = FIXED
CL = GLIDER
C = CASEMENT
VL = VINYL
H = HOPPER
SL = SKY LIGHT

1 WINDOW TYPES
1/4" = 1'-0"

WINDOW SCHEDULE										
KEY	ACTION	ROUGH OPENING (WH) VIF	R.O. HEAD HEIGHT FROM S&F FLOOR	DETAILS			MATERIAL	FINISH	REMARKS	
				JAMB	SILL	HEAD				
A	DH	2'-8" X 6'-2"	-	-	-	-	AL	-	G.C. TO VERIFY WINDOW SIZE WITHIN EXISTING MASONRY OPENING, 5/8" SIMULATED DIVIDED LIGHT	
A'	DH	2'-8" X 6'-2"	-	-	-	-	AL	-	G.C. TO VERIFY WINDOW SIZE WITHIN EXISTING MASONRY OPENING, 5/8" SIMULATED DIVIDED LIGHT, TEMPERED GLASS	
B	DH	1'-7" X 6'-2"	-	-	-	-	AL	-	G.C. TO VERIFY WINDOW SIZE WITHIN EXISTING MASONRY OPENING	
C	DH	2'-8" X 6'-0"	-	-	-	-	AL	-	G.C. TO VERIFY WINDOW SIZE WITHIN EXISTING MASONRY OPENING, 5/8" SIMULATED DIVIDED LIGHT	
C'	DH	2'-8" X 6'-0"	-	-	-	-	AL	-	G.C. TO VERIFY WINDOW SIZE WITHIN EXISTING MASONRY OPENING, 5/8" SIMULATED DIVIDED LIGHT, TEMPERED GLASS	
D	DH	1'-7" X 6'-2"	-	-	-	-	AL	-	G.C. TO VERIFY WINDOW SIZE WITHIN EXISTING MASONRY OPENING	
E	DH	2'-8" X 5'-10"	-	-	-	-	AL	-	G.C. TO VERIFY WINDOW SIZE WITHIN EXISTING MASONRY OPENING, 5/8" SIMULATED DIVIDED LIGHT	
E'	DH	2'-8" X 5'-10"	-	-	-	-	AL	-	G.C. TO VERIFY WINDOW SIZE WITHIN EXISTING MASONRY OPENING, 5/8" SIMULATED DIVIDED LIGHT, TEMPERED GLASS	
F	F	-----	-	-	-	-	AL	-	G.C. TO VERIFY WINDOW SIZE WITHIN EXISTING MASONRY OPENING	
G	C	-----	-	-	-	-	AL	-	G.C. TO VERIFY WINDOW SIZE WITHIN EXISTING MASONRY OPENING, TEMPERED GLASS	
H	SL	2'-0" X 4'-0"	-	-	-	-	AL	-	G.C. TO VERIFY WINDOW SIZE WITHIN EXISTING MASONRY OPENING	
J	F	3'-2" X 3'-6"	-	-	-	-	AL	-	G.C. TO VERIFY WINDOW SIZE WITHIN EXISTING MASONRY OPENING, 5/8" SIMULATED DIVIDED LIGHT	

NOTES:
1.) PROVIDE WINDOW SHADES AT ALL BEDROOM WINDOWS

- WINDOW NOTES:
- *1.) COORDINATE AND ADJUST ROUGH OPENING DIMENSIONS TO ACCOMMODATE SILL PAN FLASHING SYSTEM
 - 2.) CONTRACTOR TO FIELD VERIFY SIZE OF WINDOWS IN EXISTING OPENINGS BEFORE WINDOWS ARE ORDERED FROM THE FACTORY
 - 3.) HALF SCREENS ALL OPENINGS
 - 4.) PROVIDE BRICKMOULD CASING AT ALL WINDOWS, PROVIDE ARCH TOP BRICK MOULD AND PANEL INFILL AT ALL ARCHED MASONRY HEADERS
 - 5.) PROVIDE WINDOW OPENING CONTROL DEVICES FOR ALL WINDOWS TO LIMIT OPENINGS TO 4" MAXIMUM
 - 6.) CONTRACTOR TO VERIFY THAT ALL EGRESS OPENINGS MEET EGRESS REQUIREMENTS
 - 7.) ALL GLAZING LOCATED WITHIN 18" OF FINISHED FLOOR TO BE TEMPERED GLASS
 - 8.) ALL EXTERIOR GLAZING TO BE INSULATED
 - 9.) FRAME ALL OPENINGS WITH ELEVATIONS
 - 10.) SEAL WINDOW TO ROUGH OPENING WITH LOW EXPANDING FOAMINSULATION - SEE DETAILS