

1. SEE GENERAL NOTES FOR ADDITIONAL INFORMATION.

6. ALL HEADERS IN 2x6 BEARING WALLS ARE (3) 2x6, UNO.

7. ALL HEADERS IN 2x4 BEARING WALLS ARE (2) 2x8, UNO.

3. (E) INDICATES EXISTING, (N) INDICATES NEW.

UNLESS NOTED OTHERWISE ON PLANS.


5. ALL BEAMS ARE FLUSH, UNO.

INFORMATION -TYP.

2. TEMPORARY SHORING OF ALL REPAIR WORK BY CONTRACTOR -TYP

4. ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE 3-2x6 AND IN 2x4 WALLS SHALL BE 3-2x4

8. ALL (N) ROOF SHEATHING TO BE 5/8", SEE GENERAL NOTES FOR ADDITIONAL





65 NEWBURY STREET
PORTLAND, ME 04101
207.761.9000
info@portcityarch.com
WWW.PORTCITYARCH.COM

CONSULTANTS

Structural Integrity Consulting
Engineers, Inc.
77 Oak Street
Portland, Maine 04101
(207) 774-4614
contact: Aaron C. Jones
aaron@structuralinteg.com

REVISIONS

No. Date Description

45-47 Hancock St.
Portland, ME
Renovation

Project Number	16007
Date	March 21, 2017
Drawn by	MKL
Checked by	

PENTHOUSE ROOF
FRAMING PLAN

S1.1

#16-0144

SCALE 1/4"=1'-0"

Portland, ME, 04101

р. 207-774-4614

f. 866-793-7835 www.structuralinteg.com

BUILD WITH CONFIDENCE