






- 1. SEE GENERAL NOTES FOR ADDITIONAL INFORMATION. 2. TEMPORARY SHORING OF ALL REPAIR WORK BY CONTRACTOR -TYP
- 3. (E) INDICATES EXISTING, (N) INDICATES NEW.
- 4. ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE 3-2x6 AND IN 2x4 WALLS SHALL BE 3-2x4 UNLESS NOTED OTHERWISE ON PLANS.
- 5. ALL BEAMS ARE FLUSH, UNO.
- 6. ALL HEADERS IN 2x6 BEARING WALLS ARE (3) 2x6, UNO.
- 7. ALL HEADERS IN 2x4 BEARING WALLS ARE (2) 2x8, UNO.
- 8. ALL (N) ROOF SHEATHING TO BE 5/8", SEE GENERAL NOTES FOR ADDITIONAL INFORMATION -TYP.







65 NEWBURY STREET PORTLAND, ME 04101 207.761.9000 info@portcityarch.com WWW.PORTCITYARCH.COM

CONSULTANTS

Structural Integrity Consulting Engineers, Inc. 77 Oak Street Portland, Maine 04101 (207) 774-4614 contact: Aaron C. Jones aaron@structuralinteg.com

REVISIONS			
No.	Date	Description	

45-47 Hancock St. Portland, ME Renovation

Project Number	16007	
Date	March 21, 2017	
Drawn by	MKL	
Checked by		

**DECK / UPPER ROOF** FRAMING PLAN

**S1.2**