UPPER ROOF FRAMING PLAN

1. SEE GENERAL NOTES FOR ADDITIONAL INFORMATION.

6. ALL HEADERS IN 2x6 BEARING WALLS ARE (3) 2x6, UNO.

7. ALL HEADERS IN 2x4 BEARING WALLS ARE (2) 2x8, UNO.

3. (E) INDICATES EXISTING, (N) INDICATES NEW.

UNLESS NOTED OTHERWISE ON PLANS.


5. ALL BEAMS ARE FLUSH, UNO.

INFORMATION -TYP.

2. TEMPORARY SHORING OF ALL REPAIR WORK BY CONTRACTOR -TYP

4. ALL WOOD COLUMNS IN 2x6 WALLS SHALL BE 3-2x6 AND IN 2x4 WALLS SHALL BE 3-2x4

8. ALL (N) ROOF SHEATHING TO BE 5/8", SEE GENERAL NOTES FOR ADDITIONAL






65 NEWBURY STREET PORTLAND, ME 04101 207.761.9000 info@portcityarch.com WWW.PORTCITYARCH.COM

CONSULTANTS

Structural Integrity Consulting Engineers, Inc. 77 Oak Street Portland, Maine 04101 (207) 774-4614 contact: Aaron C. Jones aaron@structuralinteg.com



45-47 Hancock St. Portland, ME Renovation

	Project Number	16007
	Date	July 12, 2017
	Drawn by	BDO
	Checked by	MKL

DECK / UPPER ROOF FRAMING PLAN



SCALE 1/4"=1'-0"