1 S4 RAFTERS at ROOF BEAM

Scale: ¾" = 1'-0"

2 S4 RAFTERS at DECK BEAM

Scale: ¾" = 1'-0"

3 S4 RAFTERS at WALL BEAM

Scale: ¾" = 1'-0"

ROOF FRAMING PLAN

Scale: ¼" = 1'-0"

ROOF FRAMING NOTES:

1. See structural notes sheet S1.
2. Built-up beams shall be spiked together w/ 3 rows of 16d nails @ 12" o.c
3. Provide metal hangers at all joist connections.
4. See architectural drawings for all dimensions and openings
5. All ceiling joists and collar joists shall be 2 x8's @ 16" o.c. unless noted.
6. Provide (2) 2 x 10 headers with 2" rigid insulation at all exterior window and door openings u noted otherwise on plans.
7. Roof rafters may need to increase in size for code required insulation value.

ENGINEERING DESIGN PROFESSIONALS
Consulting Engineers
P.O. BOX 575, FREEPORT, MAINE 04032 • (207) 865-9505
EDP

Reviewed for Code Compliance
Inspections Division
Date: 03/13/15

PROJECT:
Fournier Apartment
16 Federal Street, Portland, ME

DRAWING:
ROOF FRAMING PLAN & DETAILS

STATE OF MAINE
LARRY A. WICHROSKI
No. 9505
LICENSED
PROFESSIONAL ENGINEER

DESIGNED BY: Larry A. Wichroski, P.E.

DRAWN BY: LAW

JOB #: 06614

DATE: 12-18-2014

REVISIONS:

SHEET: S4 of 4