



| FOOTING SCHEDULE |                   |                          |
|------------------|-------------------|--------------------------|
| MARK             | SIZE              | REINF                    |
| F3               | 3'-0"x3'-0"x1'-0" | 3#5 E.W.B.               |
| F4               | 4'-0"x4'-0"x1'-0" | 5#5 E.W.B.               |
| F5               | 5'-0"x5'-0"x1'-0" | 6#5 E.W.B.               |
| F6               | 6'-0"x6'-0"x1'-0" | 7#5 E.W.B.               |
| F7               | 7'-0"x7'-0"x1'-2" | 7#5 E.W.B.               |
| F36              | 3'-0"x6'-0"x1'-0" | 3#5 L.W.B.<br>6#5 S.W.B. |

**FOUNDATION PLAN**  
3/16"=1'-0"

**NOTES:**

1. SLAB CONTRACTION SHALL CONSIST OF 4" FIBER REINF CONC SLAB ON GRADE. TOP OF SLAB EL 100'-0" REFERENCES CIVIL DATUM EL 50.00'. REFER TO CIVIL DWGS FOR ADDL INFO. SEE PLAN FOR TOP OF SLAB ELEVATIONS.
2. (XX'-X") INDICATES TOP OF FOOTING ELEVATION.
3. P1, P2, ETC. INDICATES REINF CONC PIERS. SEE PIER DETAILS DWG S2.1  
(XX'-X") INDICATES TOP OF PIER ELEVATIONS.
4. C.J. INDICATES CONTRACTION/CONSTRUCTION JOIST.
5. SEE DWG S2.1 FOR TYPICAL DETAILS.

EXISTING CONC RETAINING WALL. G.C. SHALL PROBE SUBSURFACE AREA BEHIND EXIST RETAINING WALL TO ENSURE EXCAVATION DOES NOT DISRUPT EXIST TIEBACKS, SOIL ANCHORS OR CONCRETE COUNTER FORTS WHICH MAY EXIST.

THIS DRAWING IS AN INSTRUMENT OF SERVICE AND SHALL REMAIN THE PROPERTY OF BECKER STRUCTURAL ENGINEERS INC. IT SHALL NOT BE REPRODUCED, COPIED, LENT OR DISPOSED OF DIRECTLY OR INDIRECTLY NOR USED FOR ANY PURPOSE OTHER THAN FOR WHICH IT IS SPECIFICALLY FURNISHED AND MUST BE RETURNED TO BECKER STRUCTURAL ENGINEERS INC. ON COMPLETION OF WORK IF REQUESTED.