



PLAN
NORTH



- NOTES:
1. PROVIDE SIMPSON JOIST HANGERS AT ALL JOIST ENDS, TYP.
 2. WINDOW HEADERS SHALL BE (2)-2x8's, U.N.O. SEE TYP. HEADER DETAIL X/SX.X
 3. PROVIDE (3)-2x6's AT ALL COLUMNS AND CORNERS, U.N.O.
 4. SEE S3.1 & S3.2 FOR FRAMING ELEVATIONS
 5. ALL WOOD SHEAR WALLS SHALL BE SHEATHED WITH WOOD ON BOTH SIDES OF WALL

ROOF FRAMING PLAN

SCALE: 1/4"=1'-0" 1




- NOTES:
1. PROVIDE SIMPSON RAFTER TIES AT ALL RAFTER ENDS, TYP.
 2. WINDOW HEADERS SHALL BE (2)-2x8's, U.N.O. SEE TYP. HEADER DETAIL X/SX.X
 3. PROVIDE (3)-2x6's AT ALL COLUMNS AND CORNERS, U.N.O.
 4. WOOD SHEAR WALLS ON THIS PLAN ARE SHEATHED ON ONE SIDE.

PLAN LEGEND

- BEARING WALL
- SHEAR WALL
- BEAM
- HSS COLUMN
- COLUMN FROM ABOVE
- COLUMN BELOW
- COLUMN ABOVE AND BELOW
- HOLD-DOWN

TOWER ROOF FRAMING PLAN


SCALE: 1/4"=1'-0" 2



424 Fore Street
 Portland, ME 04101
 Phone 207.842.2800
 Fax 207.842.2828
www.cascobayengineering.com

CLIENT:

SUNNY TIME SOLAR LLC
 PO BOX 15372
 PORTLAND, ME 04101



THE HAWK
 48 HANCOCK STREET
 PORTLAND, MAINE

NEW BUILDING

No.	DESCRIPTION	DR.		DATE	
		BY	TD	BY	TD
A	ISSUE FOR PERMIT - NOT FOR CONSTRUCTION				2-11-16

SHEET TITLE:

ROOF
FRAMING PLANS

DESIGNED: TD
 DRAWN: TD
 DATE: 11-13-14
 PROJECT NUMBER: 14-135

S1.3