

## ABBREVIATIONS


## SYMBOLS

## MATERIALS

<	less than	FIBEROL	fiberglass	PL (P)	plate
>	greater than	FLDSTN FIN	fieldstone finish(ed)	PLYŴD PNEU	plywood pneumatic
ACC A.P.	access access panel	F.F.EL. FA	finishèd´floor elevation fire alarm	PT P.C.	pressure treated point of curvature
AC ACT	acoustical acoustical tile	FE FEC	fire extinguisher fire extinguisher cabinet	P.C.C. P.R.C.	point of compound curvature point of reverse curvature
ADD. ADJ	addendum adjacent	FHC FRT	fire hose cabinet fire retardant treated	P.R.V.C. PSL	point of reverse vertical curvature parallam
AFF AGG	above finish floor aggregate	FIX FRPF	fixture fireproof	P.T. P.I.	point of tangency point of intersection
A/C AlB	air conditioning air infiltration barrier	FLASH. FHMS	flashing flat head machine screw	P.V.C. P.V.I. P.V.T.	point of vertical curvature point of vertical intersection
ALT ALUM	alternate aluminum	FHWS FLEX	flat head wood screw flexible	PVC P.E.	point of vertical tangent polyvinyl chloride porcelain enamel
ACSC ANC AN <i>O</i> D	aluminum coil stock cover anchor, anchorage anodized	FLO FD	floor flooring floor drain	QT	quarry tile
ARCH A.D.	architect(ural) area drain	FLUOR FTG	fluorescent footing	QUANT	quantity
ASB ASPH	asbestos asphalt	FDN FR	foundation frame(d), (ing)	RAD (R) REC	radius recessed
ATTEN. AUTO.	attenuation automatic	F.S. FUR	full size furred, (ing)	REF REFL	reference reflect(ed), (ive), (or)
₿.E.	baked enamel	FUT FFL	future finished floor	REFRG. REG	refrigerate (or) register, regular
BSMT BRG	basement bearing	GAL	galvanized	REINF R.C.P.	reinforce(d), (ing) reinforced concrete pipe
B.M. BTWN	bench mark between	6.1. 65KT	galvanized iron gasket(ed)	RES RET	resilent return of retaining
BVL BIT. BLK	beveled bituminous block	GA GC	gauge general contract(or)	RA RVS REV	return air reverse revision(s), revised
BLKG BD	blocking board	GL GCMU G.W.C.	glass glazed concrete masonry unit glazed wall coating	REQD RH	required right hand
ВОТ В.С.	bottom bottom of curb	GRD GRAN.	grade (grading) granite	R.O.W. R	right of way riser
BLDG BND	building bound	GRAV. GRND	gravel ground	RVT RF	rivet
BRK BS	brick both sides	GD GYP	guard gypsum	RD RL	roof drain roof leader
B.U.R.	built up roofing	HC	handicap	RFG RM	roofing room
CAB. CAD	cabinet cadmium	HH HDRL	handhole handrail	RND RO RHG	round rough opening
CPT CSMT C.I.	carpet casement cast iron	HDWR HDWD HDB	hardware hardwood	RHS SCHED.	roundheaded screw schedule
CB CLKG	catch basin caulking	HDR HDWL HTG	header headwall or culvert end wall heating	SCRN SCR.	screen
CLG CEM	ceiling cement	HVAC H.D.	heating/ventilating/air conditioning heavy duty	SLNT SEATG	sealant seating
CTR E	center center line	HT (H) H.P.	height (high) high point	SECT SHTG	section sheathing
CER C.T.	ceramic ceramic tile	HM HORZ	hollow metal horizontal	SHT SMS	sheet sheet metal screw
CKBD CHNL CHRM	chalkboard channel chromium (plated)	HYD INGL	hydrant include(d), (ing), inclusive	SW SDG SIM	sidewalk siding similiar
CIR CIRC.	circle, circular circumference		infiltration inside diameter	SLV SNDPRF	sleeve soundproof
CO CLR	cased opening clear(ance)	INSUL INT	insulate(d), (ion) interior	S SPKR	south speaker
CCTV CLSR	closed circuit television closure	INV	invert	SPR SQ SS	sprinkler square
COL COMB COMPT	column combine, combination compartment	J	joint	STD STA	stainless steel standard station
COMPO COMP	composition, composite compress(ed), (ion), (ible)	K <i>/O</i> LAD	knockout ladder	STL ST <i>O</i> R	steel storage
CONC CMU	concrete masonry unit	LAM LAV	laminate lavatory	SD STRUC	storm drain structural
CONN. CONST	connect, connection construction	L.C. LH	lead coated left hand	SCT SGT	structural clay tile structural glazed tile
CONT C.J.	continuous, continue construction joint	L	length length of curve	SUSP SYM	suspended symmetrical
C.JT CPR	control joint copper	LT LT.PRF.	light light proof	SYNTH SYS	synthetic system
C.G. CORR CNTR	corner guard corrugated, corridor counter	LT.WT. LIN. LL	light weight linen live load	TKBD TKS	tackboard tackstrip
CSNK C.S.	countersunk countersunk screw	LVR L.P.	louver low point	TI TEL	tangent distance of curve telephone
C, CRS CULV.	course culvert	MACH	machine	TV TC	television terra cota
DMPFG	dampproofing	MH MFGR	manhole manufacture(r)	TERR THK (T)	terrazzo thick(ness)
DB DEM	decibel demolish, demolition	MBL MAS	marble masonry	THOLD T.PTN	threshold toilet partition
DMT DET D	demountable detail	M.O. M/L	masonry opening match line	T&G T.C.	tongue & groove, tar & gravel top of curb
DIAG DIAM Ø	depth diagonal, diagram diameter	M.T.W. MAT MAX	masonry thru wall (flashing) material(s) maximum	TRAN T TYP	transom tread typical
DIM DWSHR	dimension dishwasher	MECH MED	maximum mechanic(al) medium	T <i>OP</i> T <i>O</i> F	top of parapet top of finish
DISP DIV	dispenser, disposal unit division	MEMB MTL	membrane metal, metallic	T <i>o</i> ff T <i>o</i> s	top of first floor top of slab
DR D.A.	door double acting	MM	meter millimeter	T <i>os</i> f T <i>os</i> tl	top of second floor top of steel
D.H. DVTL DN	double hung dovetail down	MLWK MIN MOD	millwork minimum modular modula	TOTE TOW	top of third floor top of wall
DT DWR	drainage tile drawer	M <i>O</i> D MR MLDG	modular, module moisture resistant molding	UC UOS	undercut underside of slab
DWG DF	drawing drinking fountain	MTD MVBL	mounted movable	UNDLYMT UNFIN	underlayment unfinished
D.I. DMW	drop inlet dumbwaiter	MULL	mullion	UN <i>O</i> UR	unless noted otherwise urinal
E ELE <i>C</i>	east electric	NAT NRC	natural noise reduction coefficient	VJT VAC	v-joint(ed) vacuum
EW <i>C</i> EDP	electric water cooler electronic data processor	NOM N/S N/A	nominal non-slip not applicable	VB VARN	vapor barrier varnish
EL ELEV	elevation elevator	N.I.C.	north not in contract	VNR VERM	veneer vermiculite
ENGL ENTR.	enclosure entrance	N.T.S.	not to scale	VERT VG	vertical vertical grain
EOR. EQ EQUIP	engineer of record equal equipment	OC OPNG	on center opening	VIN VAT VW <i>C</i>	vinyl vinyl asbestos tile vinyl wall covering
EXUIP EST EW	equipment estimate(d) each way	OPP O.H. OD	opposite opposite hand outside diameter	V.C.P.	vitrified clay pipe
EXCAV EXH	excavate exhaust	OHMS OHWS	outside alameter ovalhead machine screw ovalhead wood screw	WH WC	wall hung water closet
EXIST EXP.	existing expansion	OVHD	overhead wood screw	WPFG WSTP	waterproof(ing) water stop
E.J. EXP <i>0</i>	expansion joint exposed	PAF PTD	powder—actuated fastening painted	W.M. WHSTRP	water main weatherstrip
EXT FBRK	exterior face brick	PR PNL PAR //	pair panel parallel	WWF W W	welded wire fabric west width (wide)
FCB FD	fiber cement board fire damper	PAR, // PART.BD. PTN	parallel particle board partition	WDW W.GL.	window wire glass
F <i>OC</i> F <i>O</i> F	face of concrete face of finish	PVMT PERF	pavement perforated	W.MES. W/	wire mesh with
FAC FAC	face of masonry factory	PERP PERIM	perpendicular perimeter	W/ <i>O</i> WD	without wood
FACP FAS	fire alarm control panel fasten, fastner	PLAS PLAM.	plaster plastic laminate	WI	wrought iron







ACOUSTICAL TILE

RESILIENT TILE

CARPET

CERAMIC OR QUARRY TILE

GATE,

REVISIONS:

DRG. NO.

