




1 SIDEWALK & DRIVEWAY CONSTRUCTION




2 BRICK SIDEWALK DETAIL-NO ESPLANADE




(3) TYP, INSTALLATION OF CURB TYPE I



4 HANDICAP RAMP





5 PAVEMENT SAW CUT DETAIL



CONCRETE f'C=4000 p61.
 REINF. STEEL GRADE 60 NEW BARS.
 CONCRETE 3/4" AGG., 6 ± 1% ENTRAINED AIR.
 PROVIDE 2 COATS BITUMINOUS DAMPROOFING FOR
ALL CONCRETE BELOW GRADE.
 POLE BASE PER THE 'BAYSIDE DISTRICT MEDIUM SCALED LIGHTING
POLE' AND CITY SPECIFICATIONS. COORDINATE WITH PORTLAND
PUBLIC SERVICES.
 BID ALT.- CONTRACTOR MAY SUBSTITUTE PRECAST CONCRETE LIGHT
POLE BASE EQUALTO ABOVE SPEC. AND APPROVED BY CITY

6 TYPICAL LIGHT POLE BASE
NOT TO SCALE






MATERIAL: ALL HOT ROLLED MILD STEEL

FINISH: PAINTED WITH ONE COAT LO-LUSTRE


BLACK ENAMEL

Neenah Foundry Co. (nfco.com), Item: Type A, L4, I2" opening.

8) TYPICAL TREE GUARD NOT TO SCALE



9 FOUNDATION DRAIN SECTION NOT TO SCALE



TYPE "B" UNDERDRAIN WITH CURB INSTALLATION NOT TO SCALE

MCCULLOUGH

MCCULO

B CD 7/17/08 REVISED AND SUBMITTED FOR CONSTRUCTION BID
A CD 11/09/07 SUBMITTED FOR CONSTRUCTION BIDS

REV: BY: DATE: STATUS:
THIS PLAN SHALL NOT BE MODIFIED WITHOUT WRITTEN PERMISSION FROM SEBAGO TECHNICS, INC. ANY ALTER AUTHORIZED OR OTHERWISE SHALL ISFR'S SOLE RISK AND WITHOUT LIABILITY TO SEBAGO TECHNICS.

Sebago Technics

Engineering Expertise You Can Build On
One Chabot Street
Westbrook, Me 04098-1339
Tel (207) 856-0277

PROJECT NO FIELD BOOK DESIGN CHKD DRAWN
05109 - CD - SAB

THE BAY HOUSE

112 NEWBURY ST., 113 NEWBURY ST., 40 HANCOCK ST.
PORTLAND, MAINE
FOR:
THE VILLAGE AT OCEAN GATE, LLC
133 PEARL STREET, SUITE 400
BOSTON, MA 02110

DATE SCALE

8/3/05 AS SHOWN

SHEET10 OF14