Frame & Door Schedule

DOOR NO.	LOCATION (opens into)	LABEL	FRAME MATERIAL	FRAME TYPE	JAMB OPENING WIDTH	JAMB OPENING HEIGHT	JAMB OPENING DEPTH	DETAIL HEAD	DETAIL JAMB	DOOR TYPE	DOOR MATERIAL	THRESHOLD	UNDERCUT	HARDWARE	SECURITY	REMARKS
101	Bathroom - Room #105	none	HM	F1	3'-0"	6'-8"	4 7/8"	H1	J01	D1	WD	none	1/2"	A	—	Privacy set
102	Kitchenette - Room #108	none	GWB	NA	3'-0"	6'-8"	4 7/8"	H2	J02	D2	AL	none	1/2"	B	—	Barn door set
103	Office - Room #106	none	GWB	NA	3'-0"	6'-8"	4 7/8"	H2	J02	D2	AL	none	1/2"	B	—	Barn door set

22 Enlarged Bathroom Elevation

21 Enlarged Bathroom Elevation

1 Glazing Type One - Single Pane, Wire Glass

2 Glazing Type Two - Single Pane

3 Glazing Type Three - Insulated Glass

CL3 Gypsum Partition Closure @ Steel Beam

CL2 Gypsum Partition Closure @ Steel Beam

CL1 Gypsum Partition (no extension to deck)

1. Partition type designations refer to the following wall construction systems:
   3 5/8" Metal stud construction to approx 41'-0" AFF (VERIFY)
   3 5/8" Metal stud construction to approx 6'-0" AFF.
2. All GWB to be cut to fit around penetrations, pipes, ducts, conduit, cables, etc. All penetrations shall be sealed with fire rated sealant, UNO.
3. All partitions extending to underside of slab above shall fully follow the contour of structure.
4. All sound insulated partitions shall extend to the underside of structure above, unless noted otherwise.
5. All sound insulated partitions shall be sealed with acoustic sealant under the shoe, head, and jamb, and at all GWB joints.
6. Refer to Room Finish Schedule for wall finish and base information.

Partition Notes / Legend

Office Rm #107

F	TBD
N	Exist GWB Painted
E	GWB - Painted
S	GWB - Painted
W	Exist GWB Painted
C	ACT 12'-0" AFF
B	6" Rubber

Brow Station Rm #105
Waiting Rm #102

F	TBD
N	GWB - Painted
E	NA
S	Exist GWB Painted
W	Exist GWB Painted
C	ACT 12'-0" AFF
B	6" Rubber

Kitchenette Rm #108

F	TBD
N	Exist GWB Painted
E	Exist GWB Painted
S	GWB - Painted
W	GWB - Painted
C	ACT 10'-0" AFF
B	6" Rubber

Restroom Rm #106

F	TBD
N	GWB - Painted
E	Exist GWB Painted
S	GWB - Painted
W	GWB - Painted
C	ACT 10'-0" AFF
B	6" Rubber

Facial 2 Rm #104
Facial 1 Rm #103

F	TBD
N	GWB - Painted
E	Exist GWB Painted
S	GWB - Painted
W	NA
C	ACT 12'-0" AFF
B	6" Rubber

Display Rm #101

F	TBD
N	GWB - Painted
E	Exist GWB Painted
S	Exist GWB Painted
W	NA
C	ACT 12'-0" AFF
B	6" Rubber

20 Reflected Ceiling Plan

10 Floor Plan

GAF CON

Reviewed for Code Compliance
Inspections Division
Approved with Conditions
Date: 12/18/15

41 edgewoo
portland, maine 04103
telephone 207 450 0750

e-mail matthewwinch@earthlink.net

Revisions	date
Building permit submission	12/01/15

project name
Jessica Johnson
Classic Beauty

project location
15 Middle Street
Portland, Maine

plan north

LICENSED ARCHITECT
MATTHEW WINCH
No. 2112
STATE OF MAINE

date
December 1, 2015
scale
1/4" = 1'-0"
project #
2015-015
drawing title
Plans and Schedules
drawing number
A101