



3RD FLOOR PLAN
 3/32'=1'-0"

NOTES:

- FOR GENERAL INFORMATION, SEE SHEET S0.01
- TOP OF STEEL IS (-1'-3 1/2") BELOW TOP OF DECK (TYP UON).
- FOR HSS BUMPER TUBES LOCATE TOP OF STEEL 2'-0" ABOVE TOP OF DECK AT COLUMN.
- FOR COLUMN SCHEDULE AND DETAILS, SEE SHEET S2.01.
- FOR TYPICAL DETAILS, SEE SHEET S7.01.
- NO FACADE SUPPORTS SHOWN. SEE SECTIONS FOR DETAILS.
- PRECAST DOUBLE TEES ARE 2'-10" DEEP (MAX) WITH 15" NIBS, UON.
- FOR PRECAST DOUBLE TEE SECTIONS AND DETAILS, SEE SHEET S6.01.

LEGEND:

- (X'-X") TOP OF DECK
- C=X" BEAM CAMBER
- FD FLOOR DRAIN
- FRAME MOMENT CONNECTION
- ◇— NON-FRAME MOMENT CONNECTION
- ▨ 4'-6"x3" P/C WASH
- ▤ CMU WALL
- CIP TOPPING

OWNER
OCEAN GATEWAY GARAGE LLC

PORTLAND, ME

CLIENT

RIVERWALK, LLC

50 MONUMENT SQ.
 PORTLAND, ME 04101

PROJECT

OCEAN GATEWAY GARAGE

MIDDLE STREET
 PORTLAND, MAINE

NO.	DATE	DESCRIPTION
1	8.10.07	BULLETIN 1

DATE 22 FEB 2007
 SCALE AS NOTED
 PROJECT NO. 05-032



DRAWING TITLE
3RD FLOOR STRUCTURAL PLAN

SHEET NUMBER

S1.04

S:\06 Projects\05-032 Ocean Gateway Garage\05-032_01\05-01.dwg (P:\0501.dwg) 5/9/2007 4:53 PM, 11