

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



CITY OF PORTLAND BUILDING PERMIT



This is to certify that

EIGHT MIDDLE LAND COMPANY LLC

Located at

8 MIDDLE ST (3rd & 4th floors)

PERMIT ID: 2017-00387

ISSUE DATE: 07/11/2017

CBL: 020 F002001

has permission to **Establish use of right side of 3rd floor & 4th floor as office - Interior fit up (Tilson Technology)**

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise closed-in. 48 hour notice is required.

A final inspection must be completed before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Jason Grant

/s/ Laurie Leader

Fire Official

Building Official

**THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY
THERE IS A PENALTY FOR REMOVING THIS CARD**

Approved Property Use - Zoning

offices - 3rd & 4th floors

Building Inspections

Use Group: B/R-1 **Type:** 2B

Business
Occupant load = 147
NFPA 13 Sprinkler System
3 & 4 FLOOR - RIGHT SIDE
MUBEC/IBC 2009

Fire Department

BUILDING PERMIT INSPECTION PROCEDURES
Please call 874-8703
or email: buildinginspections@portlandmaine.gov

**Check the Status of Permit or Schedule an Inspection at
<http://www.portlandmaine.gov/planning/permitstatus.asp>**

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the City of Portland Inspections Division for the inspections listed below. Appointments must be requested 48 to 72 hours in advance. The inspection date will need to be confirmed by this office.

- **Please read the conditions of approval that are attached to this permit.**
- **Permits expire in 6 months if the project is not started or ceases for 6 months.**
- **If the inspection requirements below are not followed, then additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.**
- **Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC), one set of printed approved stamped construction documents will be kept at the site of work and open to inspection by building officials.**

REQUIRED INSPECTIONS:

Close-in Plumbing/Framing w/Fire & Draft Stopping

Above Ceiling Inspection

Electrical Close-in w/Fire & Draftstopping

Final - Electric

Final - Fire

Certificate of Occupancy/Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue.

If the permit requires a certificate of occupancy, it must be paid and issued to the owner or designee before the space may be occupied.

City of Portland, Maine - Building or Use Permit		Permit No: 2017-00387	Date Applied For: 03/23/2017	CBL: 020 F002001
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716				
Proposed Use: offices - 3rd floor (right side) and 4th floor		Proposed Project Description: Establish use of right side of 3rd floor & 4th floor as office - Interior fit up (Tilson Technology)		
<hr/>				
Dept: Zoning	Status: Approved Pending Appeal	Reviewer: Ann Machado	Approval Date: 04/18/2017	
Note: IS-FBC The third floor will have 4 "guestrooms" & a kitchen for visiting employees Parking - Office use - 1 space per 400 sf - 16121.97 sf - 40 spaces required - lease with abutting parking garage - Ok				Ok to Issue: <input checked="" type="checkbox"/>
Conditions:				
1) Separate permits shall be required for any new signage.				
2) This permit is being issued with the condition that the four guestrooms on the third floor will be occupied by employees only. They may not be rented/used for nonemployees. This is not considered a dwelling unit.				
3) This permit is being approved on the basis of plans submitted. Any deviations shall require a separate approval before starting that work.				
<hr/>				
Dept: Building Inspecti	Status: Approved w/Conditions	Reviewer: Laurie Leader	Approval Date: 07/11/2017	
Note:				Ok to Issue: <input checked="" type="checkbox"/>
Conditions:				
1) A State Fire Marshal permit is required for this project. An electronic copy of this permit and any changes to the City's approved plans shall be submitted to the Inspections Office as soon as it is issued.				
2) This permit is approved based upon information provided by the applicant or design professional. Any deviation from the final approved plans requires separate review and approval prior to work.				
3) Separate permits are required for any electrical, plumbing, sprinkler, fire alarm, HVAC systems, heating appliances, including pellet/wood stoves, commercial hood exhaust systems, fire suppression and fuel tanks. Separate plans may need to be submitted for approval as a part of this process.				
<hr/>				
Dept: Engineering DPS	Status: Not Applicable	Reviewer: Rachel Smith	Approval Date: 04/19/2017	
Note:				Ok to Issue: <input checked="" type="checkbox"/>
Conditions:				
1) This approval is non-applicable to Engineering DPW as it relates to approval for Grease Control Equipment for the Fats, Oil, and Grease Program. If approval is needed for this project by the Engineering Department of Public Works for any other reason than FOG, please contact 207-874-8801.				
<hr/>				
Dept: Fire	Status: Approved w/Conditions	Reviewer: Jason Grant	Approval Date: 06/21/2017	
Note:				Ok to Issue: <input checked="" type="checkbox"/>
Conditions:				
1) This project meets the requirements for needing a Maine State Fire Marshal's Office (SFMO) construction and or barrier free permit. The City of Portland must have a copy of this permit on file before a final inspection or certificate of occupancy can be issued. If the SFMO determines that their permit is not needed then correspondence from the SFMO stating that a permit is not required shall be provided.				
2) Per 2009 NFPA 101 section 12.7.9.3 and 13.7.9.3 every room constituting an assembly occupancy (50+ people) and not having fixed seating shall have the occupancy load of the room posted on a sign in a conspicuous place by the main entrance to the space.				
3) This review has determined that your project requires fire alarm system. A separate City of Portland Fire Alarm Permit is required for new systems; or for work effecting more than 5 fire alarm devices; or replacement of a fire alarm panel with a different model. This review does not include approval of fire alarm system design or installation.				

PERMIT ID: 2017-00387

Located at: 8 MIDDLE ST (3rd & 4th floors)

CBL: 020 F002001

- 4) This review has determined that your project requires fire sprinkler system. A separate City of Portland Water-Based Fire Suppression System Permit is required for all new sprinkler systems, including standpipe systems, and sprinkler work effecting more than 20 heads. This review does not include approval of system design or installation. Sprinkler system installation shall comply with 2016 NFPA 13.
- 5) Fire extinguishers are required per NFPA 1 (2009 Edition) Table 13.6.2. The quantity, size, type and location shall be in accordance with NFPA 1, 13.6.8.
- 6) The means of egress shall be illuminated and marked in accordance with 2009 NPFA 101, sections 7.8 and 7.10.
7.8.1.3 The minimum illumination of the egress path for stairs shall be at least 10 ft-candle and the minimum illumination of the egress path of floors and other walking surfaces other than stairs shall be at least 1 ft-candle.
Emergency Lighting in accordance with 2009 NPFA 101, sections 7.9 shall be provided
- 7) All penetrations for cables, cable trays, conduits, pipes, tubes, vents, ducts, wires and similar items that pass through or penetrate a fire rated wall ceiling or floor assembly shall be protected and sealed by a listed firestop system and installed to comply with the systems manufactures recommendation.
- 8) This review has determined that your project requires carbon monoxide detectors. City of Portland Code Chapter 10 section 10-3 (L) all residential occupancies, and all new multiple occupancies containing attached parking structures or fuel burning appliances shall be protected in accordance with NFPA 720, Standard for the Installation of Carbon Monoxide (CO) Detection and Warning Equipment, 2009 edition. Detectors shall be provided in the following areas.
 1. Outside each separate sleeping area, in the immediate vicinity of the sleeping areas
 2. On each level of the dwelling unit, including basements but excluding attics and crawl spaces.
- 9) All construction shall comply with City Code, Chapter 10.
All construction shall comply with 2009 NFPA 101 Life Safety Code, Chapter # 38 and other applicable chapters
All construction shall comply with 2009 NFPA 1, Fire Code.
This review and approval by the AHJ shall not relieve the applicant of the responsibility of compliance with this Code. NFPA 1 (section 1.14.4).
All means of egress to remain accessible at all times.
If applicable, all outstanding code violations shall be corrected prior to final inspection.