COPYRIGHT: Reuse or reproduction of this document is not permitted without written permission of Bild Architecture LLC

A2 — 2X2 WOOD FRAMING ACOUSTICAL WALL (2X4 ON SIDE MAY ALSO BE USED)

2¾" ACTUAL WALL THICKNESS

A4 — 2X4 WOOD FRAMING ACOUSTICAL WALL

4¾" ACTUAL WALL THICKNESS

AX — SEE PLAN FOR TOTAL WALL THICKNESS

X ACTUAL WALL THICKNESS

1A — 2X6 WOOD FRAMING FIRE WALL
1 HOUR RATED UL-U311 ASSEMBLY
STC RATING: 50-54

7-1/4" ACTUAL WALL THICKNESS

NOTE:

PENETRATIONS, JOINTS, OPENINGS, AND DUCTS INTERRUPTING ANY FIRE RATED ASSEMBLY SHALL CONFORM WITH IBC CHAPTER 7.

1B — 2X4 WOOD FRAMING FIRE WALL
1 HOUR RATED UL-340 ASSEMBLY
STC RATING: 54

7-3/4" ACTUAL WALL THICKNESS

NOTE:

PENETRATIONS, JOINTS, OPENINGS, AND DUCTS INTERRUPTING ANY FIRE RATED ASSEMBLY SHALL CONFORM WITH IBC CHAPTER 7.

B4 — 2X4 STORAGE PARTITION WALL

3 ½" ACTUAL WALL THICKNESS

F1 — FURRED EXTERIOR BRICK WALL

1'-2"+/- ACTUAL WALL THICKNESS

F2 — FURRED FIRE WALL

6" ACTUAL WALL THICKNESS

NOTE:

PENETRATIONS, JOINTS, OPENINGS, AND DUCTS INTERRUPTING ANY FIRE RATED ASSEMBLY SHALL CONFORM WITH IBC CHAPTER 7.

W1 — 2X6 EXTERIOR WALL

9 5/8" ACTUAL WALL THICKNESS

Bild Architecture
PO Box 8235
Portland, ME 04104
207.408.0168
evan@bildarchitecture.com

bild ARCHITECTURE

LICENSED ARCHITECT 11/3/15 EVAN A. CARROLL No. 3687 STATE OF MAINE

Reviewed for Code Compliance Inspections Division Portland, Maine
Date: 04/20/16

PROJECT NO.
15019
PROJECT NAME
EAST END LOFTS
PORTLAND, ME 04101

REVISIONS
1 -
2 -
3 -
4 -
5 -

BUILDING PERMIT SET

DRAWN BY
AEW
SHEET TITLE
WALL ASSEMBLIES

ISSUE DATE
11/3/15
SHEET SCALE
1/8" = 1'-0"

A

1.0