



1. Contractor/owner responsible for securing all necessary permits.
2. Contractor/owner will comply with all applicable codes and ordinances.
3. Contractor/owner to verify all site grades and dimensions.

- General Notes:
1. See A2.4 for wall types and partition types
 2. Place additional sprinkler heads at windows located in the 1 hour rated wall assembly
 3. U value of all windows to be 0.32 or greater.

PROPERTY OF

gdd=de=tech
235 Riverside Industrial Parkway
Portland, ME 04102

Downeast Structural Consultants, LLC
5 Oak Street
Cumberland, Maine 04102
phone: 207/829-8015
email: cty@downeaststructural.com

DSC

STATE OF MAINE
CHRISTOPHER RAY
No. 10547
LICENSED PROFESSIONAL ENGINEER
Christopher Ray

35 Mayo Street Re-Model
Portland, Maine
Fowler-Greeves Construction

DATE	NO	REMARKS
08-03-09	A	ISSUED FOR PERMITTING
09-24-09	B	REVISED AS PER CITY COMMENT

BY: JJO
JJO
JJO

CODE: IRC 2003
TOWN: Portland
DATE: 06-16-09
SCALE: AS NOTED
DRAWN: JJO

TITLE:
New Second Floor Plan

FILE: 015-017-09
SHEET:
A1.3