City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Owner: Phone: Permit No: 774-2783 John Hanlon 42 Smith St Owner Address: Lessee/Buyer's Name: Tuone: BusinessName: Contractor Name: Permit Issued: Address: Smith St Phone: - 6 1998 COST OF WORK: PERMIT FEE: Past Use: Proposed Use: 2-family 2,000 30.00 FIRE DEPT. □ Approved INSPECTION: ☐ Denied Use Group: Type: CBb9-J-014 Zone: Signature: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved Special Zone or Reviews: Approved with Conditions: Interior Renovations ☐ Shoreland Denied ☐ Wetland Hoving wall, taking out closets ☐ Flood Zone ☐ Subdivision Date: Signature: ☐ Site Plan maj ☐minor ☐mm ☐ Permit Taken By: Date Applied For: February 27, 1998 Sherry Pinard Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use □ Interpretation Building permits are void if work is not started within six (6) months of the date of issuance. False informa-□ Approved tion may invalidate a building permit and stop all work... ☐ Denied call for p/8 Historic Preservation □ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review Action: CERTIFICATION ☐ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

SIGNATURE OF APPLICANT ADDRESS: DATE: PHONE:

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT

PHONE:

BUILDING PERMIT REPORT

DATE: 5-March-98 ADDRESS: 42 Sm. TS ST. \$22-J-\$14
REASON FOR PERMIT: 10 MAKE INTERIOR renovaTions.
BUILDING OWNER: John Hanlan
CONTRACTOR: Ken Hanlon
PERMIT APPLICANT:
use group $R+3$ boca 1996 construction type $5B$
CONDITION(S) OF APPROVAL

This Permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: $\frac{4}{12}$, $\frac{12}{16}$, $\frac{24}{24}$, $\frac{26}{26}$, $\frac{28}{29}$

- This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
 - Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
 - 3. Precaution must be taken to protect concrete from freezing.
 - It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to 4. verify that the proper setbacks are maintained.
 - 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
 - 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993).
 - 7. Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's building code.
 - Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking 8. surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2".
 - 9. Headroom in habitable space is a minimum of 7'6".
 - Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 10. 11" tread. 7" maximum rise.
 - The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 11.
- Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or X12. exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft.
 - Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it 13. exits directly from the apartment to the building exterior with no communications to other apartment units.
 - All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self 14. closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.)
 - The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing 15. automatic extinguishment.
- X 16. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the

		Date	
	Sitelon, MP muling	Inspection Record	Foundation:
	3/31/98 Mot with germen 5/18/49 Completed. 9	MO-15-660	6810-86

provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):


- In the immediate vicinity of bedrooms
- In all bedrooms
- In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- 19. The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 22. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code.
- × 24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.
 - 25. All requirements must be met before a final Certificate of Occupancy is issued.
- X 26. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
 - the Luildies shall be done in accordance with the City's Mechanical Code (The ROCA National

21.	Mechanical Code/1993).
〈 28. ← 29	Please read and implement the attached Land Use-Zoning report requirements.
30.	
31.	
51.	
32.	

cc: Lt. McDougall, PFD Marge Schmuckal



LAND USE - ZONING REPORT

ADDRESS: 42 Sm DATE: 3/4/98
REASON FOR PERMIT: Interior Venovations
BUILDING OWNER: John Honlon C-B-L; 22-J-14
PERMIT APPLICANT: K-Cu Hanlon
APPROVED: WTh Conditions DENIED:
CONDITION(S) OF APPROVAL
1. During its existence, all aspects of the Home Occupation criteria, Section 14-410, shall be maintained.
2. The footprint of the existing shall not be increased during maintenance
reconstruction. All the conditions placed on the original, previously approved, permit issued on are still in effect for this amendment.
4. Your present structure is legally nonconforming as to rear and side setbacks. If you were to demolish the building on your own volition, you will <u>not</u> be able to maintain these same setbacks. Instead you would need to meet the zoning setbacks set forth in today's ordinances. In order to preserve these legally non-conforming setbacks, you may only rebuild the garage in place and in phases. 5. This property shall remain a single family dwelling. Any change of use shall require a
separate permit application for review and approval. Our records indicate that this property has a legal use of 100 units. Any change
in this approved use shall require a separate permit application for review and approval.
Separate permits shall be required for any signage. Separate permits shall be required for future decks and/or garage, shall be required for future decks and/or garage, shall be requirements of condition. This permit as Not permitting the
Creption of An Addition I dwelling unit. No Additions
Ktohen equipment Shall Be installed
Marge Schmuckal, Zoning Administrator, Asst. Chief of Code Enforcement