City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Phone: Owner: Permit No.9 774-7413 So. M&. Properties 319 Marginal Way Owner Address: Marginal Way Portaind Lessee/Buver's Name: Phone: Business Name: Pierres Permit Issued: Contractor Name: Address: Phone: 22 Black Bear Signworks 137 U.S. Rt 1 ScarboroughtME 04074 883-5543 MAR - 5 1999 COST OF WORK: PERMIT FEE: Past Use: Proposed Use: Beauty School \$ 41,00 Same INSPECTION; anam FIRE DEPT. □ Approved Type: □ Denied Use Group: Zone: CBL: 023-E-002 士 Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved Special Zone or Reviews: Approved with Conditions: □ Shoreland Denied Erect Signage □ Wetland ☐ Flood Zone □ Subdivision Date: Signature: ☐ Site Plan mai ☐minor ☐mm ☐ Permit Taken By: Date Applied For: MG March 3, 1999 Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. ☐ Miscellaneous 2. Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use ☐ Interpretation 3. Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Approved tion may invalidate a building permit and stop all work.. □ Denied Historic Preservation ☐ Not in District or Landmark ☐ Does Not Require Review ☐ Requires Review Action: CERTIFICATION ☐ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit March 3, 1999 PHONE: SIGNATURE OF APPLICANT ADDRESS: DATE: RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE: **CEO DISTRICT**

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

BUILDING PERMIT REPORT

DATE: 4 March 1999 ADDRESS: 319 Marginal Way CBL \$3-E-092
REASON FOR PERMIT: SIGNA 91
BUILDING OWNER: So, Me, Proporties
BUILDING OWNER: SO, Me, Proporties CONTRACTOR: BLack Bear Signworks
PERMIT APPLICANT:
USE GROUP SIGNAGE BOCA 1996 CONSTRUCTION TYPE
CONDITION(S) OF APPROVAL
This Permit is being issued with the understanding that the following conditions are met:
Approved with the following conditions: */, *3/
This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be

obtained. (A 24 hour notice is required prior to inspection)

- 2.5 Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of 2.6 foundation and a maximum 6 'o.c. between bolts. (Section 2305.17)
- 3. Precaution must be taken to protect concrete from freezing. Section 1908.0
- It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to 4. verify that the proper setbacks are maintained.
- 5. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
- 6. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's 7. building code.
- Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking 8. surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
- 9. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 10. 11" tread. 7" maximum rise. (Section 1014.0)
- The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4 11.
- Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or 12. The units must be operable from the inside without the use of special

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within

the City, payment arrangement	ts must be made before permits of any kind an	re accepted.				
Location/Addressof Construction (include Portion of Building)	3/9 Marginal	Day				
Total Square Footage of Proposed Structure 80	Sq Ld Square Footage of Lot					
Tax Assessor's Chart, Block & Lot Number	Owner: SO ME PROPERTIE	Telephone#:				
Chart# 073 Block# E Lot# 002	FILKELS School	774-7913				
Owner's Address:	Lessee/Buyer's Name (If Applicable)	Cost Of Work; Fee				
319 MARGINAL WAY PORTLAND	Pierres	\$ 80# \$ 417				
Proposed Project Description:(Please be as specific as possible)						
4 X ZO' INTERPACEY LIT	(ABINET SIGN					
Contractor's Name, Address & Telephone BINK BEAR	SIGNERORIES 137 U.S. 1271 SCALZBOOK, ME.	883-5543 Rec'd By				
Current Use: BERRYTY SCHOOL	Proposed Use: S Acre	,				
Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation. •All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code. •All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III. •HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code. You must Include the following with you application: 1) ACopy of Your Deed or Purchase and Sale Agreement 2) A Copy of your Construction Contract, if available						

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

> 4) Building Plans Unless exempted by State Law, construction documents must be designed by a registered design profession

A complete set of construction drawings showing all of the following elements of construction:


- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:	Date: 3/	3/	99
D :: 11: 17 -: 17: 00 f - 1 - 1 - 1000 1 - 15: 00 - 11	000 00		

Building Pérmit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter. Additional Site review and related fees are attached on a separate addendum



dcord

Binder No.

INSURANCE BINDER

THIS BINDER IS A TEMPORARY INSURANCE CONTRACT, SUBJECT TO THE CONDITIONS SHOWN ON THE REVERSE SIDE OF THIS FORM.

NAME	AND ADDRESS OF AGENCY	COMPANY					
	Soule Allen Insurance P O Box 2404	Massachı Effective		ts Bay Insi	rance Co		
	South Portland, ME 04116	Expires	-		loon 19	70	
		☐ This bi	nder is	issued to extend	coverage in the al	ove nar	ned
				expiring policy #	(except as noted	below)	
NAME	E AND MAILING ADDRESS OF INSURED	Description o	Opera	tion/Vehicles/Prope	erty		
	Pierre's School of Beauty Culture 58 Fore Street Portland, ME 04104			emises at 3 Maine	319 Margina	ıL Wa	У,
	Type and Location of Property	Covera	ge/Perl	lls/Forms	Amt of Insurance	Ded.	Coins.
PROPERTY	School of Beauty at 319 Marginal Way, Portland, Me	Special H	Risk	Contents	\$75,000	\$500	
	Type of Insurance	Coverage/Form			Limits of Liability		
L		Coverage/Form			Each Occurrence	Aggreg	ate
ABILI	Scheduled Form Premises/Operations Products/Completed Operations Contractual	General Liability		Bodily Injury Property Damage Bodily Injury &	•	5	
Ť	Other (specify below) Med. Pay. \$ Per \$ Per Accident			Property Damage Combined	1,000,000		
	Personal Injury	L A L B	Llc	Persona L	Imits of Liability	\$	
A U T O	Liability Non-owned Hired Comprehensive-Deductible \$			Bodily Injury (Each Bodily Injury (Each	Person)	; ;	
M O B	☐ Collision-Deductible \$ ☐ Medical Payments \$ ☐ Uninsured Motorist \$			Property Damage			
Ė	No Fault (specify): Other (specify):			Bodily Injury & Pro Comb		; 	
	WORKERS' COMPENSATION — Statutory Limits (specify s	states below)	□ E	MPLOYERS' LIABIL	ITY — Limit \$		
SPE	CIAL CONDITIONS/OTHER COVERAGES						
MASS	AND ADDRESS OF MORTGAGEE LOSS PAYER X AD						
NAME	Fore River Management and	D'L INSURED		. / /	0.6		
			<u>)-</u>	9 666	len	11-24	-98
ACO	RD 75 (11/77-c)	Si	gnature	of Authorized Represe	ntative	Date	

Facsimile

Phone: (207) 772-6404 FORE RIVER COMPANY Fax: (207) 772-9078

P.O. Box 7525, Portland, ME 04112

Date:

January 21, 1999

To:

Tom McGuern

CC:

Fax No.:

774.2864

From

Mark Primeau

RE:

Sign Approval

of Pages:

4 (including this page)

Remarks:

Tom,

Enclosed is Landlord approval for the sign specified on the "Partial West Elevation". Also included is an Owners Consent and Agreement form, which you will need in order to obtain your sign permit from the City of Portland.

Please call Bruce Kistler or me if you have any questions.

Mark Primeau



SIGNAGE PRE-APPLICATION

PLEASE ANSWER ALL QUESTIONS

ADDRESS: 3/9 MARGINAL WAY ZONE: B5
OWNER: PHERIC'S COSMETOLOGY SCHOOL
APPLICANT: BIAR SIGNWORKS
ASSESSOR NO
PLEASE CIRCLE APPROPRIATE ANSWER
SINGLE TENANT LOT? YES NO MULTI-TENANT LOT? YES NO FREESTANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS 70'4 HEIGHT 4'=
MORE THAN ONE SIGN? YES NO DIMENSIONS HEIGHT
SIGN ATTACHED TO BLDG.? YES NO DIMENSIONS
MORE THAN ONE SIGN? YES NO DIMENSIONS
AWNING: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT?
LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS:
*** TENANT BLDG. FRONTAGE (IN FEET): SO X2 - 160 P
*** REQUIRED INFORMATION

AREA FOR COMPUTATION

YOU SHALL PROVIDE:

A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.

SIGNATURE OF APPLICANT:	11/2	DATE: 3/3/99

knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

- 13. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. Section 1010.1
- 14. All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) Section 710.0
- 15. The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing automatic extinguishment. Table 302.1.1
- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2

- 17. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. Section 921.0
- 18. The Fire Alarm System shall be maintained to NFPA #72 Standard.
- The Sprinkler System shall maintained to NFPA #13 Standard.
- 20. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- 21. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- 23. Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code. (crawl spaces & attics)
- All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 25. All requirements must be met before a final Certificate of Occupancy is issued.
- All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- 27. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 28. Please read and implement the attached Land Use-Zoning report requirements.
- 29. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.3. of the City's building code.

30.	Glass and glazing shall meet the requirements of Chapter 24 of the building code.
χ_{31} .	ALL signage shall be done in accordance with Section 3102.413.1 of the city's bldg. Code- (The BOCA NATIONAL Bldg. Code/1996)
32.	Jest 171 (119) Brag Cooks (140 books Wallong Edge Cooks)
2.2	

Santue Moffises, Building Inspector

co. Lt. McDougall, PFD

Marge Schmuckal, Zoning Administrator

PSH 8-1-93

10	M	NA	UN	C
Ų	IVI	IVI	EN	0

		,	COMINIKNI	1.5			
			p - 1				
			19		1		
3/11/20	81.	and La	1	i de	11/	per plan	
2/16/97	- ignagre	Oggrear 10	NC.	(N8, ac	1Car	per pian	
	0 0					-	
			WAS IN				
				<u>.</u>			
	20000						
	7.00						-
	Canada Ca	<u> </u>					
							Access to the second se
							-
							Australia
a	90175						
1	10113					Inspection Record	
	23-E-2				pe		Date

							-
			Otn	CI			