

DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK



CITY OF PORTLAND BUILDING PERMIT



This is to certify that

A D BEANER LLC /PC Construction

Located at

11 DIAMOND ST

PERMIT ID: 2013-02585

ISSUE DATE: 11/22/2013

CBL: 023 E006001

has permission to **This permit is for the commercial racks inside of the existing warehouse/ coffee roasting space - . Coffee by Design**

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statues of Maine and of the Ordinances of the City of Portland regulating the construction, maintenance and use of the buildings and structures, and of the application on file in the department.

Notification of inspection and written permission procured before this building or part thereof is lathed or otherwise cloed-in. 48 HOUR NOTICE IS REQUIRED.

A final inspection must be completed by owner before this building or part thereof is occupied. If a certificate of occupancy is required, it must be procured prior to occupancy.

/s/ Craig Messinger

/s/ Tammy Munson

Fire Official

Building Official

**THIS CARD MUST BE POSTED ON THE STREET SIDE OF THE PROPERTY
THERE IS A PENALTY FOR REMOVING THIS CARD**

Approved Property Use - Zoning

Warehouse,offices, coffee roasting & small retail area ancillary to coffee roasting. Special events or functions for either private groups or the public are not a permitted use in the llb zone.

Building Inspections

Fire Department

BUILDING PERMIT INSPECTION PROCEDURES
Please call 874-8703 (ONLY)
or email: buildinginspections@portlandmaine.gov

**Check the Status or Schedule an Inspection On-Line at
<http://www.portlandmaine.gov/planning/permitstatus.asp>**

With the issuance of this permit, the owner, builder or their designee is required to provide adequate notice to the city of Portland Inspections Services for the following inspections. Appointments must be requested 48 to 72 hours in advance of the required inspection. The inspection date will need to be confirmed by this office.

- **Please read the conditions of approval that is attached to this permit!! Contact this office if you have any questions.**
- **Permits expire in 6 months. If the project is not started or ceases for 6 months.**
- **If the inspection requirements are not followed as stated below additional fees may be incurred due to the issuance of a "Stop Work Order" and subsequent release to continue.**
- **Per Section 107.3.1 of the Maine Uniform Building and Energy Code (MUBEC). One set of printed approved stamped construction documents shall be kept at the site of work and shall be open to inspection by building officials.**

REQUIRED INSPECTIONS:

Close-in Plumbing/Framing w/Fire & Draft Stopping
Final Inspection

The project cannot move to the next phase prior to the required inspection and approval to continue, REGARDLESS OF THE NOTICE OF CIRCUMSTANCES.

IF THE PERMIT REQUIRES A CERTIFICATE OF OCCUPANCY, IT MUST BE PAID FOR AND ISSUED TO THE OWNER OR DESIGNEE BEFORE THE SPACE MAY BE OCCUPIED.

City of Portland, Maine - Building or Use Permit		Permit No: 2013-02585	Date Applied For: 11/19/2013	CBL: 023 E006001
389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716				
Proposed Use: Warehouse, offices, coffee roasting & small retail area ancillary to coffee roasting		Proposed Project Description: This permit is for the commercial racks inside of the existing warehouse/ coffee roasting space - . Coffee by Design		
Dept: Zoning		Status: Approved w/Conditions	Reviewer: Ann Machado	Approval Date: 11/21/2013
Note:		Ok to Issue: <input checked="" type="checkbox"/>		
Conditions:				
1) .All conditions from previous permits for this project are still in effect with the issuance of this permit.				
Dept: Building		Status: Approved	Reviewer: Tammy Munson	Approval Date: 11/21/2013
Note:		Ok to Issue: <input checked="" type="checkbox"/>		
Conditions:				
Dept: Fire		Status: Approved w/Conditions	Reviewer: Craig Messinger	Approval Date: 11/21/2013
Note:		Ok to Issue: <input checked="" type="checkbox"/>		
Conditions:				
1) Approved provided Racks do not obstruct any Fire Detection or Suppression device, or any Emergency lighting.				