


PROJECT SUMMARY
1 DIAMOND STREET RENOVATION
CODE SUMMARY-Youngs Warehouse

Youngs Furniture occupies the east half of an existing one story warehouse, located at 1-11 Diamond Avenue, near the corner of Fox Street. They are proposing minor changes to the interior space that include a small design (mercantile) area. Mercantile area will be defined by low 7' partitions and displays. The building owner (Coffee by Design) will be providing a new exterior accessible ramp and entrance, as well as, upgrades to the facade.

The building is Construction Type 3, masonry exterior walls and steel framed, steel joist, metal decked roof structure, with approximately 44,722 square feet, and an existing sprinkler system. Coffee by Design occupies the west side of the building.



LIFE SAFETY CODE 2009 & IBC CODE 2009- BUILDING SUMMARY:

- Existing 1 Story Warehouse
- Existing Automatic Sprinkler System
- Existing Construction Type 3 (unprotected)
- Existing masonry exterior walls, masonry separation wall, wood interior walls and steel columns, roof joists and metal roof deck.
- Existing Building Classification
- West Side Industrial F-1 (General Purpose) Storage S-1
- Mercantile Business
- East Side Storage S-1
- Proposed Building Classification
- West Side No Change
- East Side Storage S-1
- Mercantile (approx. 900 sq.ft.)
- East Side (Proposed) Occupancy Load - see code drawing notes
- Storage - 42 occupants
- Mercantile- 28 occupants
- Total- 70 occupants Note: total of 3 Egress doors
- Common Path of Travel
- ALLOWED Mercantile - 75 feet Storage - 100 feet
- PROVIDED 0 feet 0 feet
- Egress Travel Distance
- ALLOWED Mercantile - 250 feet Storage - 400 feet (IBC-250)
- PROVIDED 85 feet 116 feet
- Maximum Dead End Corridor
- ALLOWED Mercantile - 20 feet Storage - 100 feet (IBC-50)
- PROVIDED 0 feet 0 feet
- Rated Separation of Occupancies (with supervised sprinkler system)
- Industrial-storage from Business is 1 hour (2 hrs to 1 hr)
- IBC-No separation require
- Industrial-storage from Storage is 1 hour (minimum)
- IBC-No separation required
- Mercantile/assembly from Industrial- Storage is 1 hour (2 hrs to 1 hr)
- IBC- 1 Hour
- Mercantile/assembly from Business is 1 hour (2 hrs to 1 hr)
- IBC- 1 Hour
- Business from Storage is 1 hour (2 hrs to 1 hr)
- IBC-No separation required

GENERAL NOTES

1. PC Construction shall verify all dimensions and report any discrepancies to the architect before proceeding with work. Do not scale drawings. Work from dimensions only. General contractor shall coordinate all work so it meets Local, State and Federal codes.
2. Mechanical/plumbing work shall be design/build by a qualified contractor to meet all applicable codes and Owner requirements.
3. As a condition for Occupancy, the existing Sprinkler System shall be tested and repaired to a fully functional and "Supervised" condition and designed for new room configurations and "Uses".
4. The electrical/deltafire safety work shall be a design/build by a qualified, licensed contractor. Work shall meet all Local, State and National codes and owner requirements.
5. Review electrical requirements for lighting, data, power requirements with owner.
6. Coordinate with mechanical electrical requirements including exhaust fans, kitchen equipment etc.
7. Fire alarm strobe candela sizes shown are preliminary and shall be reviewed and sized for space by the Fire Alarm Contractor to meet code.
8. Emergency lights, exit signs, fire pulls and fire safety smoke and heat detectors shall be designed to meet code. Review with local code enforcement.
9. Coordinate with owner requirements for a security system and shall be reviewed and sized for space by the provider.
10. Verify all mechanical equipment locations before rough-in.
11. Coordinate with door hardware electrical requirements.
12. Coordinate with supervised sprinkler system electrical requirements.
13. Provide appropriate reinforcing within partitions for support of all grab bars, shelving brackets, cabinets, door frames, fire extinguishers and exterior lighting, hose bibs, bells and all other wall mounted equipment or appliances indicated in plans.
14. All door frames shall be located a minimum of 3" off adjoining walls except where noted or dimensioned otherwise. 4" masonry at masonry veneer walls.
15. All handicapped bathrooms, grab bars, and door openings shall meet the requirements of ANSI 117.1 latest editions and the American Disability Act (ADA) for handicapped accessibility.
16. All gypsum wallboard within 3'-0" of plumbing fixtures shall be moisture resistant unless the wall has ceramic tile which requires concrete backer board.
17. Install GMB control joints every 25'-4" at vertical locations. Meeting gypsum installation recommendations.
18. All structural modifications shall be engineered by a licensed structural engineer.
19. Before penetrating or otherwise modifying joists, beams or other structural members, consult with the structural engineer on maximum size and location.
20. Provide double MTL studs at all door frames in GWB wall assemblies.
21. All penetrations through fire and smoke rated walls and floor/ceiling assemblies shall be firestopped by specific subcontractor requiring penetration.
22. Provide exterior light above egress doors to illuminate surface for safety.
23. Fire extinguishers located near egress doors shall be selected by supplier to meet actual conditions: general use, kitchen use, etc.



DIAMOND ST. WAREHOUSE RENOVATION

1-11 DIAMOND ST, PORTLAND, ME
 MAIN TENANT: COFFEE BY DESIGN

OWNER
 A.D. BEANER, LLC
 43 WASHINGTON AVENUE, PORTLAND

- DRAWING INDEX**
- G-001 COVER
 - C-101 SITE SURVEY
 - A-100 EAST SIDE PROPOSED SITE PLAN
 - A-101 EXISTING PLAN
 - A-102 EAST SIDE PROPOSED PLAN
 - A-104 RAMP PLAN, STAIR DETAILS
 - A-105 SCHEDULES
 - A-201 EXTERIOR ELEVATIONS
 - LS-101 LIFE SAFETY PLAN
 - S-1 STRUCTURAL



HEMESphere DESIGN
 Architecture
 58 Fore Street
 Portland, ME 04101
 207.232.6079
 joe@hemisphere-design.com
 www.hemisphere-design.com

PROSPECT DESIGN
 58 FORE ST, PORTLAND, ME
 www.prospectdesign.me
 T. 207-749-7400



CONSTRUCTION
S.E.I.
 SHELLEY ENGINEERING, INC.



January 28, 2016

COVER

G-001

PERMIT SET

JANUARY 28, 2016

23-E-6
 DIAMOND ST-1-11 FOX
 ST 67-85 ANDERSON
 ST 110-112 61396 SF
 Acres 1.4095