Date: 03/07/16

WINDOW SCHEDULE

MARK	SIZE		Frame Material	NOTES
	WIDTH	HEIGHT		
1	6'-0"	6'-0"	ALUMINUM STOREFRONT	--
2	6'-0"	6'-0"	ALUMINUM STOREFRONT	--
3	6'-0"	6'-0"	ALUMINUM STOREFRONT	--
4	6'-0"	6'-0"	ALUMINUM STOREFRONT	--
6	8'-0"	8'-0"	ALUMINUM STOREFRONT	--

DOOR AND FRAME SCHEDULE

MARK	DOOR					FRAME	FIRE RATING LABEL	NOTES
	SIZE			MATL	GLAZING	MATL		
	WD	HGT	THK					
1	3'-0"	6'-8"	1 3/4"	HM	--	--	--	EXISTING
2	3'-0"	6'-8"	1 3/4"	WD	--	--	--	
3	8'-0"	8'-0"	1"	--	TEMPERED GLASS	--	--	OA, NEW
4	8'-0"	8'-0"	1"	--	TEMPERED	--	--	OA, NEW
5	8'-0"	8'-0"	1"	--	TEMPERED	--	--	OA, NEW
6	3'-0"	7'-10"	1 3/4"	AL	TEMPERED INSULATING	--	--	B
7	8'-0"	8'-0"	1"	--	TEMPERED	--	--	OA, NEW
8	8'-0"	8'-0"	1"	--	TEMPERED	--	--	OA, NEW
9	8'-0"	8'-0"	1 3/4"	--	--	--	--	OB, EXISTING
10	8'-0"	8'-0"	1 3/4"	--	--	--	--	OB, EXISTING
11	3'-0"	6'-8"	1 3/4"	--	--	--	--	EXISTING
12	3'-0"	6'-8"	1 3/4"	--	--	--	--	EXISTING
13	3'-0"	6'-8"	1 3/4"	HM	--	--	1HR	EXISTING WITH CLOSER
14	3'-0"	6'-8"	1 3/4"	HM	--	--	1HR	EXISTING WITH CLOSER
15	3'-0"	6'-8"	1 3/4"	WOOD	--	--	--	EXISTING

HOLLOW METAL FRAME ELEVATIONS

GENERAL DOOR & FRAME NOTES

1. ALL DOORS SHALL BE LOCATED 3" OFF ADJACENT WALL (WALL TO FRAME) EXCEPT WHERE NOTES OR DIMENSIONS STATE OTHERWISE.
2. PROVIDE MIN. OF 20 GA. DOUBLE STUDS AT ALL DOOR JAMBS. REFER TO STRUCTURAL DRAWINGS FOR BUILT-UP COLUMN LOCATIONS.
3. ALL DOOR THICKNESS TO BE 1 3/4" UNLESS NOTED OTHERWISE.
4. ALL FLOOR MATERIAL TRANSITIONS SHALL OCCUR UNDER DOOR IN CLOSED POSITION.
5. HOLLOW METAL DOOR & FRAME DETAIL REFERENCES ARE LOCATED ON SHEETS
6. ALL GLASS IN DOORS AND SIDELIGHTS SHALL BE TEMPERED TO MEET CODE
7. ALL DOORS WITH FIRE RATING SHALL HAVE CLOSER HARDWARE & AND LABEL INDICATING FIRE RATING (LABEL SHALL NOT BE PAINTED)
8. REVIEW HARDWARE OPTIONS WITH OWNERS INCLUDING KEYING
9. REUSE EXISTING BRICK OFFICE DOOR FRAES & DOORS IN WAREHOUSE OFFICES & ROOMS
10. EXISTING DOORS TO BE REUSED ARE DOOR TYPE A
11. ALL DOORS SHALL HAVE LEVER TYPE HARDWARE MEETING ADA REQUIREMENTS, EXCEPT DOORS INDICATED WITH PANIC HARDWARE

REGISTERED ARCHITECT JOSEPH P. HEMES NO. 1442 STATE OF MAINE

HEMESphere DESIGN
Architecture
58 Fore Street
Portland, ME 04101
207.232.6079
joe@hemespheredesign.com
www.hemespheredesign.com

PROSPECT DESIGN
58 FORE ST. PORTLAND, ME
www.prospectdesign.me
T: 207 - 749 - 7400

DIAMOND ST. WAREHOUSE RENOVATION
1-11 DIAMOND ST, PORTLAND, ME
A.D. BEANER, LLC

SHEET TITLE: SCHEDULES

PERMIT SET

REVISION

DRAWN BY:

DATE: January 28, 2016

A-105