

Ceiling Schedule	
Type Mark	Type
C1-A	2' x 2' ACT System
C1-B	2' x 2' ACT System - 9/16
C2	2' x 4' ACT System
C3	2' x 6' ACT System
C4	GWB on Mtl. Stud

CEILING NOTES

1. CEILING PLANS DO NOT SHOW EVERY FIXTURE OR COMPONENT. REFER TO ELECTRICAL, PLUMBING, MECHANICAL AND STRUCTURAL DRAWINGS FOR EXTENT OF ALL CEILING PENETRATIONS AND INSTALLATIONS AND COORDINATE PRIOR TO INSTALLATION.

2. CENTER GRID LAYOUT IN ALL ROOMS UNLESS NOTED OTHERWISE.

3. ALL COMPONENTS MOUNTED IN OR BELOW A SUSPENDED ACOUSTIC CEILING SHALL BE CENTERED IN THE CEILING TILE OR IN THE 2X2 PORTION OF TEGULAR CEILING TILES, UNLESS NOTED OTHERWISE. THIS SHALL INCLUDE, BUT NOT BE LIMITED TO, LIGHT FIXTURES, DIFFUSERS, SPEAKERS, SMOKE DETECTORS, AND SPRINKLER HEADS.

4. PRIOR TO THE INSTALLATION OF CEILINGS, ALLOW FOR AN ABOVE-CEILING INSPECTION OF COMPONENTS THAT WILL NOT BE VISIBLE WHEN THE CEILINGS HAVE BEEN INSTALLED, INCLUDING INSPECTION OF FIRE, SMOKE, AND ACOUSTICAL SEPARATIONS.

- CEILING TYPE (1i)
- ELEVATION FROM LEVEL (12' 11")
- 1X4 RECESSED LIGHT
- 2X2 RECESSED LIGHT
- 2X4 RECESSED LIGHT
- 4"X2 RECESSED LIGHT
- 4"X4 RECESSED LIGHT
- 4"X6 RECESSED LIGHT
- SQUARE CAN LIGHT
- ROUND CAN LIGHT
- SURFACE MOUNTED 1X4
- SURFACE MOUNTED 4"X4
- PENDANT LIGHT
- 4' WALL GRAIZER
- WALL SCONCE
- 2' WALL LIGHT
- 4' WALL LIGHT

ARCHITECTS
49 DARTMOUTH STREET
PORTLAND, MAINE 04101
207-775-1059
www.pdtarchs.com

Reviewed for Code Compliance
Inspection Division
Approved with Conditions
Date: 05/03/16

COPYRIGHT 2016
PDT Architects
Reuse or reproduction of the contents of this document is not permitted without written permission of PDT Architects.

PORTLAND GASTROENTEROLOGY CENTER

161 Marginal Way Portland, Maine

No.	Date	Description
Revision Schedule		

REGISTERED ARCHITECT
ANN M. FONTAINE-FISHER
NO. 1435
STATE OF MAINE

JOB NO.
14054

DRWN. CHK
Checker

SCALE:
3/16" = 1'-0"

ISSUE
PERMIT SET
03/18/16

TITLE
LEVEL 4
REFLECTED
CEILING PLAN

SHEET
A111

3/18/2016 5:16:53 PM