GENERAL NOTE;
ALL FULL HEIGHT PARTITIONS TO UNDERSIDE OF DECK



METAL STUD FURRING
EXTEND GWB 3" ABOVE
FIN. CLG. U.N.O.



METAL STUD PARTITION
PARTIAL HEIGHT



UL DESIGN U415

CHASE SHAFT WALL
2-HOUR FIRE RATED

CW-2



*UL DESIGN U420 FOR 1 HR

CHASE WALL

C4S

C4S-1



METAL STUD
FULL HEIGHT
2-HOUR FIRE-RATED

S4A-2

S6A-2



UL DESIGN U415 (SYSTEM B)

SHAFT WALL SYSTEM
2-HOUR FIRE RATED

SW4-2

SW6-2



METAL STUD
FULL HEIGHT
1-HOUR FIRE-RATED

S4A-1

S6A-1



MOUNTING HEIGHT GENERAL NOTES:

1. SEE MECHANICAL, ELECTRICAL, AND TECHNOLOGY DRAWINGS FOR SPECIFIC FIXTURE OR DEVICE LOCATION AND DESIGNATION AND ADDITIONAL MOUNTING REQUIREMENTS.
2. COORDINATE LOCATION OF ALL RECEPTACLES, FIXTURES OR DEVICES WITH INTERIOR ELEVATIONS AND CASEWORK LOCATIONS.
3. REFER TO MANUFACTURER'S INSTRUCTIONS FOR SPECIFIC ADA REQUIRED MOUNTING HEIGHTS AS APPLICABLE.



UL DESIGN U415 (SYSTEM A)

SHAFT WALL SYSTEM
1-HOUR FIRE RATED

SW4-1

SW6-1



NOTES;
1. USE MR GWB AT TOILET & JANITOR ROOMS.
2. AT SMOKE PARTITIONS, SEAL ALL PENETRATIONS TO RESIST THE PASSAGE OF SMOKE PER NFPA 101

METAL STUD PARTITION
FULL HEIGHT

S4A

S6A

Reviewed for Code Compliance
Inspection Division
Approved with Conditions
Date: 05/03/16

ARCHITECTS
49 DARTMOUTH STREET
PORTLAND, MAINE 04101
207-775-1059
www.pdtarchs.com

COPYRIGHT 2016
PDT Architects
Reuse or reproduction of the contents of this document is not permitted without written permission of PDT Architects.

PORTLAND GASTROENTEROLOGY CENTER

161 Marginal Way Portland, Maine

No.	Date	Description
		Revision Schedule

REGISTERED ARCHITECT
ANN M. FONTAINE-FISHER
NO. 4439
STATE OF MAINE

JOB NO.
14054

DRWN. CHK
Checker

SCALE:

ISSUE
PERMIT SET
03/18/16

TITLE
TYPICAL ASSEMBLIES & MOUNTING HEIGHTS

SHEET
A003

3/18/2016 5:16:43 PM