FIRE ALARM AND EMERGENCY COMMUNICATION SYSTEM RECORD OF COMPLETION

To be completed by the system installation contractor at the time of system acceptance and approval. It shall be permitted to modify this form as needed to provide a more complete and/or clear record. Insert N/A in all unused lines.

Attach additional sheets, data, or calculations as necessary to provide a complete record.

1. PROPERTY INFORMATION

Name of property:			
Address: 161 MARGINAL WAY POP	RTLAND MAINE		
Description of property: MEDICAL			
Occupancy type:			
Name of property representative:			
Address:			
Phone:	Fax:	E-mail:	
Authority having jurisdiction over this property:			
Phone:	Fax:	E-mail:	

2. INSTALLATION, SERVICE, AND TESTING CONTRACTOR INFORMATION

Installation contractor for th	his equipment: DEBLOIS ELECT	RIC
Address:		
License or certification num	nber:	
Phone:	Fax:	E-mail:
Service organization for thi	s equipment: R.B.ALLEN C	:O.
Address: 131 LAF	AYETTE RD NORTH HAMPTON N.	н.
License or certification num	nber: 14335	
Phone:	Fax:	E-mail:
A contract for test and insp	ection in accordance with NFPA sta	ndards is in effect as of:
Contracted testing company	y:	
Address:		
Phone:	Fax:	E-mail:
Contract expires:	Contract number:	Frequency of routine inspections:

3. DESCRIPTION OF SYSTEM OR SERVICE

NFPA 72, Fig. 10.18.2.1.1 (p. 1 of 12)

3. DESCRIPTION OF SYSTEM OR SERVICE (continued)

NFPA 72 edition: 2010	Additional description of sy	vstem(s):
3.1 Control Unit		
Manufacturer: EST		Model number: 10500
3.2 Mass Notification System		This system does not incorporate an MNS
3.2.1 System Type:		
☐ In-building MNS—combination		
In-building MNS—stand-alone	☐ Wide-area MNS ☐ Distributed	recipient MNS
Other (specify):		
3.2.2 System Features:		
Combination fire alarm/MNS	MNS autonomous control unit	☐ Wide-area MNS to regional national alerting interface
Local operating console (LOC)	Direct recipient MNS (DRMNS)	☐ Wide-area MNS to DRMNS interface
☐ Wide-area MNS to high-power spe	aker array (HPSA) interface 🛛 In-build	ing MNS to wide-area MNS interface
Other (specify):		
3.3 System Documentation		
An owner's manual, a copy of the r	nanufacturer's instructions, a written seq	uence of operation, and a copy of
the numbered record drawings are	stored on site. Location:	
3.4 System Software	This system	does not have alterable site-specific software.
Operating system (executive) software	revision level: 2.5	
Site-specific software revision date:	Revision c	completed by:
A copy of the site-specific software	is stored on site. Location:	
3.5 Off-Premises Signal Transmissio	n 🗌 This sys	stem does not have off-premises transmission.
Name of organization receiving alarm	signals with phone numbers:	
Alarm: Cunningham Security		Phone: 800-639-2066
Supervisory:		Phone:
Trouble:		Phone:
Entity to which alarms are retransmitte	ed: Portland FD	Phone:
Method of retransmission: Phor	ne call	
If Chapter 26, specify the means of tra	nsmission from the protected premises to	o the supervising station:
If Chapter 27, specify the type of auxi	iary alarm system: Local energy 🗌	Shunt x Wired 🗌 Wireless

NFPA 72, Fig. 10.18.2.1.1 (p. 2 of 12)

4. CIRCUITS AND PATHWAYS

4.1 Signaling Line Pathways		
4.1.1 Pathways Class Designations and	nd Survivability	
Pathways class: (See NFPA 72, Sections 12.3 and 12.4)	Survivability level:	Quantity:
4.1.2 Pathways Utilizing Two or Mor	re Media	
Quantity:	Description:	
4.1.3 Device Power Pathways		
\Box No separate power pathways from the	e signaling line pathway	
Power pathways are separate but of t	he same pathway classification as the	he signaling line pathway
Power pathways are separate and dif	ferent classification from the signal	ing line pathway
4.1.4 Isolation Modules		
Quantity:		
4.2 Alarm Initiating Device Pathway	s	
4.2.1 Pathways Class Designations and	nd Survivability	
Pathways class: (See NFPA 72, Sections 12.3 and 12.4)	Survivability level:	Quantity:
4.2.2 Pathways Utilizing Two or Mor	re Media	
Quantity:	Description:	
4.2.3 Device Power Pathways		
\Box No separate power pathways from the	e initiating device pathway	
Power pathways are separate but of t	he same pathway classification as the	he initiating device pathway
Power pathways are separate and dif	ferent classification from the initiat	ing device pathway
4.3 Non-Voice Audible System Pathw	ays	
4.3.1 Pathways Class Designations and	nd Survivability	
Pathways class: (See NFPA 72, Sections 12.3 and 12.4)	Survivability level:	Quantity:
4.3.2 Pathways Utilizing Two or Mon	re Media	
Quantity:	Description:	
4.3.3 Device Power Pathways		
□ No separate power pathways from the	e notification appliance pathway	

Dewer pathways are separate but of the same pathway classification as the notification appliance pathway

Dever pathways are separate and different classification from the notification appliance pathway

5. ALARM INITIATING DEVICES

5.1 Manual Initiating Devices			
5.1.1 Manual Fire Alarm Boxes	☐ This	system does not have	e manual fire alarm boxes.
Type and number of devices: Addressable:	Conventional:	Coded:	Transmitter:
Other (specify):			
5.1.2 Other Alarm Boxes		☐ This system does	not have other alarm boxes.
Description:			
Type and number of devices: Addressable:	Conventional:	Coded:	Transmitter:
Other (specify):			
5.2 Automatic Initiating Devices			
5.2.1 Smoke Detectors		☐ This system does	not have smoke detectors.
Type and number of devices: Addressable: 3	Conventional:		
Other (specify):			
Type of coverage: Complete area Partial a	area 🗌 Nonrequired par	rtial area	
Other (specify):			
Type of smoke detector sensing technology: \Box I	onization D Photoelect	tric 🗌 Multicriteria	a 🗌 Aspirating 🗌 Beam
Other (specify):			
5.2.2 Duct Smoke Detectors	This system does	s not have alarm-caus	sing duct smoke detectors.
Type and number of devices: Addressable:	Conventional:		
Other (specify):			
Type of coverage:			
Type of smoke detector sensing technology: \Box I	onization 🛛 Photoelec	ctric 🗌 Aspirating	🗌 Beam
5.2.3 Radiant Energy (Flame) Detectors	☐ This	system does not have	e radiant energy detectors.
Type and number of devices: Addressable:	Conventional:		
Other (specify):			
Type of coverage:			
5.2.4 Gas Detectors		☐ This system d	loes not have gas detectors.
Type of detector(s):			
Number of devices: Addressable: Con-	ventional:		
Type of coverage:			
5.2.5 Heat Detectors		This system d	loes not have heat detectors.
Type and number of devices: Addressable:	Conventional:		
Type of coverage: Complete area Partial	area 🔲 Nonrequired J	partial area 🛛 Line	ear 🔲 Spot
Type of heat detector sensing technology:	ed temperature 🔲 Rate	e-of-rise 🗌 Rate of	compensated

5. ALARM INITIATING DEVICES (continued)

	5.2.6 Addressable Monitoring Modules Number of devices:	This system does not have monitoring modules.
	5.2.7 Waterflow Alarm Devices	☐ This system does not have waterflow alarm devices. Coded: Transmitter:
	Type and number of devices: Addressable: Conventional:	
	5.2.8 Alarm Verification	This system does not incorporate alarm verification.
	Number of devices subject to alarm verification:	Alarm verification set for: seconds
	5.2.9 Presignal	This system does not incorporate pre-signal.
	Number of devices subject to presignal:	
	Describe presignal functions:	
	5.2.10 Positive Alarm Sequence (PAS) Describe PAS:	This system does not incorporate PAS.
	5.2.11 Other Initiating Devices Describe:	☐ This system does not have other initiating devices.
6.	SUPERVISORY SIGNAL-INITIATING DEVICES	
	6.1 Sprinkler System Supervisory Devices	☐ This system does not have sprinkler supervisory devices.
	Type and number of devices: Addressable: Conv	entional: Coded: Transmitter:
	Other (specify):	
	6.2 Fire Pump Description and Supervisory Devices	This system does not have a fire pump.
	Type fire pump: 🗌 Electric pump 📄 Engine	
	Type and number of devices: Addressable: Conv	entional: Coded: Transmitter:
	Other (specify):	
	6.2.1 Fire Pump Functions Supervised	
	□ Power □ Running □ Phase reversal □ Selector switc	h not in auto 🔲 Engine or control panel trouble 🔲 Low fuel
	Other (specify):	
	6.3 Duct Smoke Detectors (DSDs)	This system does not have DSDs causing supervisory signals.
		ventional:
	Other (specify):	
	Type of coverage:	
	Type of smoke detector sensing technology:	Photoelectric Aspirating Beam
	6.4 Other Supervisory Devices	This system does not have other supervisory devices.
	Describe:	

NFPA 72, Fig. 10.18.2.1.1 (p. 5 of 12)

7. MONITORED SYSTEMS

	7.1 Engine-Driven Generator			☐ This system	does not have a generator.
	7.1.1 Generator Functions Supervis	sed			
	Engine or control panel trouble	Generator running	□ Selecto	or switch not in auto	Low fuel
	Other (specify):				
7.2 Special Hazard Suppression Systems		stems	This system does not monitor special hazard systems.		
	Description of special hazard system(s):			
	7.3 Other Monitoring Systems] This system does not	monitor other systems.
	Description of special hazard system(s	s):			
8.	ANNUNCIATORS			This system does	not have annunciators.
	8.1 Location and Description of An	nunciators			
	Location 1:				
	Location 2:				
	Location 3:				
9.	ALARM NOTIFICATION APPLI	ANCES			
	9.1 In-Building Fire Emergency Vo	oice Alarm Communicati	on System	This system does	not have an EVACS.
	Number of single voice alarm channel	ls:	Number of m	ultiple voice alarm cha	nnels:
	Number of speakers:		Number of sp	eaker circuits:	

Number of speakers:		Number of speaker circuits:	
Location of amplification and sound-processing equipmen		nt:	
Location of paging	microphone stations:		
Location 1:			
Location 2:			
T (* 2			
9.2 Nonvoice Notif			bes not have nonvoice notification appliances.
Horns:	With visible: X	Bells:	With visible:
Chimes:	With visible:		
Visible only:	Other (describe):		
9.3 Notification Ap	pliance Power Extender Panels	🗌 Th	is system does not have power extender panels.
Quantity:			
Locations:			

NFPA 72, Fig. 10.18.2.1.1 (p. 6 of 12)

10. MASS NOTIFICATION CONTROLS, APPLIANCES, AND CIRCUITS This system does not have an MNS.

10.1 MNS Local Operating Consoles	
Location 1:	
Location 2:	
Location 3:	
10.2 High-Power Speaker Arrays	
Number of HPSA speaker initiation zones:	
Location 1:	
Location 2:	
Location 3:	
10.3 Mass Notification Devices	
Combination fire alarm/MNS visible appliances:	MNS-only visible appliances:
Textual signs: Other (describe):	
Supervision class:	
10.3.1 Special Hazard Notification	
This system does not have special suppression predischarge	notification.
MNS systems DO NOT override notification appliances rec predischarge notification.	uired to provide special suppression
11. TWO-WAY EMERGENCY COMMUNICATION SYS	TEMS
11.1 Telephone System	☐ This system does not have a two-way telephone system.
Number of telephone jacks installed:	Number of warden stations installed:
Number of telephone handsets stored on site:	
Type of telephone system installed:	□ Sound powered
11.2 Two-Way Radio Communications Enhancement Syst	em
11.2 Two-Way Radio Communications Enhancement Syst This system does not have a two-way radio communication	
	s enhancement system.
This system does not have a two-way radio communication	s enhancement system.
☐ This system does not have a two-way radio communication Percentage of area covered by two-way radio service: Critica Amplification component locations:	s enhancement system.
☐ This system does not have a two-way radio communication Percentage of area covered by two-way radio service: Critica Amplification component locations: Inbound signal strength: dBm	s enhancement system. l areas: % General building areas: %

Radio system monitor panel location:

NFPA 72, Fig. 10.18.2.1.1 (p. 7 of 12)

11. TWO-WAY EMERGENCY COMMUNICATION SYSTEMS (continued)

11.2 Area of Defree (Area of D		Communications Statement
11.3 Area of Refuge (Area of R		
-	-	ssistance) emergency communications system.
Number of stations:		
Days and hours when central con		
Location of alternate control poin		
Days and hours when alternate co	ontrol point is attended:	
11.4 Elevator Emergency Com	munications Systems	
\Box This system does not have an e	elevator emergency communication	ations system.
Number of elevators with stations	S: Location	n of central control point:
Days and hours when central con-	trol point is attended:	
Location of alternate control poin	.t:	
Days and hours when alternate co	ontrol point is attended:	
11.5 Other Two-Way Commun	lication Systems	
Describe:		
X Door unlocking Elevator Elevator shunt trip Ma Other (specify): 12.1 Addressable Control Mod Number of devices:	ass notification system override	utdown Extinguishing agent release of fire alarm notification appliances This system does not have control modules.
Other (specify):		
13. SYSTEM POWER		
13.1 Control Unit		
13.1.1 Primary Power		
Input voltage of control panel:	120	Control panel amps: 20
Overcurrent protection: Type:	CIRCUIT BREAKER	Amps:
Location (of primary supply pane	l board):	
Disconnecting means location:		
13.1.2 Engine-Driven Generato	r	This system does not have a generator.
Location of generator:		
Location of fuel storage:		Type of fuel:

NFPA 72, Fig. 10.18.2.1.1 (p. 8 of 12)

13. SYSTEM POWER (continued)

13.1.3 Uninterruptible Power System	☐ This system does not have a UPS.
Equipment powered by a UPS system:	
Location of UPS system:	
Calculated capacity of UPS batteries to drive the system	components connected to it:
In standby mode (hours):	In alarm mode (minutes):
13.1.4 Batteries	
Location: Type:	Nominal voltage: Amp/hour rating:
Calculated capacity of batteries to drive the system:	
In standby mode (hours):	In alarm mode (minutes):
☐ Batteries are marked with date of manufacture	□ Battery calculations are attached
13.2 In-Building Fire Emergency Voice Alarm Com	munication System or Mass Notification System
☐ This system does not have an EVACS or MNS system	m.
13.2.1 Primary Power	
Input voltage of EVACS or MNS panel:	EVACS or MNS panel amps:
Overcurrent protection: Type: CIRCUIT BR	EAKER Amps: 20
Location (of primary supply panel board):	
Disconnecting means location:	
13.2.2 Engine-Driven Generator	This system does not have a generator.
Location of generator:	
Location of fuel storage:	Type of fuel:
13.2.3 Uninterruptible Power System	☐ This system does not have a UPS.
Equipment powered by a UPS system:	
Location of UPS system:	
Calculated capacity of UPS batteries to drive the system	components connected to it:
In standby mode (hours):	In alarm mode (minutes):
13.2.4 Batteries	
Location: Type:	Nominal voltage: Amp/hour rating:
Calculated capacity of batteries to drive the system:	
In standby mode (hours):	In alarm mode (minutes):
☐ Batteries are marked with date of manufacture	□ Battery calculations are attached

13. SYSTEM POWER (continued)

13.3 Notification Appliance Power Extender Panels	This system does not have power extender panels.
13.3.1 Primary Power	
Input voltage of power extender panel(s): 120	Power extender panel amps: 20
Overcurrent protection: Type: CIRCUIT BREAKER	R Amps: 20
Location (of primary supply panel board):	
Disconnecting means location:	
13.3.2 Engine-Driven Generator	This system does not have a generator.
Location of generator:	
Location of fuel storage:	Type of fuel:
13.3.3 Uninterruptible Power System	This system does not have a UPS.
Equipment powered by a UPS system:	
Location of UPS system:	
Calculated capacity of UPS batteries to drive the system compo	pnents connected to it:
In standby mode (hours):	In alarm mode (minutes):
13.3.4 Batteries	
Location: Type:	Nominal voltage: Amp/hour rating:
Calculated capacity of batteries to drive the system:	
In standby mode (hours):	In alarm mode (minutes):
□ Batteries are marked with date of manufacture □ Batt	tery calculations are attached
14. RECORD OF SYSTEM INSTALLATION	
Fill out after all installation is complete and wiring has been can branching, but before confucting operational acceptance tests.	
This is a: New system X Modification to an existing s	system Permit number:
The system has been installed in accordance with the following	g requirements: (Note any or all that apply.)
NFPA 72, Edition:	
X NFPA 70, National Electrical Code, Article 760, Edition:	
Manufacturer's published instructions	
Other (specify):	

System deviations from referenced NFPA standards:

Signed:		Printed name:	Date:	7-24-17
Organization:	DEBLOIS ELECTRIC	Title:	Phone:	

NFPA 72, Fig. 10.18.2.1.1 (p. 10 of 12)

15. RECORD OF SYSTEM OPERATIONAL ACCEPTANCE TEST

New system

All operational features and functions of this system were tested by, or in the presence of, the signer shown below, on the date shown below, and were found to be operating properly in accordance with the requirements for the following:

Modifications to an existing system

All newly modified operational features and functions of the system were tested by, or in the presence of, the signer shown below, on the date shown below, and were found to be operating properly in accordance with the requirements of the following:

⊠ NFPA 72, Edition:

☑ NFPA 70, National Electrical Code, Article 760, Edition:

X Manufacturer's published instructions

Other (specify):

□ Individual device testing documentation [Inspection and Testing Form (Figure 14.6.2.4) is attached]

Signed:	Brian Fournier	Printed name:	Brian Fournier	Date:	7-24-17
Organization:	R.B.ALLEN	Title:	TECHNICIAN	Phone:	603-964-8140

16. CERTIFICATIONS AND APPROVALS

16.1 System Installation Contractor:

This system, as specified herein, has been installed and tested according to all NFPA standards cited herein.

Signed:		Printed name:	Date: 7-24-17
Organization:	DEBLOIS ELECTRIC	Title: ELECTRICIAN	Phone:

16.2 System Service Contractor:

The undersigned has a service contract for this system in effect as of the date shown below.

Signed:	Printed name:	Date:
Organization:	Title:	Phone:

16.3 Supervising Station:

This system, as specified herein, will be monitored according to all NFPA standards cited herein.

Signed:	Printed name:	Date:
Organization:	Title:	Phone:

16. CERTIFICATIONS AND APPROVALS (continued)

16.4 Property or Owner Representative:

This system, as specified herein, will be monitored according to all NFPA standards cited herein.

Signed:	Printed name:	Date:
Organization:	Title:	Phone:

16.5 Authority Having Jurisdiction:

I have witnessed a satisfactory acceptance test of this system and find it to be installed and operating properly in accordance with its approved plans and specifications, with its approved sequence of operations, and with all NFPA standards cited herein.

Signed:	Printed name:	Date:
Organization:	Title:	Phone:

NFPA 72, Fig. 10.18.2.1.1 (p. 12 of 12)