


THA ARCHITECTS, LLC
 ARCHITECTURE • DESIGN • PLANNING • INTERIOR DESIGN
 105 WILLOW BROOK AVENUE
 STRATHAM, NEW HAMPSHIRE 03885
 Tel: (603) 770-2491 Fax: (603) 773-0238
 WWW.THAARCH.COM

These drawings and specifications were prepared for use at the location indicated. Publication and reproduction in any form, by any means, or in part, is prohibited without the written permission of THA Architects, LLC.
 © 2015 THA Architects, LLC.



midtown Portland

Somerset Street
 Elm Street
 Portland, ME

Building 2
 GRADE LEVEL/
 STRUCTURAL SLAB
 PLAN

Structural Engineer
BECKER
 STRUCTURAL ENGINEERS
 75 York Street, Portland, Maine 04101
 207.579.1538 • beckerstructural.com

MEP Engineer
McCabe & Associates
 FP Engineer
McCabe & Associates

SCALE: AS NOTED

ISSUED / DRAWN BY _____

© THA ARCHITECTS, LLC


REVISED / REVISED BY _____
 APRIL 15, 2016

JOB NO: 15001

SHEET NUMBER


S-1.1

NOT FOR CONSTRUCTION
 REVISED PERMIT SET
 4/15/16



STRUCTURAL SLAB SCHEDULE

MARK	THICKNESS	REINF.		FINISH	NOTES
		TOP	BOT		
1	10"	#7@10 (A) #4@12 (B)	#7@10	FLOAT	* INDICATES SLAB AT GRADE. SEE ARCH FOR INSULATION AND VAPOR BARRIER. ASSUMES 2-SPAN CONT. SLAB MIN.
1A	10"	#7@10 (A) #4@12 (B)	#7@10	FLOAT	SLAB TO BE INSTALLED BY TENDANT PER THESE DIMS. ASSUMES 2-SPAN CONT. SLAB MIN.
2	1'-4 1/2"	#5@10"	#8@10"	BROOM	SLAB ON FILL. PROVIDE MIN 2" COVER AT TOP OF SLAB.
3	8"	#7@10 (A) #4@12 (B)	#7@10	LIGHT BROOM	FORMED SLAB W/ EXPT. TRAFFIC GRADE MEMBRANE. PROVIDE 2" MIN COVER AT TOP OF SLAB.



CONT. SLAB REINFORCEMENT

GRADE LEVEL / STRUCTURAL SLAB
 1/16"=1'-0"

- NOTES:
- INDICATES SPAN DIRECTION OF STRUCTURAL SLAB. SEE SCHEDULE THIS DWG.
 - SCHEDULE THIS DWG. UNLESS INDICATED OTHERWISE.
 - SLAB EL: 0'-0". UNLESS INDICATED OTHERWISE.
 - SLAB THICKNESS CONSTRUCTION/CONSTRUCTION JOINT (SEE TYP DETAILS DWG S-0.1)
 - SEE ARCH DRAWINGS FOR SLAB DEPRESSIONS, ALL STAIR LANDINGS, STRINGERS AND SLABS SHALL BE DESIGNED AND FABRICATED AS PRECAST CONCRETE.
 - SEE ARCH DWGS FOR SLAB OPENINGS & DIMENSIONS.
 - PROVIDE HOUSING FOR PDS WHERE REQUIRED FOR MECHANICAL EQUIPMENT AND ELECTRICAL EQUIPMENT. PROVIDE COORDINATE FINAL ELEVATOR PIT DIMENSIONS AND SLUMP PIT DIMENSIONS AND LOCATION WITH ELEVATOR MANUFACTURER.