	ling or Use Permit Application	or 389 Congres		el: (207) 874-8703, FAX: 874-8716
Location of Construction:  127 Marginal Way	Owner: Back Cove Company	4	Phone:	Permit No:
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	PERMIT ISSUED
Contractor Name: Joe Tufts/Scarborough Signs	Address: 608 US RTE 1, Scarbon		883-6796	Permit Issued:
Past Use:	Proposed Use:	COST OF WOR	PERMIT I \$56.25	ŒE:
Retail/food	Same w/signage	FIRE DEPT.	Approved INSPECTI	ON:
			1	Zone: CBL:
Proposed Project Description:			Signature: ACTIVITIES DISTRIC	TE FIFT TO A STATE OF THE PARTY
		Action:	Approved with Condition	Special Zone or Reviews:
Erect signage as per plans			Denied	☐ Wetland ☐ Flood Zone
		Signature:	Date:	☐ Subdivision ☐ Site Plan maj ☐ minor ☐ mm ☐
Permit Taken By:  Vicki Bover	Date Applied For:	/98		Zoning Appeal
1. This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules.				□ Variance □ Miscellaneous
<ol> <li>Building permits do not include plumbing, septic or electrical work.</li> <li>Building permits are void if work is not started within six (6) months of the date of issuance. False informa-</li> </ol>				☐ Conditional Use ☐ Interpretation
<ol> <li>Building permits are void if work is not st tion may invalidate a building permit and</li> </ol>		ssuance. Paise informa-		□ Approved
			WITH PEON ISSUE	Historic Preservation  Not in District or Landmark
call contractor for notificat	ion .		PERMIT ISSUE WITH REQUIREMEN	V/S □ Does Not Require Review □ Requires Review
				Action:
I hereby certify that I am the owner of record of	CERTIFICATION	work is authorized by t	he owner of record and th	at I have been □ Approved □ Approved with Conditions
authorized by the owner to make this applicat	ion as his authorized agent and I agree to	conform to all applicab	le laws of this jurisdictio	n. In addition, Denied
if a permit for work described in the application areas covered by such permit at any reasonab				Date:
SIGNATURE OF APPLICANT Joe Tufts	ADDRESS:	DATE:	PHONE:	160
Scarborough Si				
RESPONSIBLE PERSON IN CHARGE OF W			PHONE:	CEO DISTRICT
White	-Permit Desk Green-Assessor's Ca	nary-D.P.W. Pink-Pi	ublic File Ivory Card-	nspector

025-B-014

#### OWNERS CONSENT AND ACREEMENT

2, Back Cove Company, being the owner of the premises located at (print property owners name)

in Portland, Maine, hereby give consent to the (print property address)

erection of a certain sign/enming/bunner owned by Traver and Recorded Record (print lesses's name)	ملّم د
ever the side-elk or on building from said premises as described in	
application to the Division of Inspection Services.	
•	
And in consideration of the issuance of said permit, owner of said premises, in event said sign shall cease to serve the purpose for which it was erected or shall become dangerous and in event the owner of said sign shall fail to ramove said sign or make it permanently safe in case the sign still serves the purpose for which it was erected, hereby agrees for himself or itself, for his heirs, its successors, and his or its assigns, to completely remove said sign.	
signature of Property Owner Signature of Lessee	
Signature of Property Owner Signature of Lessee	

PHONE NO. : 2078280201

	AGORD. CERT	IFICATE OF INS	SURANC	E	DATE (MM/DD/YY) 02/02/98
Pfl	NORTON.		ONLY AN HOLDER.	THIS CERTIFIC	SUED AS A MATTER OF INFORMATION NO RIGHTS UPON THE CERTIFICATE ATE DOES NOT AMEND, EXTEND OR AFFORDED BY THE POLICES BELOW.
	75 JOHN ROBE	RTS ROAD		COMPANIES	S AFFORDING COVERAGE
	SOUTH PORTLA		COMPANY	COMMERC	IAL UNION
INS	SCARBOROUGH	SIGNS	COMPANY B		
			COMPANY		
	608 U S ROUT SCARBOROUGH	E #1 ME 04074	C		
		~ (	D		
CO	INDICATED, NOTWITHSTANDING A	ANY REQUIREMENT, TERM OR CONDIT	ON OF ANY CONT	RACT OR OTHER I	ED NAMED ABOVE FOR THE POLICY PERIOD DOCUMENT WITH RESPECT TO WHICH THIS D HEREIN IS SUBJECT TO ALL THE TERMS, AIMS.
LTR	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LIMITS
A	GENERAL LIABILITY	YMR396442	1/15/98	1/15/99	GENERAL AGGREGATE \$1,000,000
	X COMMERCIAL GENERAL LIABILITY				PRODUCTS - COMP/OP AGG \$1,000,000
	CLAIMS MADE X OCCUR	1			PERSONAL & ADV INJURY \$ 500,000
	OWNER'S & CONTRACTOR'S PROT	r	1		EACH OCCURRENCE \$ 500,000
					FIRE DAMAGE (Any one fire) \$ 100,000
					MED EXP (Any one person) \$ 5,000
	ANY AUTO				COMBINED SINGLE LIMIT \$
	ALL OWNED AUTOS SCHEDULED AUTOS				BODILY INJURY (Per person) \$
	HIRED AUTOS				BODILY INJURY (Per accident)
					PROPERTY DAMAGE \$
A	GARAGE LIABILITY	CMR550818	01/15/98	01/15/99	AUTO ONLY - EA ACCIDENT \$
	X ANY AUTO				OTHER THAN AUTO ONLY:  EACH ACCIDENT \$
					AGGREGATE \$
	EXCESS LIABILITY				EACH OCCURRENCE \$
	UMBRELLA FORM				AGGREGATE \$
	OTHER THAN UMBRELLA FORM				\$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY	NEW	1/16/98	1/16/99	X   STATUTORY LIMITS
	THE PROPRIETOR				EACH ACCIDENT \$ 100,000 DISEASE - POLICY LIMIT \$ 500,000
	PARTNERS/EXECUTIVE OFFICERS ARE:  EXCL				DISEASE - EACH EMPLOYEE \$ 100,000
	OTHER	COF			DISEASE. PAON EMPLOYEE, V. 100 P. 000
	CRIPTION OF OPERATIONS/LOCATIONS/	/EMCLES/SPECIAL ITEMS			
CE	RTIFICATE HOLDER		CANCELLATI		
	SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE  CITY OF PORTLAND  EXPIRATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL				
ATTN BUILDING INSPECTOR 10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LE					
389 CONGRESS ST  BUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABIL PORTLAND  ME 04101  OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATION.				State Proposition Control of the Con	
			AUTHORIZED RI		NOV -0
AC	ORD 25-8 (3/93)		NORTON		MN C © ACORD CORPORATION 1999

# SIGNAGE

# PLEASE ANSWER ALL QUESTIONS

ADDRESS: 27 MAP TWAL WAY	zone: <u>B-5</u>
OWNER: BACK COVE COMPANY	
APPLICANT: The Whole GROSER	
ASSESSOR NO. 1025 - 9-014	
SINGLE TENANT LOT? YESNO	7,6
MULTI TENANT LOT? YESNO	21 OFF
FREESTANDING SIGN? YES NO NO (ex. pole sign)	DIMENSIONS 4 × 12 ×2
MORE THAN ONE SIGN? YES NO	_DIMENSIONS
BLDG. WALL SIGN? YES NO (attached to bldg)	DIMENSIONS 1/6 Sq.
MORE THAN ONE SIGN? YES NO	DIMENSIONS
LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS:	//
1	
LOT FRONTAGE (FEET)	
BLDG FRONTAGE (FEET) 65/12 - 1305	#
AWNING YESNO IS AWNING BACK	LIT? YESNO
HEIGHT OF AWNING:	
IS THERE ANY COMMUNICATION, MESSAGE, TRADEMARK OR S	YMBOL ON IT?
A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY W	[ <b>2</b> 2]
SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/	OR PICTURES OF THE
PROPOSED SIGNS ARE ALSO REQUIRED.	



10

2

\* NOTE: PLEASE VERIFY DIMENSIONS IN FIELD

FROM- CHANDRIGH BY

8

1/8"=11-0

75.

.

3

-2-

PHONE NO. : 2078280201

FROM : The Whole Grocer

### BUILDING PERMIT REPORT

DATE: 17 MAY 98 ADDRESS: 127 Marginal Way 025-B-014
REASON FOR PERMIT: TO erect signage.
BUILDING OWNER: Bace Cove Company
CONTRACTOR: Joe Tufts / Scarborough Signs-
PERMIT APPLICANT: JOSEPH 14F15.
USE GROUP SIGN (BOCA 1996 CONSTRUCTION TYPE
CONDITION(S) OF APPROVAL
$T^{*}$
This Permit is being issued with the understanding that the following conditions are met:
x/ x2a
Approved with the following conditions: 4/
<ul> <li>This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.</li> <li>Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be</li> </ul>
2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
3 Precaution must be taken to protect concrete from freezing.
4. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to
verify that the proper setbacks are maintained.
5 Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from
adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire
resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the
interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch
gypsum board or the equivalent applied to the garage side. (Chapter 4 Section 407 0 of the BOCA/1996)
6. All chunneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA
National Mechanical Code/1993).
Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's
building code.
8 Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walkin
surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level.
Minimum height all Use Groups 42", except Use Group R which is 36" In occupancies in Use Group A, B, H-4, I-1, I-2 M
and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a spher
with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladde
effect. (Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more
than 38") Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than
Headroom in habitable space is a minimum of 7'6"  Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum
Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum 11" tread. 7" maximum rise
The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8")
Every sleeping room below the fourth story in buildings of use Groups R and 1-1 shall have at least one operable window or
exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special
knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more
than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear
opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches
(508mm), and a minimum net clear opening of 5.7 sq. ft.
Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it
exits directly from the apartment to the building exterior with no communications to other apartment units.
All vertical openings shall be enclosed with construction having a fire rating of at lest one (1)hour, including fire doors with sel-

All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the 16.

The boiler shall be protected by enclosing with (1) hour fire-rated construction including fire doors and ceiling, or by providing

closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.)

15

automatic extinguishment.

#### INFORMATION REQUIREMENTS FOR SIGN PERMIT APPLICATION

APPLICANTS FOR A SIGN PERMIT WILL BE ASKED TO SUBMIT THE FOLLOWING INFORMATION TO THE CODE ENFORCEMENT OFFICE:

- 1. PROOF OF INSURANCE
- 2. LETTER OF PERMISSION FROM THE OWNER OK
- 3. A SKETCH PLAN OF THE LOT, INDICATING LOCATION OF BUILDINGS, DRIVEWAYS AND ANY ABUTTING STREETS OR RIGHT OF WAYS. LENGTHS OF BUILDING FRONTAGES AND STREET FRONTAGES SHOULD BE NOTED (SEE ATTACHED)
- 4. INDICATE ON THE PLAN ALL EXISTING AND PROPOSED SIGNS
- 5. COMPUTATION OF THE FOLLOWING:
  - A) SIGN AREA OF EACH EXISTING AND PROPOSED BUILDING SIGN
- B) SIGN AREA HEIGHT AND SETBACK OF EACH EXISTING AND PROPOSED FREESTANDING SIGN

A SKETCH OF ANY PROPOSED SIGN(S), INDICATING DIMENSIONS, MATERIALS, SOURCE OF ILLUMINATION AND CONSTRUCTION METHOD (SEE ATTACHED)

CERTIFICATE OF FLAMMABILITY REQUIRED FOR AWNING/CANOPY AT TIME OF APPLICATION

UL # REQUIRED FOR LIGHTED SIGNS AT TIME OF APPLICATION

FEE FOR PERMIT - \$25.00 PLUS \$0.20 PER SQUARE FOOT

FEE FOR AWNING BASED ON COST OF WORK \_ \$25.00 for the FIRST 1,000.00, \$5.00 for EACH ADDITIONAL \$1,000.00

NOTE: ONCE A SKETCH PLAN HAS BEEN FILED FOR A PROPERTY, THE CODE ENFORCEMENT OFFICE WILL KEEP A RECORD OF THE PLAN SO THAT A NEW SKETCH PLAN WILL NOT BE REQUIRED FOR LATER CHANGES TO SIGNAGE ON THE PROPERTY. IN SUCH AN INSTANCE, APPLICANTS WILL ONLY BE REQUIRED TO SUBMIT INFORMATION APPLICABLE TO THE NEW SIGNS.



provisions of the City's Building Code Chapter 9, Section 19, 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19 (Smoke detectors shall be installed and maintained at the following locations):

- In the immediate vicinity of bedrooms
- In all bedrooms
- In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required)

- A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
- 18 The Fire Alarm System shall be maintained to NFPA #72 Standard
- The Sprinkler System shall maintained to NFPA #13 Standard.
- All exit signs, lights, and means of egress/lighting shall be done in accordance with Chapter 10 Section & Subsections 1023. & 1024. Of the City's building code. (The BOCA National Building Code/1996)
- Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year"
- The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification to the Division of Inspection Services.
- Ventilation shall meet the requirements of Chapter 12 Sections 1210. Of the City's Building Code.
- 24. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade.
- 25. All requirements must be met before a final Certificate of Occupancy is issued.
- All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code. (The BOCA National Building Code/1996).
- Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993).

	1
28	Please read and implement the attached Land Use-Zoning report requirements.
X29.	This permit is being issued with The Understanding the
1	The replacement Sigh 15 approx of The same size and
ST.	Weight as The organial sign-IF This is NOT The case
	a New Structural design mast be submitted to This office
21.	Forapproval
32.	

P Samuel Hoffses, Code Enforcement

cc Lt. McDougall, PFD Marge Schmuckal