



Wall Schedule		
WALL TYPE	DESCRIPTION	RATING
Exterior		
A1	8" CMU w/ Brick Veneer	
A7	8" CMU - 3" Rigid Insul. with Metal Siding Type A	
A34	8" CMU infill wall	
A35	8" CMU no insul - brick both sides	
C1	2x6 Wood Stud with Brick Veneer	
C9	2x6" Wood Stud Wall with Metal Siding Type A	
C10	2x6" Wood Stud Wall with Metal Siding Type B	
Interior		
A54	8" CMU	
A55	8" CMU	1 HR
A56	8" CMU	2 HR
B51	1 5/8" MTL Furring	
B52	1 5/8" MTL Furring	
C52	2x4 Wood Stud w/ Acoustic Insulation with 5/8" GWB Each Side	
C53	2x4 Wood Stud w/ Acoustic Insulation with 5/8" GWB Each Side	1 HR
C54	2x4 Wood Stud w/ Acoustic Insulation with 5/8" GWB Each Side	2 HR
C55	2x4 Wood Stud w/ Acoustic Insulation and 5/8" GWB Each Side	1/2 HR
C60	2x6 Wood Stud w/ Acoustic Insulation and 5/8" GWB Each Side	
C61	2x6 Wood Stud w/ Acoustic Insulation and 5/8" GWB Each Side	1 HR
C62	2x6 Wood Stud w/ Acoustic Insulation and 5/8" GWB Each Side	2 HR
C63	2x6 Wood Stud w/ Acoustic Insulation and 5/8" GWB Each Side	1/2 HR
C66	2x Wood Stud w/ 1 1/2" Spray Foam Insulationat Walls Adjacent to Unheated Spaces and GWB One Side	
C70	2x4 Furring	
C71	2x4 Furring	
C72	2x4 Furring	



JOB NO.
10020

DRWN. CHK
Checker

SCALE:
1/8" = 1'-0"

ISSUE
08/03/11

TITLE
GROUND FLOOR PLAN

SHEET

A100