City of Portland, Maine – Building or Use Permit Applic: 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 55 Chestnut ST	Owner: Ed. Mardigan	,	Phone:	Permit No: 981410
Owner Address:	Lessee/Buyer's Name:	Phone:	BusinessName:	PERMIT ISSUED
Contractor Name: Cliff Marchant (Social Services)	Address: 196 Lancaster St Pt1d	Phone:	5-7911 ext 254	Permit Issued: DEC 6 998
Past Use:	Proposed Use:	COST OF WORK:	PERMIT FEE: \$ 25,00	
Family Shelter	Daycare	FIRE DEPT. Approved Denied		CITY OF PORTLAND
		Signature:	Signature:	Zone: CBL: 026-P-009
Proposed Project Description:	oposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.)		Zoning Approval:	
Change of Use from Family Shelter to Dyycare for 6 - 12 Children Action: Approved Approved with Conditions: Denied		opproved with Conditions:	Shoreland Wetland Flood Zone	
		Signature:	Date:	□ Subdivision □ Site Plan maj □minor □mm □
Permit Taken By:	Date Applied For:	November 18, 19	98	Zoning Appeal
 This permit application does not preclude the A Building permits do not include plumbing, sep Building permits are void if work is not started tion may invalidate a building permit and stop Conditional Use Appeal \$50.00 	otic or electrical work. within six (6) months of the date of issue		PERMIT ISSUED WITH REQUIRE MENTS	□ Variance □ Miscellaneous □ Conditional Use □ Interpretation □ Approved □ Denied
		APPEAL SUSTAI	12/14/98	Historic Preservation Not in District or Landmark Does Not Require Review Requires Review
				Action:
I hereby certify that I am the owner of record of the authorized by the owner to make this application a if a permit for work described in the application is areas covered by such permit at any reasonable ho	s his authorized agent and I agree to co issued, I certify that the code official's a	nform to all applicable l authorized representative	aws of this jurisdiction. In addition e shall have the authority to enter al	, Denied
		Rovember 155 1	998	
SIGNATURE OF APPLICANT	ADDRESS:	DATE:	PHONE:	_
RESPONSIBLE PERSON IN CHARGE OF WORK			PHONE:	
White-Pe	rmit Desk Green–Assessor's Cana	ary–D.P.W. Pink–Publ	ic File Ivory Card-Inspector	BETOC I

				Date
COMMENTS	1/21/49 Rune concernation of durition - and changes as are acceled allow and and allow and a grand a grand and a grand		181416 Inspection Record	Type Foundation: Framing: Plumbing: Final: Other:

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Minor/Minor Site Review, Building or Use Permit Pre-Application

Detached Single Family Dwelling

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: 55 Chest	nut St			
Total Square Footage of Proposed Structure	Square Footage of Lot			
Tax Assessor's Chart, Block & Lot Number Chart# 026 Block# F Lot# 009	Owner: ED MARBIGAN		Telephone#:	
Lessee/Buyer's Name (If Applicable)	Owner's/Purchaser/Lessee Address:	Cost	t Of Work: Fee:	
Proposed Project Description: (Please be as specific as possible) Conditional Use Oppeal				
Contractor's Name, Address & Telephone nuc bl fr	un Cliff Marchant 7757911 Social services omployee	K2	54 Rec'd By: UB	

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.

•HVAC(Heating, Ventilation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code. You must Include the following with you application:

1) A Copy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if available

3) A Plot Plan (Sample Attached)

A "minor/minor" site plan review is required prior to permit issuance. The Site plan must be prepared and sealed by a registered land surveyor (2 copies are required). A complete plot plan (Site Plan)includes:

- The shape and dimension of the lot, all existing buildings (if any), the proposed structure and the distance from the actual property lines. Structures include decks porches, a bow windows cantilever sections and roof overhangs, as well as, sheds, pools, garages and any other accessory structures.
- Scale and North arrow; Zoning District & Setbacks
- First Floor sill elevation (based on mean sea level datum);
- Location and dimensions of parking areas and driveways;
- Location and size of both existing utilities in the street and the proposed utilities serving the building;
- Location of areas on the site that will be used to dispose of surface water.
- Existing and proposed grade contours

4) Building Plans (Sample Attached)

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:	CliffordM	archant	Date: 11/13/98

Site Review Fee: \$300.00/Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

6

notify Cliff Marchaut when appeal takes pace 1757911 x 254




PARKING LOT

OXFORD STREET

TO CUMBERLAND AVE.


WINDOW

CHESTNUT STREET



PARKING LOT

OXFORD STREET



BUILDING PERMIT REPORT

	DATE	ADDRESS: 55 ChesTnut ST. CBL \$26-F-\$\$
	REAS	ONFORPERMIT: Fqmily Shelter / Daycare
	BUILI	DING OWNER: Ed Marringan
		TRACTOR: C/1 Ff Marchan T (SS)
	DEDM	IIT APPLICANT: \uparrow
		$\frac{B_{11}}{B_{12}} = \frac{B_{12}}{B_{12}} = B_$
		CONDITION(S) OF APPROVAL
	This P	Permit is being issued with the understanding that the following conditions are met:
	Appro	wed with the following conditions: $\frac{2}{3}$
. ,		
X	1.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
	2.	Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
	2.5	Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more
	2.0	than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside
		edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the
		floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with
		an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be
		higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane
		material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6"
	r.	of the same material. Section 1813.5.2
	2.6	Foundations anchors shall be a minimum of 1/2" in diameter, 7" into the foundation wall, minimum of 12" from corners of
	-	foundation and a maximum 6 'o.c. between bolts. (Section 2305.17)
	3.	Precaution must be taken to protect concrete from freezing. Section 1908.0
	4.	It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to
	5.	verify that the proper setbacks are maintained. Private garages located <u>beneath habitable rooms</u> in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from
	5.	adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting
		rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior
		spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage means of ½ inch gypsum board
		or the equivalent applied to the garage side. (Chapter 4 Section 407.0 of the BOCA/1996)
6	6.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National
		Mechanical Code/1993). Chapter 12 & NFPA 211
1	7.	Sound transmission control in residential building shall be done in accordance with Chapter 12 section 1214.0 of the city's
		building code.
8	8.	Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking
		surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum
		height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2 M and R and
		public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a
		diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect.
		(Handrails shall be a minimum of 34" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".)
		Handrail grip size shall have a circular cross section with an outside diameter of at least 1 1/4" and not greater than 2". (Sections
0	`	1021 & 1022.0) - Handrails shall be on both sides of stairway. (Section 1014.7)
). 0	Headroom in habitable space is a minimum of 7'6". (Section 1204.0) Stair construction in Use Group R-3 & R-4 is a minimum of 10" tread and 7 3/4" maximum rise. All other Use group minimum
1	0.	11" tread. 7" maximum rise. (Section 1014.0)
1	1.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6' 8") 1014.4
1	1.	The minimum nearborn in an parts of a stan way shan not be less than be mones. (6-6-7 for the

12. Every sleeping room below the fourth story in buildings of use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special