## State of Maine Department of Environmental Protection Lead & Asbestos Hazard Prevention Program 17 State House Station, Augusta, ME 04333 TEL (207) 287-2651 FAX (207) 287-6220

FORM N

Page 1 of 5 Revised 2011

Important Notice: The notification submitter must send a complete notification including all applicable fees, postmarked at least 10 calendar days or received by the Department at least 5 working days prior to the start of an asbestos abatement project. This notification must be typewritten or easily legible. An incomplete notification is not acceptable & therefore not of record. See definition of project at Asbestos Management Regulations, 06-096 CMR 425(1)(DDDD)(last amended April 3, 2011). The notification submitter is responsible for ensuring that the complete notification including any applicable fee is received by the Department.

1. Project Code

2. Original Notification

3. Type of Activity.

1. Project Code	2. Original Notification		
		3. Type of A	ctivity 4. Walver
BIO- 15-288	X Standard	X Demolition	n □ Non Standard Work Practices
(Assigned by notification submitter)	☐ Facility O&M (Approved Annual)	Renovatio	n 🔲 Emergency
	☐ Courtesy (Not Subject to the Rul	le)	x Notification Timeframe Waiver
		ļ	☐ Approved Annual Non Standard
5. Facility Owner		6. Asbestos	<b>£</b>
Name Crandall Toothake	r		
1			Safe Environmental
Address PO Box 4271		Address 17 P	<u>atrick Drive</u>
City Portland State M	faine Zip 04101	City Westbro	ok_State <u>Maine</u> Zip <u>04092</u>
Contact Above		Contact Mark	C Griffeth
TEL 774-5358 FAX			
		1CC <u>207-054</u>	-5262 FAX <u>207-854-2609</u>
7. Facility Location (Where	removal is to take place)	8. 1	acility Description
BLDG Name Multi Family		Pres	sent Use Multi Family
Floor and/or Rm.# Exterior		Prio	r Use Same
Physical Address 56 Wilmont	Stract	ĺ	
		BLD	G Size 1500 sq/ft No. Floors 2
City Portland State Mai	ne Zip 04101	BLD	G Age 1930's
9. Asbestos (ACM) Remova			
ACM Type	Amount	Measurement	Project Totals
Pipe or Pipe Covering		Linear Feet	1.101001.01010
Boiler Covering		Square Feet	<del>-</del>
Mudded Fittings		Linear Feet	Total Square Feet = 280
Duct Covering		Square Feet	
Gasket Material		Square Feet	Total Linear Feet =
Floor Tile			
Linoleum		Smilara Faat	1
Mastic		Square Feet	Total Project = 280
Masuc	250	Square Feet	Total Project = 280
··· · · · · · · · · · · · · · ·	250	Square Feet Square Feet	Total Project = 280
Ceiling Tiles Spray-on	250 5	Square Feet Square Feet Square Feet	
Ceiling Tiles	250 S	Square Feet Square Feet Square Feet Square Feet	Note: Visual evaluations and air
Ceiling Tiles Spray-on Siding	250 S	Square Feet Square Feet Square Feet Square Feet Square Feet	Note: Visual evaluations and air clearances for asbestos abatement projects
Ceiling Tiles Spray-on	250 S S S S S S S S S S S S S S S S S S S	Square Feet Square Feet Square Feet Square Feet Square Feet Square Feet	Note: Visual evaluations and air clearances for asbestos abatement projects involving more than 100 square/linear feet.
Ceiling Tiles Spray-on Siding Transite Paneling	250 S S S S S S S	Square Feet	Note: Visual evaluations and air clearances for asbestos abatement projects involving more than 100 square/linear feet, or any combination thereof of must be
Ceiling Tiles Spray-on Siding Transite Paneling Roofing/Flashing	250 S S S 30 S S S S S S S S S S S S S S S S S S S	Square Feet	Note: Visual evaluations and air clearances for asbestos abatement projects involving more than 100 square/linear feet, or any combination thereof of must be performed by an independent Asbestos
Ceiling Tiles Spray-on Siding Transite Paneling Roofing/Flashing Glues Plaster	250 S S S S S S S S S S S S S S S S S S S	Square Feet	Note: Visual evaluations and air clearances for asbestos abatement projects involving more than 100 square/linear feet, or any combination thereof of must be performed by an independent Asbestos Consultant unless otherwise specified in
Ceiling Tiles Spray-on Siding Transite Paneling Roofing/Flashing Glues	250 S S S S S S S S S S S S S S S S S S S	Square Feet	Note: Visual evaluations and air clearances for asbestos abatement projects involving more than 100 square/linear feet, or any combination thereof of must be performed by an independent Asbestos

## State of Maine Department of Environmental Protection Lead & Asbestos Hazard Prevention Program 17 State House Station, Augusta, ME 04333

FORM N

BIO- 15-288	1EL (207) 28	37-2651 FAX (207) 2	87-6220	Page 2 of 5	
Project Code				Revised 2011	
10. Notification Fees (Required fees must accompany notification)  X \$100.00 = ACM amounts 100 S	Single family ho	ome exemption ess than 100 Sq Ft or	Demolition (complete as applicable     Ordered demolition (structurally unsound) by State or local		
100 Ln Ft or any combination than 500 Sq Ft or 2500 Ln Ft.  □ \$150.00 = ACM amounts more 500 Sq Ft or 2500 Ln Ft but les 1000 Sq Ft or 5000 Ln Ft.  □ \$300.00 = ACM amounts more 1000 Sq Ft or 5000 Ln Ft or an	than	100 Ln Ft or any combination  Grees paid quarterly (Non-Scheduled		government  All other demolitions  Demolition Dates:  Start TBD	
combination			End		
	<u>Note on Require</u>	ed Notification Fees		-	
If there are not sufficient funds to the Department in accordance w bank check), the Department will additional checks for other project 13. Scheduled Dates for Asbestos	not accept any additional of notifications.	policies. Until that ins checks or credit card to	ufficiency is resolved ( ansactions from the pa	ne assessed by by money order o arty including	
Project Start Date 6-8-2015	とないから	14. Project Work Ho			
	3/31/2015	7:30 AM to 4:00 PM	(Show actual hours)		
Project Completion Date 6-14-2015	9/2/2015	Weekdays (Check all			
ACM Removal Dates (from) 6-8-2019	5 8/3/2015	x_Mx_T>	<u></u>		
ACM Removal Dates (to) 6-41-201	• •	Weekend (Check all theSatSi			
15. Procedure Used to Detect Pres		16. Project Clearance	)		
Testing Assumed Positive	_x Tested Positive	Visual evaluation by: (	Air Monitor (if known) and	( Company)	
Methodx PLM TEM		Mid Coast Environmental			
Sampled By Mark Griffeth (Print Nar	me)	Air Clearance by: (Air I	Monitor (if known) and Co	empany)	
ompany BIOSafe Environmental		Mid Coast Environmental			
Note: Whenever building mat must be at the asbes 17. Asbestos Abatement Design Co	ing approprient brolect 21f	ntain asbestos, signe e and available for re	d bulk sampling discl view by the Departme	losure forms ent.	
	Me Certification Nu	mber <u>DC # 0069</u>		7.11	
Company <u>Environmental Safety &amp; Hy</u>	giene DC Certification Exp	oiration Date <u>3-31-2016</u>			
			<u> </u>		

BIO- 15-288 Project Code

# State of Maine Department of Environmental Protection Lead & Asbestos Hazard Prevention Program 17 State House Station, Augusta, ME 04333 TEL (207) 287-2651 FAX (207) 287-6220

FORM N

Page 3 of 5 Revised 2011

18. Asbestos Abatement Methods and Alternative Work Prac	tices (check all that people)
<u>,</u>	
- 110 guilded and a man contrainment consisting of 2-rayers 4 mil p	oly on walls & ceiling & 2 layers 6 mil poly on floors
of the policy of	ly on walls & ceiling & 2 layers 6 mil poly on floors
Santia area with Excidition 2016	<ul> <li>Wetting ACM during removal not required</li> </ul>
Glovebags (unlimited non-contiguous, contiguous limited to 30	In ft)   Exhausting to Ambient Air not feasible
Adhesive by grinding or bead blasting	<ul> <li>Aggressive Air Clearance not required</li> </ul>
Wrap & cut- TSI in good condition (no containment)	☐ Visual Clearance only
☐ Intact flooring demo by heavy equipment	□ Remote Decontamination Unit
Roofing removal by mechanical saws/cutters	X Smaller than standard Decontamination Unit
Flooring by mechanical equipment/ice scrapers/pry bars	☐ Shutting down NAM at night
☐ Enclosure	☐ Encapsulation
Note on AHERA	School Projects
The Federal Asbestos —Containing Materials in Schools regularies contains specific requirements for asbestos abatement activities are air clearance and sample analysis protocols.	lation (40 CFR Part 763) commonly referred to as "AHERA" ties that may <u>not</u> be waived by the Department. Among these
<ol> <li>Waste Transporter (Must be ME DEP licensed Non- Hazardous Waste Transporter)</li> </ol>	20. Disposal Site
Maria D. In a	Name Minerva Landfill
Name Service Transport Group, Inc	Address 9000 Minerva Road
Address 58 Pyles Lane	City <u>Waynesburg</u> State <u>Ohio</u> Zip 44688
City New Castle State DE Zip 19720	Contact
Contact Tom Gaudet	TEL <u>330-866-3435</u> FAX <u>330-866-4411</u>
TEL <u>302-778-5930</u> FAX <u>302-778-0446</u>	
21. Certification (Notification Submitted by)	
I certify that to the best of my knowledge, the information contain asbestos abatement contractor will be/has been contracted to in	ned in this notification is true and accurate, and that the nplement work practices as required by 06-096 CMR 425.
March	
Signature	Mark Griffeth
Date 8-26-2015	Print Name
Mailing Address 17 Patrick Drive	
City Westbrook State Maine Zip 04092	
TEL <u>207-854-5262</u> FAX <u>207-854-5262</u>	

Remember
Submit completed pages 1 thru 3 of Form N for each original notification.
Submit pages 4 or 5 only as needed.

ME DI	EP USE ONLY
Postmark/ FAX/ hand-deliv	rered
Date Received	Check #
NESHAP Sta	ate
Waiver	

State of Maine
Department of Environmental Protection
Lead & Asbestos Hazard Prevention Program
17 State House Station, Augusta, ME 04333
TEL (207) 287-2651 FAX (207) 287-6220

FORM N

Page 1 of 5 Revised 2011

Important Notice: The notification submitter must send a complete notification including all applicable fees, postmarked at least 10 calendar days or received by the Department at least 5 working days prior to the start of an asbestos abatement project. This notification must be typewritten or easily legible. An incomplete notification is not acceptable & therefore not of record. See definition of project at for ensuring that the complete notification including any applicable fee is received by the Department.

for en	suring that the com	plete notifi	cation in	ncluding any applica	able fee is	received by the	he notificati Department	on submitter is respo
1. Pro	ject Code	2. Origin	nal Notif	ication		of Activity	4. Waiver	
BIO- 1		X Stand	dard		X Dem	•		andard Work Practices
(Assign submitt	ed by notification er)			(leunnA bevorqqA	Reno	vation	☐ Emerge	
		☐ Court	esy (Not	Subject to the Rule)		i	x Notificat	ion Timeframe Waiver
5. Faci	lity Owner						☐ Approv	ed Annual Non Standa
j					6. Asbe	stos Contractor		
Name	Crandall Toothaker	•			Name	BIOSafe Enviro	nmental	
Address	PO Box 4271				Address	17 Patrick Drive		
City Portland State Maine Zip 04101			City Westbrook State Maine Zip 04092					
Contact	Above				Contact	Mark Griffeth		
	74-5358 FAX			<del></del>	TEL <u>207</u>	<u>7-854-5262</u> FAX	207-854-26	<u>609</u>
7. Facili	ty Location (Where	removal la	s to take	place)		8. Facility Des	cription	
BLDG Na	ame Multi Family					Present Use	Multi Family	•
Floor and	l/or Rm.# Exterior					Prior Use S	ame	
Physical A	Address 56 Wilmont	Street				BLDG Size 1	500 sq/ft N	o. Floors 2
City F	Portland State Main	ne Zip 0	)4101				930's	
	tos (ACM) Removal 15 10:56 20785	42609		B10	os			P. 001
		ន	:\$\$	******************************	₹Т	***		
OB NO.	MODE		NO.	DESTINATION	TELZID	START TIN	IE PAGE	RESULT
2741	TX	ECM	001	2876220		08/27 10:5		OK 02'10