Inspections Division
Date: 05/25/16

# Submittal Data Sheet

FTXS15LVJU

FTXS15LVJU

## FEATURES

- Intelligent eye occupancy sensor
- Weekly timer for programmable comfort
- Low ambient heat operation down to 0° F
- Titanium apatite photocatalytic air purifying
- 12 year limited parts and compressor warranty with online registration

## BENEFITS

- Quiet operation

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Inspections Division

Date: 05/25/16

# Submittal Data Sheet

FTXS15LVJU

FTXS15LVJU

## PERFORMANCE

| | | | |
|---|---|---|---|
| Indoor Unit Model No. | FTXS15LVJU | Indoor Unit Name: | FTXS15LVJU |
| Type: | Wall Mounted | Rated Cooling Conditions: | Indoor (°F DB/WB): 80 / 67<br>Ambient (°F DB/WB): 95 / 75 |
| Rated Cooling Capacity (Btu/hr): | 15,000 | Rated Heating Conditions: | Indoor (°F DB/WB): 70 / 70<br>Ambient (°F DB/WB): 47 / 43 |
| Sensible Capacity (Btu/hr): | | Rated Piping Length(ft): | |
| Cooling Input Power (kW): | 0.040 | Rated Height Separation (ft): | |
| Rated Heating Capacity (Btu/hr): | 18,000 | | |
| Heating Input Power (kW): | 0.04 | | |

## INDOOR UNIT DETAILS

| | | | |
|---|---|---|---|
| Power Supply (V/Hz/Ph): | 208-230 / 60 / 1 | Airflow Rate (H/M/L/SL) (CFM): | 568/385/360/360 |
| Power Supply Connections: | L1, L2, Ground | Moisture Removal (Gal/hr): | 0.8 |
| Min. Circuit Amps MCA (A): | | Gas Pipe Connection (inch): | 1/2 |
| Max Overcurrent Protection (MOP) (A): | | Liquid Pipe Connection (inch): | 1/4 |
| Dimensions (HxWxD) (in): | 13 x 45-11/16 x 16-7/8 | Condensate Connection (inch): | 5/8 |
| Panel (HxWxD) (in): | | Sound Pressure (H/M/L/SL) (dBA): | 45/32/32/32 |
| Net Weight (lb): | 31 | Sound Power Level (dBA): | 61 |
| Panel Weight (lb): | | Ext. Static Pressure (Rated/Max) (inWg): | 0.00 / 0.00 |



(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)

Inspections Division

Date: 05/25/16

**Submittal Data Sheet**

FTXS15LVJU

FTXS15LVJU

## DIMENSIONAL DRAWING

(Daikin's products are subject to continuous improvements. Daikin reserves the right to modify product design, specifications and information in this data sheet without notice and without incurring any obligations)