



POWERPAY OFFICE FIT UP

**Winton Scott
Architects**
5 Milk Street
Portland, ME 04101

**Wright Ryan
Construction, Inc.**
10 Danforth Street
Portland, ME 04101

**Becker Structural
Engineers, Inc.**
75 York Street
Portland, Maine 04101

**Mechanical
Systems
Engineers**
10 Royal River Center
Yarmouth, Maine 04096

Bartlett Design
942 Washington Ave.
Bath, Maine 04530

Fore Solutions
386 Fore Street
Portland, Maine 04101

DOOR SCHEDULE TYPES, & DETAILS

A7.3

Scale: As Noted Date: 3.20.09

DOOR TYPES

Note: 1. See floor plan for swing, typical.
2. Provide tempered glass where required by applicable building codes, typ.

FRAME TYPES

1. HM Frame Face Width 2", typ. unless noted otherwise
2. Aluminum Frame Face Width 2", typ. unless noted otherwise

INTERIOR WINDOW FRAME TYPES

(Frame Face Width 2", typ. unless noted otherwise)

NOTE: INTERIOR FIXED FRAME WINDOWS SHALL BE 60 MINUTE UL RATED ASSEMBLY CONSISTING OF FIREFRAME DESIGNER SERIES FRAMES AND FIRELITE GLASS GLAZING AS MANUFACTURED BY TECHNICAL GLASS PRODUCTS.

SCHEDULE NOTES & ABBREVIATIONS

KEYED NOTES

- Undercut Door
- Provide alarm actuated hold-open
- Provide accessible push-button door operator
- Provide electronic lockset & Hinges w/ card reader and power module - See electrical drawings and Hardware Schedule.
- Door located in smoke partition, 1/8" maximum operating clearances in field.
- New door & frame in existing partition - confirm frame throat size in field.
- Provide electronic lockset, hinges & power module - See electrical drawings and Hardware Specifications.
- Provide 60 minute rated door & frame assembly "Fireframes" - Designer Series as manufactured by Technical Glass Products. Glaze with FireLite clear, rated glass. Door elevation similar to Type 'D' except stile and rail dimensions per manufacturer's standard.
- Install new door & frame in existing opening. Dr. is being changed to inswing from exist. out swing

ABBREVIATIONS

FF Factory Finished
PR Pair
HM Hollow Metal
INSUL HM Insulated Hollow Metal
ALUM Aluminum
SCWD Solid Core Wood Door
PTD Painted
CLR Clear Finish
GALV Galvanized

GENERAL NOTES

- Refer to Specifications for Hardware set descriptions.
- Contractor to field verify code requirements for tempered glass
- Refer to floor plans for door type location
- At existing doors to remain, intent is to provide new hardware & electronic hardware components as scheduled.

DOOR & FRAME SCHEDULE

General			Door				Frame			Details			
Dr. No.	Door Size (WxH)	Thickness	Material	Finish	Type	Material	Finish	Type	Head	Jamb	Threshold	Label	Notes
FIRST FLOOR													
100	PR 3'-0" x 7'-6"	1 3/4"	ALUM	FF	D	ALUM	FF	--	H5	J5	--		(4) (5)
100A	PR Existg	1 3/4"	ALUM	FF	EXIST	ALUM	FF	EXIST	--	--	--		(3) (4)
100A.1	PR Existg	1 3/4"	ALUM	FF	EXIST	ALUM	FF	EXIST	--	--	--		(3) (7)
105	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T2		
106	Existing	1 3/4"	GALV. INSUL. HM	PTD	EXIST	GALV. HM	PTD	EXIST	--	--	--		(4)
107	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T1		
108	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T1	60 MIN	(2) (7)
108.1	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T1	60 MIN	(4)
109	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	B	HM	PTD	F1	H1	J1	T2		
110	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	B	HM	PTD	F1	H1	J1	T2		
111	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T1		
112	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T1		
113	PR Existg	1 3/4"	GALV. INSUL. HM	PTD	EXIST	GALV. HM	PTD	EXIST	--	--	--		(7)
114	3'-0" x 7'-0"	1 3/4"	HM	PTD	A	HM	PTD	F1	H1	J1	--	60 MIN	
120	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H2	J2	T1	60 MIN	(4)
121	PR 3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F2	H1	J1	T1		(4)
125A	3'-0" x 7'-0"	1 3/4"	ALUM	FF	D	ALUM	FF	F1	--	--	S1		(7)
125B	3'-0" x 7'-0"	1 3/4"	ALUM	FF	D	ALUM	FF	F1	--	--	S1		(7)
127	PR 3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F2	H1	J1	T1		
128.1	PR 2'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F2	H1	J1	--		
128.2	PR 2'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F2	H1	J1	--		
128.3	PR 2'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F2	H1	J1	--		
128.4	PR 2'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F2	H1	J1	--		
135	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T1		
136	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T2		
136A	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	--		
137	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T2		
138	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T1		
139	PR 3'-0" x 7'-0"	1 3/4"	SCWD	CLR	C	HM	PTD	F2	H1	J1	T1		(5)
139.1	PR Existing	1 3/4"	GALV. INSUL. HM	PTD	EXIST	GALV. HM	PTD	EXIST	--	--	--		(4)
139.2	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	--	--	--		(6)
140	PR 3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F2	H1	J1	--		
141	PR 3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F2	H1	J1	--		(4)
141A	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	--		
142	NOT IN CONTRACT		N.I.C.	N.I.C.		N.I.C.	N.I.C.						
142.1	3'-0" x 7'-0"	1 3/4"	GALV. INSUL. HM	PTD	A	GALV. HM	PTD	F1	H3	J3	S2		
142A	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	EXIST	EXIST	--		(6)
142B	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	--		
143	PR 3'-0" x 7'-6"	1 3/4"	ALUM	FF	D	ALUM	FF	--	H5	J5	T2		(4) (5)
143.1	PR Existing	1 3/4"	ALUM	FF	EXIST	ALUM	FF	EXIST	--	--	--		(3) (7)
143A	PR Existing	1 3/4"	ALUM	FF	EXIST	ALUM	FF	EXIST	--	--	--		(7)
143A.1	PR Existing	1 3/4"	ALUM	FF	EXIST	ALUM	FF	EXIST	--	--	--		(7)
144	PR 3'-6" x 7'-6"	1 3/4"	HM	FF	D sim.	HM	FF	F2	H6	J6	--	60 MIN	(2) (7) (8)
144.1	PR Existing	1 3/4"	ALUM	FF	EXIST	ALUM	FF	EXIST	--	--	--		(7)
SECOND FLOOR													
200	3'-0" x 7'-6"	1 3/4"	SCWD	CLR	C	HM	PTD	F1	H1	J1	--		(4) (5)
200.1	3'-0" x 7'-6"	1 3/4"	ALUM	FF	D	ALUM	FF	--	H5	J5	--		(4) (5)
200.2	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	--		
200.3	PR Existing	1 3/4"	ALUM	FF	EXIST	ALUM	FF	EXIST	--	--	--		(3) (4)
200.4	PR Existing	1 3/4"	ALUM	FF	EXIST	ALUM	FF	EXIST	--	--	--		(3) (4)
207	3'-0" x 7'-6"	1 3/4"	ALUM	FF	D	ALUM	FF	--	H5	J544	--		(4) (5)
209	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	--		(4) (5)
210	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	--		
211	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T2		(1)
212	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T2		(1)
213	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T2		(1)
214	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	B	HM	PTD	F1	H1	J1	T2		(1)
215	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	B	HM	PTD	F1	H1	J1	T2		(1)
216	PR 2'-6" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F2	H1	J1	--		
220	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T3		(1)
221	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T3		(1)
222	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T3		(1)
223	2'-6" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	--		(5)
224	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	C	HM	PTD	F1	H1	J1	--		
224.1	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T1		
224.2	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	-	-	T1		(6)
224.1A	New Dr. & Frame in exist opng	1 3/4"	GALV. INSUL. HM	PTD	A	GALV. HM	PTD	F1	-	-	--		(7) (9)
225	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	C	HM	PTD	F3	H1	J1	T1		
226	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T1	60 MIN	(2)
226.1	3'-0" x 7'-0"	1 3/4"	SCWD	CLR	A	HM	PTD	F1	H1	J1	T1	60 MIN	(2)

INTERIOR WINDOW FRAME SCHEDULE

General	Frame	Material	Finish	Type	Details			Remarks
Window No.	Material	Finish	Type	Head	Jamb	Sill	Remarks	
225.1	HM	PTD	WF1	H4	J4	S4	60 MINUTE UL ASSEMBLY- SEE NOTE AT FRAME TYPES	
225.2	HM	PTD	WF1	H4	J4	S4	60 MINUTE UL ASSEMBLY- SEE NOTE AT FRAME TYPES	
225.3	HM	PTD	WF1	H4	J4	S4	60 MINUTE UL ASSEMBLY- SEE NOTE AT FRAME TYPES	
225.4	HM	PTD	WF1	H4	J4	S4	60 MINUTE UL ASSEMBLY- SEE NOTE AT FRAME TYPES	
225.5	HM	PTD	WF1	H4	J4	S4	60 MINUTE UL ASSEMBLY- SEE NOTE AT FRAME TYPES	