

1x6 Vee groove pine paneling to match existing at ceiling over 1 hour rated metal stud wall w/ 5/8" GWB each side. See details. Aluminum storefront framed perimeter w/ sealed, butt glazed vertical joints -Sprinkler water curtain on both sides of between glass panels. Glazing glass. Sidewall sprinkler heads spaced to to be 1/2" thicknessbe centered on each glass panel. See tempered. attached product literature for additional installation requirements. Equal **EQUAL EQUAL** EQUAL 7'-4" Confirm R.O. in field. Intent is to make the largest opening Confirm R.O. in field. Intent is to make the largest opening possible while clearing the diagonal struts at the concrete possible while clearing the diagonal struts at the concrete column and allowing enough space at the inside corner for column and allowing enough space at the inside corner for specified post and 4" expansion joint 1 hour rated metal stud wall w/ specified post. 5/8" GWB each side. See details. ELEVATIONS OF UPPER CAFE WALLS THAT SEPARATES CAFE FROM POWERPAY OFFICE SPACE AND EXERCISE ROOM

SCALE: 1/4" = 1'-0"





ADD LAYER OF 1/2" PLYWOOD AT **BOTH SIDES OF** PARTITIONS UNDER **GWB LAYER - TYPICAL** OVER ENTIRE PARTITION SURFACES. (NOT SHOWN ON DETAILS)

REVISED 11.20.09

REVISED 11.30.09

POWERPA

Winton Scott Architects

5 Milk Street Portland, ME 04101

Wright Ryan Construction, Inc.

10 Danforth Street Portland, ME 04101

Becker Structural Engineers, Inc.

75 York Street Portland, Maine 04101

Mechanical **Systems**

Engineers 10 Royal River Center Yarmouth, Maine 04096

Bartlett Design

942 Washington Ave. Bath, Maine 04530

Fore Solutions

386 Fore Street Portland, Maine 04101

ASK

Date: 10.28.09

SCALE: 3" = 1'-0"