City of Portland, Maine - Building or Use Permit Applicatio 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716 Location of Construction: Phone: Owner: 435 Courrent St Metro, Group 2 Owner Address: Lessee/Buver's Name: Phone: BusinessName Antolog's Tailor Shop & Formal Wear Permit Issued: Contractor Name: Address: Phone: Spectrum Blumm 294-6388 Proposed Use: COST OF WORK: PERMIT FEE: Past Use: 27.50 INSPECTION: 5194990 Tailor Shop Same w/slaunze FIRE DEPT.

Approved □ Denied Use Group: Type: CBL: Zone: BOCAGE Signature: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P.A.D.) Action: Approved Special Zone or Reviews: Approved with Conditions: Erect winnage □Shoreland Denied □Wetland □ Flood Zone ☐ Subdivision Signature: Date: ☐ Site Plan mai ☐minor ☐mm ☐ Permit Taken By: Date Applied For: March 15, 1999 Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. 1. □Miscellaneous 2. Building permits do not include plumbing, septic or electrical work. □ Conditional Use ☐ Interpretation Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Approved tion may invalidate a building permit and stop all work... □ Denied Mail ter Historic Preservation ☐ Not in District or Landmark Autolog's Tailor Shop & Formal Weer □ Does Not Require Review 61 Parket St ☐ Requires Review Portland PF 04161 Action: CERTIFICATION ☐ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued. I certify that the code official's authorized representative shall have the authority to enter all Date: areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit March 15, 1999 SIGNATURE OF APPLICANT DATE: PHONE: ADDRESS: RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE PHONE: CEO DISTRICT

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

1	Date
No.	Inspection Record
With Your	Type
21/2011 E	Foundation: Framing: Plumbing: Final:
though point	
Pre Courst as	
124/29 P) 8 Storet w	990248

BUILDING PERMIT REPORT

DATE: 23/3/99 ADDRESS: 4135 Congress ST. CBL: \$27-B-\$64 REASON FOR PERMIT: Signa 9 4					
REASON FOR PERMIT: Signage.					
BUILDING OWNER: Metro Group - Spectrum Signs					
PERMIT APPLICANT: ?.					
USE GROUP \mathcal{B} BOCA 1996 CONSTRUCTION TYPE					
CONDITION(S) OF APPROVAL					
This permit is being issued with the understanding that the following conditions are met:					
Approved with the following conditions:					



- 1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.
- 2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection)
- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
- 5. Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building
- Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0) Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 ½" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)

- 18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.

- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 21. The Fire Alarm System shall maintained to NFPA #72 Standard.
- 22. The Sprinkler System shall maintained to NFPA #13 Standard.
- 23. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 26. Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics).
- 27. All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
- 30. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 31. Please read and implement the attached Land Use Zoning report requirements.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.

33. Glass and glazing shall meet the requirements of Chapter 24 of the building code.

X 34.	Signage Shall meet The regularments of Sections 3102. 10 13/10	12,9
,	Signage Shall meet the requirements of Sections 3102. 10 : 310 OF the City's building Code "The BOCA NATIONAL Obliding Code /1996".	
35.		

Samuel Hoffses, Building Inspector

L. McDougall, PFD
Marge Schmuckal, Zoning Administrator

PSH 12-14-98

36.

^{**}On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

Tonant Parking 435 congress ST proposed sign Foly Bakery HANGING SIGN congress ATTACHES HERE

Siche Wall

Hight 10

Fint of store

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application Attached Single Family Dwellings/Two-Family Dwelling Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE**If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building)	435 Congress s	7
Total Square Footage of Proposed Structure	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Number Chart# 027 Block# B Lot# 00 4	Metro Crossp	Telephone#:
Owner's Address:	Lessee/Buyer's Name (If Applicable) Antoine's Tailor shopt	Formal \$ 1125 orgh \$ 21.50
Proposed Project Description:(Please be as specific as possible) Exit signific		
Contractor's Name, Address & Telephone 5 pecham 5 cgm	294 6388	Rec'd By
•All construction must be conducted in comp	ucted in compliance with the State of with the 1996 National Electrical Cod ditioning) installation must comply v	ng Code as amended by Section 6-Art II Maine Plumbing Code. de as amended by Section 6-Art III.
1) ACopy of	Your Deed or Purchase and Sale Ag of your Construction Contract, if ava 3) A Plot Plan/Site Plan or the above proposed projects. The atta plan.	ailable
Unless exempted by State Law, construction drawings showing a Cross Sections w/Framing details (inclu Floor Plans & Elevations Window and door schedules	all of the following elements of construc	tion:

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

Foundation plans with required drainage and dampproofing

ce the provisions of the codes applicable to this period.	
Insture of applicant:	Date:


Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

to 21 Market SE 04/01 (Amount)

2

Spectrum Signs 445 Elm St., Rte. One Biddeford, Me. 04005 207-294-6388



Antoine's TAILOR SHOP & FORMAL WEAR

42.66 \$

GOLD VINYL COPY W/ WHITE OUTLINE \$594.

INSTALL 125.

OPTION: 23k GOWEAF COPY ADD \$ 1100.

A FULL SERVICE SIGN COMPANY

SIGNAGE PRE-APPLICATION

PLEASE ANSWER ALL QUESTIONS

ADDRESS:	35 Congrus	2	CONE: <u>B</u> 3
OWNER:	to Goop		
APPLICANT:	Intoine Maalou	F	
ASSESSOR NO			
	PLEASE CIRCLE APPRO	PRIATE ANSWER	
MORE THAN ONE SIGN ATTACHED TO E MORE THAN ONE AWNING: YES NO IS THERE ANY MES	? (ex. Pole Sign) YES NO E SIGN? YES NO	DIMENSIONS	HEIGHT HEIGHT
*** TENANT BLDG. FR *** REQUIRED INFO	RONTAGE (IN FEET):RMATION AREA FOR COM		
HANGING SIGN	6.0 \$		
	42.0 🛭		
TOTAL	48. X		

YOU SHALL PROVIDE:

A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED.

SIGNATURE OF APPLICANT: James Cook DATE: 3-12-99

To Whom It May Concern!

Autoine Manlout, alph Autoine Tailor Shop and Formal Wear, has permission to install sign on fruit of building at 435 Congress Street Cort of the Metopolitan Building). If any questions, or details madel, please call me at 759-8814 (voice paper).

Thonk you,
Carletin W.malow,
Dennel Paters

for Meter Surg, Owner
4139 Cargass Street

Mank 11, 1999,

ACORD. CERT	IF . 🚅 OF LIAE	BILITY IN	SURANC	E		TÉ (MM/DD/YY) 3/11/99
ARI Insurance Group		ONLY AN	D CONFERS NO	ED AS A MATTER OF RIGHTS UPON THE CE TE DOES NOT AMEND,	RTIFICA	TE
P. Q. Box 567				FORDED BY THE POL		
19 Commercia: Street Portland MF			COMPANIES A	FFORDING COVERAGE	-	
Fortarda SIF		CONDINA	wasting thousand	- 6-		
NUME		DOMPANY	Prestless Insurance	e Co.	-	
Antoin 1		В				-
81 Mult 2 =		COMPANY				
Portland M1		C			-	-
		COMPANY				
THIS IS TO DEPT TO AT THE POLICE INDICATED NOTW THE TANDING ANY CERTIFICATE MAY BE ISSUED OR M.	CIES OF SURANCE LISTED BELOW HAT REQUIREMENT, TERM OR CONDITION O AY PERTAIN, THE INSURANCE AFFORDED SUCH POLICIES, UMITS SHOWN MAY HA	VE BEEN ISSUED TO THE ANY CONTRACT OR BY THE POLICIES OF	OTHER _ TUNENT	ABOVE FOR THE POLICY	PERICO	(19) S. 24
CO. TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE	POLICY EXPIRATION DATE (MMODMY)	UW	-5	
A GENERAL LIAS	BDP9254268	09/01/98	09/01/99	GENERAL AGRACIATE	3	2,000,6
X COMMED - SCHALLIABLITY		E		PRODUCTS - WE'OR AGO	3	2,000,0
STATE ATE X SECTI	A 1			PERSONAL VILLA TEACH	5	3,175,7
OWNER'S & CONTRACTOR'S FROT				EATH OLD THE		- 266
		V.	1	ARE JAMES TO THE PARTY OF THE P		25.79
AUTOMORCE LIABIL TY			-	MED EXF (4) Vine Derson		
41. 45			1	COMBINED SINGLE - MIT	9.	
A AL OWNER AUTOS	VI		,	3004 AUCH		
SIMEDULES WITH		1		(Fer purson	1	
HARD AUTOS				BOOLY NEAFY	-	
NUN-DWNES A				(Per accident	7	-
				PROPERTY DIMAGE	á	
GARAGE WARRATT				AUTO DNLY EA ACCIDENT	ç	
ANY AUTO				OTHER THAN AUTO CNLY		
	_			EACH ACCIDEN	. 1	_
1				AGGREGATE	3	The second streets
EXCESS LIABILITY	4	1		EACH OCCURRENCE	\$	-
TUMBRELA FORM			4	AGCHEGATE	1	
WORKERS COMPENSATION AND				WC STATUL OTH	3	-
EMPLOYERS LIABLITY				EL EACH ACCIDENT	5	
THE PACPRIETOR NO	4 .			EL DISEASE - POLICY LIMIT	5	-
OFFICERS ARE EXC			li	EL DISEASE - EA EMPLOYEE		
A PEERLESS INS.CO.	80P9254268	09/01/98	09/01/99	BUSINESS PERS.PROP		145,00
A STATE OF THE STA			1			
EXIST FOR THE INSURED AT THE 4	ICLESSPECIALITEMS IDENCE THAT LIABILITY & PROPERT 35 CONGRESS STREET, PORTLAND MA	CANCELLAT		O POLICIES BE CANCELLED ASI	ORE THE	
PORTLAND ME		OF ANY KIND U	10 DAYS WRITTEN NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT. HUT FAILURE TO MAIL SUCH NOTICE SHALL IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE COMPANY, ITS AGENTS OR REPRESENTATIVES AUTHORIZED REPRESENTATIVE SUSAN OF FULLER			
ACORD 25-S (1/95)			102531000	acond col	RPORAT	TON 1988