City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel; (207) 874-8703, FAX: 874-8716 Location of Construction: Owner: Phone: Permit No: 415 Congress Street Allen Labor 772-9060 Lessee/Buyer's Name: Owner Address: BusinessName: Phone: 470 Fore Street Permit Issued: Contractor Name: Address: Phone: Sign Design, Inc. BOx 207 Westbrook, ME Обпои 856-2500 COST OF WORK: Proposed Use: PERMIT FEE: Past Use: Retnil name \$120.00 FIRE DEPT. Approved INSPECTION: Use Group: SI 9488 □ Denied Zone: CBL: BOCA 46 077-8-007 Signature: Signature: Zoning Approval: Proposed Project Description: PEDESTRIAN ACTIVITIES DISTRICT (P) Action: Approved Special Zone or Reviews: Reisce sign Approved with Conditions: ☐ Shoreland Denied □ Wetland TFlood Zone ☐ Subdivision Signature: Date: ☐ Site Plan mai ☐minor ☐mm ☐ Permit Taken By: SP Date Applied For: 4/9/99 Zoning Appeal □ Variance This permit application does not preclude the Applicant(s) from meeting applicable State and Federal rules. □ Miscellaneous Building permits do not include plumbing, septic or electrical work. ☐ Conditional Use Building permits are void if work is not started within six (6) months of the date of issuance. False informa-☐ Interpretation ☐ Approved tion may invalidate a building permit and stop all work... □Denied Please cale when permit has been issued and mail permit......(856-2600 Sign Design) Historic Preservation □ Not in District or Landmark □ Does Not Require Review □ Requires Review Action: CERTIFICATION ☐ Appoved ☐ Approved with Conditions I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been □ Denied authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application is issued, I certify that the code official's authorized representative shall have the authority to enter all Date areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit April 9, 1999 SIGNATURE OF APPLICANT ADDRESS: PHONE: DATE:

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

PHONE:

CEO DISTRICT

RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE

THIS IS NOT A PERMIT/CONSTRUCTION CANNOT COMMENCE UNTIL THE PERMIT IS ISSUED

Building or Use Permit Pre-Application

Attached Single Family Dwellings/Two-Family Dwelling

Multi-Family or Commercial Structures and Additions Thereto

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or Use Permit.

NOTE **If you or the property owner owes real estate or personal property taxes or user charges on ANY PROPERTY within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building): 4/15 CondRESS 57						
Total Square Footage of Proposed Structure		Square Footage of Lot			7.300	
Tax Assessor's Chart, Block & Lot Number Chart# 027 Block# B Lot# 007	Owner:	ALLAN LI	4005	Telephone#:	-9060	
Owner's Address: 470 FORE STREET PORRAND, HE		ame (If Applicable)	\$	Of Work:		
Proposed Project Description: (Please be as specific as possible) INSTALL NEW FIACES IN EXISTING SYGN AT 415 CONGRESS. SIGN IS NOW-ILLUMINATED CABINET WITH ALUMINUM FRAME AN FACES, FLAG MOUNTED FROM BUILDING						
Contractor's Name, Address & Telephone 5/60 DEST	6N, INC 56-2600	BOX 207 WESTI	BROOK, ME	04088	Ree'd By	
Current Use:		Proposed Use: IDEX	UTIFICATI	on		
Separate permits are required		ernal Plumbing, HVAC and Ele			ation C town III	

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II.
•All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

•All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.

·HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Code.

You must Include the following with you application:

1) ACopy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if available

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

4) Building Plans

Unless exempted by State Law, construction documents must be designed by a registered design professional.

A complete set of construction drawings showing all of the following elements of construction:

- Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)
- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

[hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes Applicable to this permit.

Carolice the provisions of the codes applications of	011		
Signature of applicant:	Hansey	Date: 4/8/99	?

Building Permit Fee: \$25.00 for the 1st \$1000.cost plus \$5.00 per \$1,000.00 construction cost thereafter.

Additional Site review and related fees are attached on a separate addendum

SIGNAGE PRE-APPLICATION

PLEASE ANSWER ALL OUESTIONS ADDRESS: 415 CONGRESS ST OWNER: ALLAN LABOS (AKARI APPLICANT: SIGN DESIGN, INC ASSESSOR NO. PLEASE CIRCLE APPROPRIATE ANSWER SINGLE TENANT LOT? YES NO MULTI-TENANT LOT? YES NO FREESTANDING SIGN? (ex. Pole Sign) YES NO DIMENSIONS HEIGHT MORE THAN ONE SIGN? YES NO DIMENSIONS_ HEIGHT SIGN ATTACHED TO BLDG.? NO DIMENSIONS . DIMENSIONS MORE THAN ONE SIGN? YES NO AWNING: YES NO IS AWNING BACKLIT? YES NO HEIGHT OFF SIDEWALK IS THERE ANY MESSAGE, TRADEMARK OR SYMBOL ON IT? LIST ALL EXISTING SIGNAGE AND THEIR DIMENSIONS: ONLY 516N ON BUILDING *** TENANT BLDG. FRONTAGE (IN FEET):_ *** REQUIRED INFORMATION AREA FOR COMPUTATION CONGRESS ST YOU SHALL PROVIDE: A SITE SKETCH AND BUILDING SKETCH SHOWING EXACTLY WHERE EXISTING AND NEW SIGNAGE IS LOCATED MUST BE PROVIDED. SKETCHES AND/OR PICTURES OF PROPOSED ARE ALSO REQUIRED. DATE:

SIGNATURE OF APPLICANT:

ONNERS COHARRY AND AGREEMENT

I, FLANNERY PROPERTIES, baing the owner of the premises located at (print property owners name) 415 (ONGRESS ST in Portland, Mains, hereby give consent to the (print property address)
415 CONGRESS ST in Portland, Mains, hereby give consent to th
(print property address)
erection of a certain sign awning/panner owned by AKARI (print lossed a name)
over the sidewalk or on building from said premises as described in
application to the Division of Inspection Services.

and in consideration of the issuance of said parmit, owner of said premises, in event said sign shall cease to serve the purpose for which it was erected or shall become dangerous and in event the owner of said sign shall fail to remove said sign or make it permanently safe in case the sign still serves the purpose for which it was erected, hereby agrees for himself or itself, for his heirs, its successors, and his or its assigns, to completely remove said sign.

signature of Property Owner

4-8-99 Date

P 1

AC	ORD, CERT	FICATE OF LIABIL		military and a first const		04 08/89	
Roducer	Batchelder Bros., Inc. P. O. Box 352		ONLY AND C	onfers no right iis certificate d	S A MATTER OF INFORM IS UPON THE CERTIFICA DES NOT AMEND, EXTEN DED BY THE POLICIES B	te ip or	
		42			AFFORDING COVERAGE		
	Sunford	ALE 04073	PARAMOS				
	1816547		A CU Y	ORK DYS. CO.		·	
VRED	DEAL CORP STYLIST		COMPANY B			1	
	DBA AKARI		GO YEARY				
	413 CONGRESS ST PORTLAND	ME 04101				1	
	TORTEMON	1420	DOWERS Y				
CERTI	S TO CERTIFY THAT THE FOLICIES LIED NOTWITHSTALDING ANY RE FICATE MAY BE ISSUED OR MAY P	OF INDICATED BELOW HAVE B AUTREMENT, TERM OR CONDITION OF BRITISH THE INSURANCE AFFORCED B POUDLES LIMITS SHOWN MAY HAVE B	I GEN ISSUED TO THE INSULA ANY CONTRACT OR OTHER IY THE POLICIES DESCRIBED	LECTIVACIED Y DOME FO DOCUMENT VYTH FO DOCUMENT VYTH FO	ESPECY TO WHICH THIS		
R	Type of ineurance	SOPICA MANABES	POLICY ESFECTIVE	POLICY PARITATION	L	MYTS	
GENE	AAL LIABILITY				GELEKAL AGGREGATÉ	2.000,000	
X	COMMERCIAL GENERAL LIGBILITY	\MLB16722 3	06 01/98	05.01/09	PROGLOTE-DOME, OP 405	1 2 000,000	
	CUMS MADE X DOCUR	LATE WOLDING	1.0 01,30	1	FERSCHALE ADV MENTY	* 1,600,600	
	OWNERS & CONTRACTORS FROM			I	14CH DESURRENCE	1,000,000 1,000,000	
\vdash			Į.		L'ED EXPENSE MARIET	1 5,000	
AUTO	MOBILE LIABILITY				STMENED SINGLE LIMIT	1,	
	CAN AUTO	1					
\rightarrow	ACL DIVINED AUTOS		1	1	BOOK Y MOURY (Per person	\$	
	HIR 60 AUTOS				EQCILY INJURY (Per accident	, ⁵	
				}	DROPECTY CAME SE	1	
DARA	GE (KBILITY		- 	1	AUTO DALY BU ACCIDENT		
_ i	OTUA YIL		1		STREETHAND STUD	rand less to the	
1			İ	1	EACH ACCOS	at .	
				1	4632634	TE	
EXCE	as c ultifu Y		1		EACH CODURPER TE	\$	
	UMBRELLA FCRIA				ASSAESTE	\$	
	OTHER "HALL JUNERELLA FORM				TORY WAYS	ти-	
	(er's compensation and	I			EL BACH MODIDENT	FR Transfer	
THS	PROPRIETOR INCL				EL DISEAGE FOUCH LIMIT		
PARY	NERS/ENGLISTICS		1	No.	C DISEASE EN SUFLE /EE		
OTHE					- Unis seek career		
İ				i			
Ì							
10.7					and the latest and th		
	OF OPERATIONS/LCCATIONS/VEHICL	ES/SPECAL ITEMS			1		
. 5.57					Ì		
					i i		
RUE	ATE HOLDER		CANCELLATIO	N STATE OF THE		pun sa Chanca a Aire	
Carlo Salar		Lating to an article principal of the property and	many of the Armyrian and a series	PRESIDENT CONTRACTOR TO STORY	HED SUICIEE BE CANGELLES	LACKE THE	
č1	IGN DE STON		E PRATION	EVARATION DATE THEREOF, THE ISSUING COMPANY WILL ENDEAVOR TO MAIL			
2)	VIN DESIGN		13 an	WEIT SWEETING 19	THE GERTIFICATE HOLDER NAM	NED TO THE LEFT	
			BUT FAILURE	TO INCL SUCH HOTIGES	SHALL INPOSE NO GENGATION	OR LIABILITY	
90	BRIDGE ST.		OF ANY KIND	UPON THE SCHPANY, IT	SACENTS OR REPRESENTATION	/E \$.	
X	ESTEROOK	ME (4092	177	11 11	BROTHERS INC	•	
) , B	1-1-1-1	70-5	32-2-20-00	



PROPERTY OF

Sign Design, Inc.

Customer:

Project:

Date:

Approved:

BUILDING PERMIT REPORT

DATE: 21 APril 99 ADDRESS: 415 Congress ST. CBL: 227-B-907
REASON FOR PERMIT: Enect Signage
BUILDING OWNER: 19/1/en Labos
PERMIT APPLICANT: Sign De sign Inc.
USE GROUP BOCA 1996 CONSTRUCTION TYPE
Signage CONDITION(S) OF APPROVAL

This permit is being issued with the understanding that the following conditions are met:

Approved with the following conditions: */ 434

★1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

2. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained.

(A 24 hour notice is required prior to inspection)

- 3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2
- 4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' o.c. between bolts. (Section 2305.17)
- 5. Waterproofing and damp proofing shall be done in accordance with Section 1813.0 of the building code.
- 6. Precaution must be taken to protect concrete from freezing. Section 1908.0
- 7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.
- 8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1996)
- 9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211
- 10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.
- Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0) Handrails shall be on both sides of stairway. (Section 1014.7)
- 12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)
- 13. Stair construction in <u>Use Group R-3 & R-4is a minimum of 10" tread and 7 3/" maximum rise</u>. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)
- 14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4
- 15. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)
- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self

- 18. The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)
- All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of 19. the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 &19. (Smoke detectors shall be installed and maintained at the following locations):
 - In the immediate vicinity of bedrooms
 - In all bedrooms
 - In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.

- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- The Fire Alarm System shall maintained to NFPA #72 Standard. 21.
- The Sprinkler System shall maintained to NFPA #13 Standard. 22.
- All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 23. of the City's Building Code. (The BOCA National Building Code/1996)
- 24. Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 25. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics). 26.
- All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until 27. all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
- Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical 30. Code/1993). (Chapter M-16)
- Please read and implement the attached Land Use Zoning report requirements. 31.
- 32. Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code.

33.	Glass and glazing shall	I meet the requirements of	f Chapter 24 of the building code.

33.	Glass and glazing shall meet the requirements of Chapter 24 of the building code.	/ -	-	
£34.	All Signage Shall be done in accordance with Che Section 2102 of The City's bldg. Code- The BOCKNATIONA	1401	er 31	4/
1	Section 2/02 of The CITY'S bldg. Code- The BOCKNATIONS	1 Bu	Ldingla	6/199
35.				7,,,
		1980	/	
21				

offses, Building Inspector Lt. McDougall, PFD

Marge Schmuckal, Zoning Administrator

PSH 12-14-98

**On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.