



**City of Portland, Maine - Building or Use Permit**

389 Congress Street, 04101 Tel: (207) 874-8703, Fax: (207) 874-8716

Permit No: 04-0557	Date Applied For: 06/11/2004	CDL: 027 0012001
-----------------------	---------------------------------	---------------------

Location of Construction: 389 Congress St	Owner Name: City Of Portland	Owner Address: 389 Congress St	Phone:
Business Name: Lisson House's Bar	Contractor Name: Branson Stage Rentals	Contractor Address: Portland	Phone: (207) 949-4893
Address: 389 Congress St	Phone:	Permit Type: Special Events	

Proposed Use: Special Event: Old Port Festival - Eight stages at nine locations June 6 only	Proposed Project Description: Special Event: Old Port Festival - Nine stages at eight locations June 6 only
--	--

Dept: Zoning	Status: Approved	Reviewer: Marge Schirzackal	Approval Date: 06/14/2004
Notes:			Ok to Issue: <input checked="" type="checkbox"/>
Dept: Building	Status: Approved	Reviewer: Mike Bogar	Approval Date: 06/18/2004
Notes:			Ok to Issue: <input checked="" type="checkbox"/>
Dept: Fire	Status: Approved	Reviewer: Lt. MacDougal	Approval Date: 06/14/2004
Notes:			Ok to Issue: <input checked="" type="checkbox"/>

Form 2-1-64

# DISPLAY THIS CARD ON PRINCIPAL FRONTAGE OF WORK CITY OF PORTLAND

Please Read  
Application and  
Notice, if Any  
Attached

CONSTRUCTION

## PERMIT

Permit Number: 040585

This is to certify that City Of Portland/Beaverton Sewer Removal  
has permission to Special Event, Old Port Festival Notice of Violation Location: Old Port  
At 586 Commercial St 007 (31280)

PERMIT ISSUED  
MAY 19 1964

provided that the person or persons, firm or corporation accepting this permit shall comply with all of the provisions of the Statutes of this State and of the Ordinances of the City of Portland regulating the construction, maintenance and use of buildings and structures, and of the application on file in this department.

Apply to Public Works for street line and grade if nature of work requires such information.

Noticing inspection must be given and when permit is issued before this building is started. If altered or extended, 24 HOUR NOTICE IS REQUIRED.

A certificate of occupancy must be procured by owner before this building or part thereof is occupied.

OTHER REQUIRED APPROVALS:  
Fire Dept. Ed. Smith  
Health Dept. \_\_\_\_\_  
Appeal Board \_\_\_\_\_  
Other \_\_\_\_\_  
City of Portland

*[Handwritten Signature]*  
City of Portland

**PENALTY FOR REMOVING THIS CARD**

DPF

# All Purpose Building Permit Application

If you or the property owner owns real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: <u>See Attached</u>		
Total Square Footage of Proposed Structure <u>24'x20'</u>	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Chart#      Block#      Lot#	Owner: <u>City of Portland</u>	Telephone:
Lessee/Buyer's Name (if Applicable)	Applicant name, address & telephone: <u>Pezeno's Downtown District 94 Free St Portland ME 04101 207-773-6828</u>	Cost of Work: \$ _____ Fee: \$ _____
Current use: _____		
If the location is currently vacant, what was prior use? _____		
Approximately how long has it been vacant? _____		
Proposed use: _____		
Project description: _____		
Contractor's name, address & telephone: <u>Edmond Stage Rentals, Brewer ME Rick Swanton 207-453-1131</u>		
Who should we contact when the permit is ready: <u>POD</u>		
Mailing address: <u>POB, 94 Free St. Portland ME 04101</u>		
We will contact you by phone when the permit is ready. You must come in and pick up the permit and review the requirements before starting any work with a Plan Reviewer. A stop work order will be issued and a \$100.00 fee if any work starts before the permit is picked up. PHONE: <u>773-6878</u>		

IF THE REQUIRED INFORMATION IS NOT INCLUDED IN THE SUBMISSIONS THE PERMIT WILL BE AUTOMATICALLY DENIED AT THE DISCRETION OF THE BUILDING/PLANNING DEPARTMENT, WE MAY REQUIRE ADDITIONAL INFORMATION IN ORDER TO APPROVE THIS PERMIT.

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of the jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to the permit.

Signature of applicant: Willy P. Comenore Date: 5 12 04

This is NOT a permit. you may not commence ANY work until the permit is issued. If you are in a Historic District you may be subject to additional permitting and fees with the Planning Department on the 4th floor of City Hall



Portland's  
Downtown  
District

FAX COVER SHEET

To: MIKE NUGENT

Fax #: 874-8949

From: ALLISON


# of pages (including cover): 4

Notes: Please let me know if you need  
anything else. I'll make a hard  
copy as well.

# Festival 11AM - 5PM

## Barricades up at 6am

- Stage
- X Barricade
- ? Info Booth
- + Fire/Police
- T Tents



Stage Locations and Dimensions.

- Kids Area
- PDD World Beat
- Maine Blues Society
- WVPR
- WRED
- Maine Songwriters
- Face Magazine
- PDD Rock Stage

- Canal Plaza 8' depth x 16' length x 1' high
- Moulton Street 16' depth x 16' length x 2' high
- Fore and Silver Street 12' depth x 16' length x 2' high
- Fore and Cross Street 12' depth x 20' length x 3' high
- Milk Street 21' depth x 25' length x 3' high
- Labsterman's Park 8' depth x 12' length x 3' high
- Jana Street 15' depth x 23' length x 3' high
- Exchange & Federal Street 21' depth x 25' length x 3' high



04 0583

setup 6/16  
breakdown 6/16

May 7, 2004  
Mr. Mike Nugent  
City Inspections  
City Hall  
385 Congress Street  
Portland, ME 04101

Dear Mr. Nugent,

Portland's Downtown District is requesting a stage permit for eight stages for the Old Port Festival Sunday, June 6, 2004.

Stage Specifics:

Company	City of Portland (Bob Lesman)
	Danson Stage Rentals (Rick)
	Jim Clampl Productions (Jim)
	Taylor Rental (Mark)
	A+ Party Rental (Mark)
Locations	See Attached
Description	See Attached
Entrance/Exit	No enclosure - can enter/exit on all four sides

We respectfully request that the City Inspections office support this event, with all other City Departments, by waiving all fees.

Thank you in advance for your help and response to our request.

Sincerely,

Allison Ayan  
Events and Marketing Director

Board of Directors

Andrew  
Muller  
and  
Franklin  
Muller  
Portland's Downtown District

John  
Parker  
Portland's Downtown District  
Portland, ME 04101

Andrew  
Medford  
and  
Franklin  
Muller  
Portland's Downtown District

John  
Parker  
Portland's Downtown District  
Portland, ME 04101

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District

John  
Parker  
Portland's Downtown District



**Stage Locations and Dimensions:**

Canal Plaza	8' depth x 16' length x 1' high
Moulton Street	16' depth x 16' length x 2' high
Fore and Silver Street	12' depth x 16' length x 2' high
Fore and Cross Street	12' depth x 20' length x 3' high
Milk Street	21' depth x 25' length x 3' high
Lobsterman's Park	8' depth x 12' length x 3' high
Dana Street	15' depth x 22' length x 3' high
Federal Street	21' depth x 25' length x 3' high

The WRED Stage on Milk Street and Portland's Downtown District stage on Federal Street are using Bronson Stage Rentals (some exact stage as per Alive at Five Concert series)

Company	Bronson Stage Rentals
Contact	Rick Bronson
Location of Stage	WRED- Milk Street PDD- Federal and Exchange Street
Description	Modular Portable Performance Stage  24' x 20' Stage base 7.5' x 21' Aluminum roof Top of stage erected by tow truck
Entrance/Exit	No enclosure can enter/exit on all four sides

The Maine Songwriters Association will be located at Lobstermen's Park on Temple and Middle Streets.

Company	Jim Ciampi Productions
Contact	Jim Ciampi
Location of Stage	Lobstermen's Park
Description	Metal Frame 8' x 12' stage base 2' high 3 panels
Entrance/Exit	No enclosure can enter/exit on all four sides



# A+ PARTY RENTAL

"THE PARTY ANIMALS"

207-883-4472 • 1-888-611-2999

05/06/04

To Whom It May Concern,

The company who makes the staging is By-Law. The stage is a 4x4 panel, which interlock. The frame is made of steel with a plywood top. The legs are made of steel with cross braces to give strength. Stairs are made of steel with an aluminum rail.

Mark Tibbotta



# VERSALITE




Thanks glass, you can view & store. One-piece, heavy-duty coating and a practical corner, it Versalite deck fits a functional 14-inch compressor and flexible-airway (up to 1000, 1400 and 1800) standard deck and fits through single doorway.



Versalite deck great up easily - remove plug, install, apply top supports from underneath. Just push the right leg on top and clip it to place. Plus, adjusting and corner leg height gives you exceptional flexibility.



Once the legs are attached, the deck can easily be pulled off the compressor and can place the only thing you don't see approximately 10 lbs. per panel.



Decked, make everything about effortless. They slide into, easy steps to fit in your shop and outside today. Versalite deck.



Black, White, Grey, Carpet

## Versalite® Specifications:

- Light weight/low profile
- A variety of sizes to meet an individual's needs of up to 200 lbs.
- Individual decks available in 2' x 2' (61 cm x 61 cm), 2' x 3' (61 cm x 91 cm), 2' x 4' (61 cm x 122 cm), 3' x 4' (91 cm x 122 cm), 4' x 4' (122 cm x 122 cm), 5' x 4' (152 cm x 122 cm) and 4' x 5' (122 cm x 152 cm).
- No loose threads, heavy release capabilities, no metal parts.
- Legs attach securely and quickly with the flip of a lever.
- Legs also available in 6" (15 cm), 12" (31 cm), 24" (61 cm), 36" (91 cm) and 48" (122 cm) lengths.
- Legs up to 48" (122 cm) length legs also available.
- Frame and legs are constructed of industrial strength-grade aluminum.
- Deck made of 1/2" (13 mm) plywood.
- Available with a Black or White top surface, or Grey Carpet.
- Compatible panels by added security.
- Full array of accessories to complete your set-up: decks, caps, display, and tool tray.

### Versalite Single Deck (Black)

- 120020 2' x 2' (61 cm x 61 cm) Deck, 24 lbs. (10.9 kg)
- 120021 2' x 3' (61 cm x 91 cm) Deck, 36 lbs. (16.3 kg)
- 120022 2' x 4' (61 cm x 122 cm) Deck, 48 lbs. (21.8 kg)
- 120023 3' x 4' (91 cm x 122 cm) Deck, 63 lbs. (28.6 kg)
- 120024 4' x 4' (122 cm x 122 cm) Deck, 81 lbs. (37.2 kg)
- 120025 4' x 5' (122 cm x 152 cm) Deck, 104 lbs. (47.2 kg)

## Versalite Single Deck Specifications:

- Display glass sets for added security.
- Two air panels in a frame, pressure lock.

### Versalite Single Deck Frame Sizes

- Deck size 48" (122 cm) deep and come in 2' (61 cm), 3' (91 cm) and 4' (122 cm) deep size.
- 4' (122 cm) wide, 3-tier anchor holds 9 people based on 22" (56 cm) chair spacing.
- 4' (122 cm) wide, 3-tier anchor holds 6 people based on 22" (56 cm) chair spacing.
- Be able to make adjustments independently to the front or 36" (91 cm) chair spacing.
- Options: 36" (91 cm) anchors, 48" level.
- Optional rear extension arms.

### Deck glass panel, standard


- 120020 2' (61 cm) wide, 3-tier anchor
- 120021 3' (91 cm) wide, 3-tier anchor
- 120022 4' (122 cm) wide, 3-tier anchor, 3-tier anchor

### Versalite Single Deck Frame Sizes

- 36" (91 cm) deep deck in 2' (61 cm), 3' (91 cm) and 4' (122 cm) depths.
- 4' (122 cm) wide, 3-tier anchor, holds 12 people based on 22" (56 cm) chair spacing.
- 4' (122 cm) wide, 3-tier anchor holds 9 people based on 22" (56 cm) chair spacing.
- Chair set supports with capacity for 16 based on 22" (56 cm) chair spacing.
- Options: 36" (91 cm) anchors, 48" level.

### Black deck glass options

- 120020 2' (61 cm) wide, 3-tier anchor
- 120021 3' (91 cm) wide, 3-tier anchor
- 120022 4' (122 cm) wide, 3-tier anchor



# Versalite® Platforms

## TECHNICAL SHEET

### Stage Units

• Decks are available in the following sizes:

3' x 6' (91 cm x 183 cm): 1330818 (85 lbs.) (38 kg)

4' x 6' (122 cm x 183 cm): 1330828 (99 lbs.) (45 kg)

4' x 8' (122 cm x 244 cm): 1330838 (107 lbs.) (48.5 kg)

3' x 8' (91 cm x 244 cm): 1330822 (97 lbs.) (44 kg)

4' x 8' (122 cm x 244 cm): 1330832 (95 lbs.) (43 kg)

• Surface options:

**Basic:** Platforms are 5/8" (16 mm) plywood with slip resistant overlay.

**Natural:** Platforms are 3/4" (19 mm) using 1/2" (12 mm) plywood bonded between two layers of 1/4" (3 mm) tempered hard ply.

**Carpets:** Manufacturer's standard grey carpet over a 1/4" (6 mm) plywood core.

• Home and edging are fabricated from aluminum extrusions. The extrusion is designed with special grooves to protect the top surface edge, connect adjacent platforms and attach all accessories.

• Deck uses five (5) extruded aluminum leg sets to accept the detachable legs. 3' x 6' (91 cm x 183 cm) and 4' x 6' (122 cm x 183 cm) decks have four (4) leg sockets. Legs lock quickly into leg sockets with the flip of a lever.

• Standard leg sizes are 18" (46 cm), 18" (46 cm), 24" (61 cm), 32" (81 cm) and 40" (102 cm).

• Adjustable telescopic leg sets 18" (46 cm) - 25" (64 cm) or 24" (61 cm) - 40" (102 cm).

• Legs are made from aluminum and have a plastic cap to protect floor top. Optional legs are available with adjustable screw-type feet to accommodate uneven surfaces.

• Unit-to-unit connections are provided to lock units together, both side-to-side and end-to-end, and provide strength and uniformity throughout the stage system.

• Three-year warranty, unlimited time of use: in material and workmanship for three full years.

### Accessories include:

#### Support Caps

• 10-unit 1330488 (68 lbs.) (31 kg)

• 8-unit 1335003 (85 lbs.) (38.5 cm)

• 10-unit, optional for space efficient storage of rectangular units (double door required)

• Built-in ideal for non-rectangular units such as pie shapes used in round stages and round to units used in the Portable Global Ramp or when no double door is available (fits through a 30" (76 cm) door)

#### Stairways

• 2-step 1138016 (66 lbs.) (30 kg)

• 3-step 1138076 (88 lbs.) (40 kg)

• 4-step 1138097 (108 lbs.) (49 kg)

• 2-, 3- and 4-step stairways are available. All stairways feature non-slip safety treads and include permanent handrails on both sides.

• Steps measure 18" long x 11" wide. Back treads.

#### Ready

• Guardrails comply with many building code requirements for loading.

• Guardrails are available with either 7 code, heavy or an infill panel that complies with the 4" (10 cm) sphere rule that appears in many building codes.

• Both designs incorporate a chair step.

• Guardrails are 42" (107 cm) high with a sleek powder paint finish. Chair step has a dark grey powder paint finish.

• Guardrails clamp to the stage without the need for tools.

#### Drapery and Backdrop

• Drapery fixtures are available in heights to match the ceiling elevations.

• Dual height drapery is available for the dual height stages.



• Drapery available in a wide variety of colors, 100% fire-retardant woven polyester.

• Drapery attaches with hook and loop fastening system.

• Backdrop frame attaches to guardrails for safety.


• When installed backdrop is 6" (24 cm) above the stage.

• Available in 4" (122 cm), 6" (153 cm), and 8" (204 cm) widths.





Portland's  
Downtown  
District



FAX COVER SHEET

To: Mike Nugent

Fax #: 874-8949

From: Allison

# of pages (including cover): 7

Notes: Please let me know if you need  
any more information. A hard copy is to  
follow in the mail.

Thank you!



**Portland's  
Downtown  
District**

**Board of Directors**

**President:**

John Hill  
Vice President  
Vice President, Sales, Marketing

Tom Cochran  
Member at Large  
District Manager  
Portland Harbor Hotel

Thomas  
Michael Togni  
Vice President/General  
Manager, Properties  
Executive Vice President  
Tom Anderson  
Secretary  
Vice President & Manager

David Foster  
Event Management, LLC

Shay Lerman  
Professional  
City District Representative

Kevin Lavigne  
Director, Marketing & Public Relations  
Portland Mayor's Office

John  
David Geller-Stein  
President, Portland Public Utilities Administration

John Hill (CEO) /  
Executive Vice President  
Portland Downtown District

Paul Bennett  
Project/CEO  
Portland Press

Harold Pinsky  
John McCall's Dist. Exp.

Michael Dunbar  
CEO/CEO  
Lambert Sports Center, Center

Scott Sullivan  
Portland Daily

David Felber  
Urban Management Company

David Reynolds  
Vice President/Manager  
Portland

Tim Connor  
City of Portland, General Counsel  
City Manager's Representative

Mark Gaur  
Owner  
Lyle Family Entertainment Group

Thomas Hill  
Secretary  
Portland Harbor Hotel & Administration

Deborah Brackin  
Portland Daily

May 7, 2004

Mr. Mike Nugent  
City Inspections  
City Hall  
389 Congress Street  
Portland, ME 04101

Dear Mr. Nugent:

Portland's Downtown District is requesting a stage permit for eight stages for the Old Port Festival Sunday, June 6, 2004.

**Stage Specifics:**

Company	City of Portland (Bob Leeman)
	Branson Stage Rentals (Rick)
	Jim Ciampi Productions (Jim)
	Caylor Rental (Mark)
	A+ Party Rental (Mark)
Locations	See Attached
Description	See Attached
Entrance/Exit	No enclosure - can enter/exit on all four sides

We respectfully request that the City Inspections office support this event, with all other City Departments, by waiving all fees.

Thank you in advance for your help and response to our request.

Sincerely,

Alfonso Ayan  
Events and Marketing Director

## Stage Locations and Dimensions:

Canal Plaza	8' depth x 6' length x 1' high
Moulton Street	16' depth x 18' length x 2' high
Fane and Silver Street	12' depth x 16' length x 2' high
Fane and Cross Street	12' depth x 20' length x 3' high
Milk Street	21' depth x 25' length x 3' high
Lobsterman's Park	6' depth x 12' length x 3' high
Dana Street	16' depth x 22' length x 3' high
Federal Street	21' depth x 25' length x 3' high



The WRED Stage on Milk Street and Portland's Downtown District stage on Federal Street are using Bronson Stage Rentals (same exact stage as our Live at Five Concert series)

Company	Bronson Stage Rentals
Contact	Rick Bronson
Location of Stage	WRED- Milk Street PDD- Federal and Exchange Street
Description	Modular Portable Performance Stage  24' x 20' Stage base 25' x 21' Aluminum roof Top of stage erected by low truck
Entrance/Exit	No enclosure can enter/exit on all four sides

The Maine Songwriters Association will be located at Lobstermen's Park on Temple and Middle Streets.

Company	Jim Camoi Productions
Contact	Jim Camoi
Location of Stage	Lobstermen's Park
Description	Wg's frame 8' x 12' stage base 2' high 3 panels
Entrance/Exit	No enclosure can enter/exit on all four sides



207-883-4472 • 1-888-611-2999

05/06/04

**To Whom It May Concern,**

The company who makes the staging is By-Law. The stage is a 4x4 panel, which interlocks. The frame is made of steel with a plywood top. The legs are made of steel with cross braces to give strength. Stairs are made of steel with an aluminum rail.

Mark Tibbets




Maximize floor space and labor. 6-Bar Configuration. Ratcheting casters and a manual canopy. Versalite back, 6-bar 4-arched metal frame, 100% quality decay resistant, and the standard bench top for simple cleaning.



Maximize floor space by easily converting into upper, middle or separate 6-bar. Versalite. Use up to the three Versalite legs and adjust 4 bar space. Free telescoping and 20-year long length for the guaranteed durability.



Open the legs to 180 degrees for easy storage. Equipped with an 8-inches high, and two extra tie down being requirements are approximately 10 lbs. per person.



Control side and heavy stress with 4 bars. They also has fully exposed finish, painting and accessories, angles and materials.



Back Middle Long Config

**VERSALITE® SPECIFICATIONS:**

- Light, easy-to-handle sections.
- A variety of sizes to choose an into various of configurations.
- Individual units are capable to 2 x 2' (3' x 4' and 4' x 4') (32" dia x 120" dia), 3 x 2' (36" dia x 120" dia), 4 x 2' (48" dia x 120" dia), 2 x 2' (36" dia x 60" dia), 2 x 4' (36" dia x 240" dia).
- No locking straps, rusty wheel operation, or noisy casters.
- Large support beams and sturdy when the legs are level.
- Legs with maximum 18" (36" dia), 36" (36" dia), 36" (36" dia), 36" (36" dia), and 48" (36" dia) spacing.
- Interlocking and custom-length legs allow multiple.
- Tapes and legs are constructed of untreated, strength-grade aluminum.
- Durable, heavy, 1/2" (1/2" dia) plywood.
- Available with a Back or Neutral surface, or Long Config.
- Complete quantities provided including:
- Full sets of instructions to complete your set-up. (Back, 6-Bar, 4-Bar) and benches.

**Versalite Single Back (6-Bar)**

- 20000 2' x 2' (36" dia x 60" dia) Back, 36" dia (36" dia)
- 20000 2' x 4' (36" dia x 240" dia) Back, 36" dia (36" dia)
- 20000 3' x 2' (48" dia x 120" dia) Back, 36" dia (36" dia)
- 20000 4' x 2' (72" dia x 120" dia) Back, 36" dia (36" dia)
- 20000 4' x 4' (72" dia x 240" dia) Back, 36" dia (36" dia)
- 20000 4' x 4' (72" dia x 240" dia) Back, 36" dia (36" dia)

**VERSALITE Seated Back Specifications:**

- Complete quantities for 2000, 3000, 4000.
- Complete set-up for a limited, convenient look.

**Versalite Seated Back - Seated Back**

- 2000 2' x 2' (36" dia) legs and casters (36" dia), 36" (36" dia) x 36" (36" dia) standard.
- 3000 3' x 2' (48" dia) legs, 3-bar support table 2 people (36" dia), 36" (36" dia) standard.
- 4000 4' x 2' (72" dia) legs, 3-bar support table 4 people (36" dia), 36" (36" dia) standard.
- Versalite legs are made with capacity for 200 (based on 36" (36" dia) and 36" (36" dia)).
- Durable 1/2" (1/2" dia) aluminum 4-bar level.
- Durable casters (36" dia).

**Back: Back panel materials**

- 2000 1/2" (1/2" dia) plywood, 3-bar support
- 3000 1/2" (1/2" dia) plywood, 3-bar support
- 4000 1/2" (1/2" dia) plywood, 3-bar support

**Versalite Seated Back - Seated Back**

- 3000 3' x 2' (48" dia) legs, 3-bar support table 2 people (36" dia), 36" (36" dia) standard.
- 4000 4' x 2' (72" dia) legs, 3-bar support table 4 people (36" dia), 36" (36" dia) standard.
- 5000 5' x 2' (90" dia) legs, 3-bar support table 6 people (36" dia), 36" (36" dia) standard.
- 6000 6' x 2' (108" dia) legs, 3-bar support table 8 people (36" dia), 36" (36" dia) standard.
- 7000 7' x 2' (126" dia) legs, 3-bar support table 10 people (36" dia), 36" (36" dia) standard.
- 8000 8' x 2' (144" dia) legs, 3-bar support table 12 people (36" dia), 36" (36" dia) standard.
- 9000 9' x 2' (162" dia) legs, 3-bar support table 14 people (36" dia), 36" (36" dia) standard.
- 10000 10' x 2' (180" dia) legs, 3-bar support table 16 people (36" dia), 36" (36" dia) standard.

**Back: Back panel materials**

- 3000 1/2" (1/2" dia) plywood, 3-bar support
- 4000 1/2" (1/2" dia) plywood, 3-bar support
- 5000 1/2" (1/2" dia) plywood, 3-bar support
- 6000 1/2" (1/2" dia) plywood, 3-bar support
- 7000 1/2" (1/2" dia) plywood, 3-bar support
- 8000 1/2" (1/2" dia) plywood, 3-bar support
- 9000 1/2" (1/2" dia) plywood, 3-bar support
- 10000 1/2" (1/2" dia) plywood, 3-bar support



Taylor Rental

# Versalite® Platforms

## TECHNICAL SHEET

### Stage Units

- Deck units are available in the following sizes:  
 2' x 6' (61 cm x 183 cm) 1330416 (65 lbs.) (29 kg)  
 4' x 4' (122 cm x 122 cm) 1130001 (59 lbs.) (27 kg)  
 4' x 8' (122 cm x 244 cm) 1130001 (107 lbs.) (48.5 kg)
- Surface options:  
 Block: Platforms are 1/2" (13 mm) plywood with 3/8" riveted metal top.  
 Natural: Platforms are 1/2" (13 mm) solid 1/2" (12 mm) plywood bonded between two pieces of 1/2" (13 mm) covered hard ply.  
 Carpet: Manufacturer's standard grey carpet over a 1/2" (13 mm) plywood core.
- Flame and edging are fabricated from aluminum extrusions. The extension is designed with special grooves to provide the top surface edge, control adjacent platform, and attach all accessories.
- Deck units have 5/8" (16 mm) riveted aluminum leg anchors to accept the detachable legs. (2' x 6' (61 cm x 183 cm) and 4' x 4' (122 cm x 122 cm) decks have four (4) leg anchors.) Legs lock quickly into leg anchors with the flip of a lever.
- Standard leg sizes are 4" (10 cm), 16" (41 cm), 24" (61 cm), 32" (81 cm) and 40" (102 cm).
- Adjustable telescopic leg sets 16" (41 cm) - 24" (61 cm) or 24" (61 cm) - 40" (102 cm).
- Legs are made from aluminum and have a plastic cap to protect flooring. Optional legs are available with adjustable screw-type feet to accommodate uneven surfaces.
- Universal connectors are provided to lock units together, both side-to-side and end-to-end, and provide strength and uniformity throughout the stage system.
- Three-year warranty. Guaranteed free of defects in material and workmanship for three full years.

### Accessories Available:

#### Transport Cart

- 10-unit: 1230416 (88 lbs.) (31 kg)      8-unit: 1130001 (76 lbs.) (34.5 kg)
- 10-unit cart ideal for space efficient storage of rectangular units (double door required).
- 8-unit cart ideal for non-rectangular units such as pile ships, used in raised floors, and oversize units used in the Portable Disability Ramp or when no double door is available (fits through a 32" (81 cm) door).

#### Stairways



- 2-step: 1130014 (88 lbs.) (31 kg)      3-step: 1130016 (88 lbs.) (40 kg)      4-step: 1130017 (108 lbs.) (49 kg)
- 2-, 3- and 4-step stairways are available. All stairways feature non-slip safety treads and include performance handrails on both sides.
- Steps measure 30" long x 12" wide. Block finish.

#### Rails

- Guardsails comply with many building code requirements for loading.
- Guardsails are adjustable with either 2 cross bars or an in-fill panel that complies with the 4" (10 cm) sphere rule that appears in many building codes.
- Both designs incorporate a chain stop.
- Guardsails are 42" (107 cm) high with a black powder paint finish. Chain stop has a dark grey powder paint finish.
- Guardsails clamp to the stage without the need for tools.

#### Drapery and Backdrop

- Drapery closures are available in heights to match the staging elevations.
- Dual height drapery is available for the dual height stages.
- Drapery available in a wide variety of colors. 100% fire-retardant woven polyester.
- Drapery attaches with hook and loop fastening system.
- Backdrop frame attaches to guardsails for safety.
- When installed backdrop is 8" (214 cm) above the stage.
- Available in 4' (122 cm), 6' (183 cm), and 8' (244 cm) widths.



1000 10/07  
 207 264-1244  
 12/15/04

099

# All Purpose Building Permit Application

If you or the property owner owes real estate or personal property taxes or user charges on any property within the City, payment arrangements must be made before permits of any kind are accepted.

Location/Address of Construction: <u>See Attached</u>		
Total Square Footage of Proposed Structure <u>24'x20'</u>	Square Footage of Lot	
Tax Assessor's Chart, Block & Lot Chart# Block# Lot#	Owner <u>City of Portland</u>	Telephone:
Tenant/Buyer's Name (if Applicable)	Applicant name, address & telephone: <u>Hammels Downtown District 94 Fall St Portland 04101 407-77-1628</u>	Cost Of Work \$ FEE: \$
Current Use: _____		
If the location is currently vacant, what was prior use: _____		
Approximately how long has it been vacant: _____		
Proposed use _____		
Project description: _____		
Contractor's name, address & telephone: <u>Hammels Stage Rentals, Brewer ME Eric Brunton 942-4531</u>		
Who should we contact when the permit is ready: <u>PDD</u>		
Mailing address <u>PDD, 94 Fall St Portland, ME 04101</u>		
We will contact you by phone when the permit is ready. You must come in and pick up the permit and review the requirements before starting any work, with a Plan Reviewer. A stop work order will be issued and a \$10000 fee if any work starts before the permit is picked up. PHONE: <u>772-6828</u>		

IF THE REQUIRED INFORMATION IS NOT INCLUDED IN THE SUBMISSIONS THE PERMIT WILL BE AUTOMATICALLY DENIED AT THE DISCRETION OF THE BUILDING/PLANNING DEPARTMENT, WE MAY REQUIRE ADDITIONAL INFORMATION IN ORDER TO APPROVE THIS PERMIT.

I hereby certify that I am the Owner or board of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application or have authorized agent. I agree to conform to all applicable laws of the jurisdiction. In addition, if a permit for work is issued in this jurisdiction I certify that the Code Official authorized representative shall have the authority to enter all areas covered by the permit at any reasonable hour to enforce the provisions of the code applicable to this permit.

Signature of applicant: <u>Kelly P. Cameron</u>	Date: <u>3</u> , <u>10</u> , <u>07</u>
---	--

This is NOT a permit, you may not commence ANY work until the permit is issued. If you are in a Historic District you may be subject to additional permitting and fees with the Planning Department on the 4<sup>th</sup> floor of City Hall

Kids Area  
PDD World Beat  
Maine Blues Society  
WPOR  
WRED  
Maine Songwriters  
Face Magazine  
PDD Rock Stage

Stage Locations and Dimensions:

Canal Plaza	8' depth x 16' length x 1' high
Moulton Street	16' depth x 16' length x 2' high
Fore and Silver Street	12' depth x 16' length x 2' high
Fore and Cross Street	12' depth x 20' length x 3' high
Mik's Street	21' depth x 26' length x 3' high
Lobsterman's Park	8' depth x 12' length x 3' high
Dona Street	15' depth x 22' length x 3' high
Exchange & Federal Street	21' depth x 25' length x 3' high

# Festival

11 AM - 5 PM

Barricades up at 6 AM

- Stage
- X Spectator's
- ? Info Booth
- + Police
- † Toilet

