

City of Portland, Maine – Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

| | | | | |
|-------------------------------|---------------|---|--------|--|
| Location of Construction: | | Owner: | Phone: | |
| Owner Address: | | Leasee/Buyer's Name: | Phone: | Business Name: |
| Contractor Name: | | Address: | | Phone: |
| Past Use: | Proposed Use: | COST OF WORK: \$ | | PERMIT FEE: \$ |
| | | FIRE DEPT. <input checked="" type="checkbox"/> Approved <input type="checkbox"/> Denied | | INSPECTION: Use Group: Type: |
| Proposed Project Description: | | Signature: <i>[Signature]</i> | | Signature: |
| | | PEDESTRIAN ACTIVITIES DISTRICT (P.U.D.) | | |
| | | Action: Approved <input type="checkbox"/> | | |
| | | Approved with Conditions: <input type="checkbox"/> | | |
| | | Denied <input type="checkbox"/> | | |
| Permit Taken By: | | Date Applied For: | | |

Permit No: **950284**

PERMIT ISSUED

Permit Issued:
APR 3 1995

CITY OF PORTLAND

Zone: CBL: *27-D-001*

Zoning Approval:

Special Zone or Reviews:

Shoreland
 Wetland
 Flood Zone
 Subdivision
 Site Plan maj minor mm

Zoning Appeal

Variance
 Miscellaneous
 Conditional Use
 Interpretation
 Approved
 Denied

Historic Preservation

Not in District or Landmark
 Does Not Require Review
 Requires Review

Action:

Approved
 Approved with Conditions
 Denied

Date: *3/30/95*

PERMIT ISSUED WITH LETTER

CERTIFICATION

I hereby certify that I am the owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his authorized agent and I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in the application issued, I certify that the code official's authorized representative shall have the authority to enter all areas covered by such permit at any reasonable hour to enforce the provisions of the code(s) applicable to such permit

| | | | |
|---|----------|-------|--------|
| SIGNATURE OF APPLICANT | ADDRESS: | DATE: | PHONE: |
| RESPONSIBLE PERSON IN CHARGE OF WORK, TITLE | | | PHONE: |

White-Permit Desk Green-Assessor's Canary-D.P.W. Pink-Public File Ivory Card-Inspector

CEO DISTRICT 2
Ms Myrson

Inspection Services
P. Samuel Hoffses
Chief



Planning and Urban Development
Joseph E. Gray Jr.
Director

CITY OF PORTLAND

March 31, 1995

RE: 385 Congress St.

Greater Portland Landmarks, Inc.
165 State St.
Portland, Me 04101

Dear Sir or Madam:

Your application to hold a public event April 29, 1995 has been reviewed and a permit is herewith issued subject to the following requirements: This permit does not excuse the applicant from meeting applicable State and Federal laws.

1. Each egress shall be clearly marked.
2. All aisles width accessways and aisles shall provide sufficient means of egress capacity for the number of people accommodated.
3. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type.
4. All exit signs, lights, and means of egress lighting shall be done in accordance with Chapter 10, section & subsections 1023. & 1024. of the City's building code. (The BOCA National Building Code/1993)
5. The area must be inspected by the Portland Fire Department before the event.

If you have any questions regarding these requirements, please do not hesitate to contact this office.

Sincerely,

P. Samuel Hoffses
Chief of Inspection Services

/el

cc: LT. Gaylen McDougall, Fire Prevention Officer


TO: DAVE
FROM: STEVE W.

774-2509

DATE OF PLAN
DEPT. OF BUILDING

MAIL ROOM

9:45



1029

117