

STEEL CABLE ASSEMBLY W/ WORKING CAPACITY OF 11 KIPS SEE SECTION L/S2.2 SUBMIT MATERIALS/COMPONENTS FOR REVIEW BY ENGINEER - TYP. (12) LOCATIONS

REPAIR ALL <E> TRUSSES AS SHOWN BY SECTION L/S2.2

8" CMU ELEVATOR SHAFT BELOW, SEE S1.2 FOR ADDITIONAL INFORMATION -TYP


5" CONC SLAB ON L4C, 22GA CORRUGATED METAL DECKING OR OTHER FIRE RATED LID TO MEET OWNERS/CODE REQUIREMENTS

L3x3 SUPPORT, SEE A/S21

FIFTH FLOOR/LOW ROOF FRAMING PLAN

- NOTES: SCALE 1/4"=1'-0"
1. VERIFY ALL EXISTING CONDITIONS IN FIELD, CONTACT SL INC IF CONDITIONS IN FIELD DO NOT MATCH PLAN
 2. IF MEMBER IS NOT INDICATED AS <E>, <N> OR <R> MEMBER IS TO BE CONSIDERED A NEW, <N> MEMBER
 3. SEE ARCH. FOR DIMENSIONS AND ELEVATIONS OF NEW FLOOR PLANS
 4. CONTRACTOR TO SHORE <E> FRAMING AS NEEDED

FRAMING PLAN SYMBOLS KEY	
□	WOOD POST
⊗	NUMBER OF WOOD STUDS IN POST BELOW
A	COLUMN ABOVE THIS LEVEL
C	COLUMN CONTINUOUS THROUGH THIS LEVEL
—	TRUSS OR JOIST BEARING
—	FLUSH FRAMED JOIST BEARING WITH HANGER
⊗	INDICATES OVER FRAMING, SEE PLAN
⊗	WOOD STUD BEARING WALL BELOW
—	SHEAR WALL
"x" T	NUMBER OF TRIM STUDS UNDER HEADER
"x" K	NUMBER OF KING STUDS ADJACENT TO HEADER
<E>	INDICATES EXISTING MEMBER TO REMAIN
<N>	INDICATES NEW MEMBER
<R>	INDICATES EXISTING MEMBER TO BE REMOVED



SISTER <N> 2x8 TO <E> RAFTERS, FASTEN W/ (3) 16d COMMON @ 16" O.C.

NOTE: REMOVE FRAMING WHERE NECESSARY TO FRAME <N> ELEVATOR SHAFT, IF FRAMING DOES NOT MATCH WHAT IS SHOWN CONTACT SL INC.

LOW ROOF FRAMING AT <N> ELEVATOR

