



**TECHNICAL NOTES:**

- 1 LOCATE DATA JACKS FOR POS SYSTEM BENEATH WORKTOP, BEHIND BAR TOP.
- 2 RECESSED WALL BOX EQUAL TO HUBBELL, CAT. NO. NSAV62M/NSAV62C. LOW VOLTAGE SIDE SHALL RECEIVE (1) TYPE F COAXIAL CONNECTOR, FOR CONNECTION TO CATV SYSTEM, AND (1) DATA JACK FOR CONNECTION TO MEDIA DISTRIBUTION SYSTEM. REFER TO SHEET EP101A FOR LINE VOLTAGE RECEPTACLE CIRCUIT. FIELD PAINT BOX TRIM TO MATCH WALL.
- 3 EXISTING DEVICES ON EXISTING SURFACES SHALL REMAIN UNLESS SPECIFICALLY NOTED OTHERWISE.
- 4 RECESSED WALL BOX EQUAL TO HUBBELL, CAT. NO. NSAV62M/NSAV6C. LOW VOLTAGE SIDE SHALL RECEIVE (1) DATA JACK FOR CONNECTION TO MENU BOARD DISTRIBUTION SYSTEM. REFER TO SHEET EP101A FOR LINE VOLTAGE RECEPTACLE CIRCUIT. FIELD PAINT BOX TRIM AND COVER TO MATCH WALL.
- 5 PROVIDE PASS-THRU WALL PLATE AT EACH JUNCTION BOX. INSTALL HDMI CABLE, CONCEALED, BETWEEN BOXES WITH MINIMUM OF 8" SLACK AT EACH END.
- 6 RECESSED WALL BOX EQUAL TO HUBBELL, CAT. NO. NSAV62M/NSAV6C. REFER TO SHEET EP101A FOR LINE VOLTAGE RECEPTACLE CIRCUIT. FIELD PAINT BOX AND COVER TO MATCH WALL.
- 7 4" SQUARE JUNCTION BOX WITH BLANK COVER. PROVIDE 3/4" CONDUIT WITH PULL STRING TO ABOVE ACCESSIBLE CEILING. INTENDED USE IS SECURITY MONITOR. MONITOR AND CABLING NIC.
- 8 CARD READER / KEY PAD NOTED FOR COORDINATED PURPOSES. CONTRACTOR TO INSTALL 1" CONDUIT WITH PULL STRING FROM DEVICE LOCATION TO ABOVE NEAREST ACCESSIBLE CEILING. PROVIDE 1" CONDUIT WITH PULL STRING FROM CENTER HINGE TO NEAREST ACCESSIBLE CEILING. ALL SECURITY DEVICES AND CABLING BY OWNER'S SECURITY VENDOR.

REV.	DESCRIPTION	DATE
0	ISSUED FOR BID	06 JUNE 2016

PROJECT NORTH

**WBRC**  
ARCHITECTS ENGINEERS  
WWW.WBRCAE.COM  
BANGOR, MAINE 207-947-4511  
PORTLAND, MAINE 207-828-4511  
SARASOTA, FLORIDA 941-556-0757

**ASYLUM**

**FIRST FLOOR SYSTEMS PLAN - SEGMENT A**

SHEET TITLE:

WBRC CAD FILE: C:\Users\jlmahar\Documents\407110 - ASYLUM DANCE CLUB - ELEC. \jlmahar.rvt

PROJECT No: 4071.10	GRAPHIC SCALE: 0" = 1"
SCALE: 1/4" = 1'-0"	SHEET No:
PROJECT MANAGER: JRB	
DRAWN BY: KRM	<b>EY102A</b>
CHECKED BY: SJL	

**A1** FIRST FLOOR SYSTEMS PLAN - SEGMENT A  
1/4" = 1'-0"

6/3/2016 3:16:57 PM  
C:\Users\jlmahar\Documents\407110 - ASYLUM DANCE CLUB - ELEC. \jlmahar.rvt