						PE	RMIT	ISSUE	DFI
City of Portland, Main 389 Congress Street, 0410	_		~ ~	1   T	rmit No: 01-0220	Issue D	MAR 2	6 2001 <sub>28</sub>	8 D003001
Location of Construction:	Owner Name:	<del>**                                   </del>		Owner	r Address:		AF F	Phone	
290 Congress St	Oak Leaf Terr	ace Com	pany	177	High St	CHA	(11-	"UK bb#	1 <b>X</b> 4 <b>D</b> 0501
Business Name:	Contractor Name	:		Contr	actor Address:	Side one about the order		Phone	
Lookin Good Laundry	Bailey Sign Co	o <mark>mpany I</mark>	nc.	9 Th	9 Thomas Drive Westbrook 2077742843				
Lessee/Buyer's Name	Phone:				t Type:				Zone:
Lookin Good Laundry	207-772-6676			Sign	ns - Permaner	nt			<u> 132 r</u>
Past Use:	Proposed Use:			Perm	it Fee:	Cost of V	Vork:	7	
Retail / Laundry Retail / Laund				\$46	OO \$ <del>0.00</del>		\$340.00		
	are re-installin		ne sign that	FIRE	DEPT:	Approve	u	PECTION:	
	was pre-existing	ng.				Denied	Use (	Group:	/ Type:
							130	PHONI	REMED
							W		UREMENIS
Proposed Project Description:							\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \		WINDS THE STATE OF
Re-Install 80 SqFt Sign				Signat			Signa		141
				PEDE	STRIAN ACTI	IVITIES D	DISTRICT	₹P.A.D.)/	
				Action		ved	Approved	w/Conditions	Denied
				Signa	ture:			Date:	
Permit Taken By: cih	Date Applied For: 03/20/2001				Zoning	Appro	oval		
1. This permit application	does not preclude the	Speci	al Zone or Revie	ws	Zoni	ng Appeal		Histori	c Preservation
Applicant(s) from meeti Federal Rules.		☐ Sho	reland		☐ Varianc	c		∐ Not in	District or Landma
Building permits do not septic or electrical work		Wet	land		Miscellaneous			Does Not Require Review	
3. Building permits are vo within six (6) months of	id if work is not started	☐ Floo	od Zone	Conditional Use			Requires Review		
False information may i permit and stop all work	invalidate a building	Subdivision Interp		Interpre	Interpretation		Approx	ved	
Mail to		☐ Site	Plan		Approve	ed		Approx	ved w/Conditions
Contractor when read		Maj (	Minor MM		☐ Denied			Denied	
when read	ly , .	Date:	3/2/2	10/	Date:			Date:	
			ERTIFICATI				WITI		REMENTS
I hereby certify that I am the I have been authorized by the jurisdiction. In addition, if a shall have the authority to ent such permit.	e owner to make this appli permit for work described	ication as d in the a	his authorized pplication is is	l ageni sued,	t and I agree I certify that	to confor	rm to all official's	applicable authorized	laws of this I representative
SIGNATURE OF APPLICA	ANT	<u> </u>	ADDRE	SS		Da	ATE		PHONE
RESPONSIBLE PERSON I	N CHARGE OF WORK,	TITLE	. <u></u>			D			DUONE

DATE

PHONE

# THIS IS NOT A PERMIT/CONSTRUCTION MAY NOT COMMENCE UNTIL THE PERMIT IS ISSUED

## SIGNAGE APPLICATION

### THIS IS NOT A PERMIT

## CONSTRUCTION CANNOT NOT COMMENCE UNTIL THE PERMIT IS ISSUED

In the interest of processing your application in the quickest possible manner, please complete the Information below for a Building or

NOTE\*\*If you or the property owner owes real estate or personal property taxes or user charges on any property within the

City, payment arrangements	must be made before permits of any kind are	accepted.
Location/Address of Construction: 290 (		
Total Square Footage of Proposed Structure	Square Footage of Lot  (02592	
Tax Assessor's Chart, Block & Lot Number  Chart# 028 Block# D Lot# 3	Odkleaf Terrace Co.	Telephone #-
Lessee/Buyer's Name (If Applicable) Lookin Good Loundry	Owner's/Purchaser/Lessee Address: 290 Congress Street Portland, MC	Cost Of Work: Fee: \$ 46,00 \$ 340.00
Current use: Strip Hall (Laundry M removed existing 4'X20 Project description: area - reinsta	Proposed use: <u>Same</u> 1 lighted Sign for remode  211 enstring sign back	el of fascia on fascia space 32×22
Contractor's Name, Address & Telephone Bailey Sign Company Inc. The	Thoras Drive esthook ME04092	Rec'd By: 3.20
Please check off the following indicating	that you have included the below ite of this sign application:	ms to expedite the process

Certification of Liability" listing the City additionally insured

☑ Letter of permission from the owner

## A sketch plan indicating the following:

- Drawing of the property showing all dimensions of the lot
- ☑ Location of all buildings and property setbacks from all buildings
- Driveways and abutting streets showing street frontage and any right of ways
- □ Indicate on drawing the dimensions of all buildings on the lot
- Define in footage the frontage of your business front
- □ Indicate on drawing of existing signage and dimensions of each sign
- ☑ Indicate on drawing all proposed signage and dimension of each sign
- Sign area height and setback of each existing and proposed freestanding sign

# THIS IS NOT A PERMIT/CONSTRUCTION MAY NOT COMMENCE UNTIL THE PERMIT IS ISSUED

	Certification of flammability required for awning/canopy at tin	ne of application
	UL # required for lighted signs at the time of Final Inspection.	Failure to provide this
in	formation will invalidate the Sign Permit.	

The Provisions of Section 3102.0 of the City's Building Code "The BOCA National Building Code 1999 edition" shall govern the construction, alteration, repair and maintenance of outdoor signs together with the associated appurtenant and auxiliary devices in respect to structural and fire safety. In accordance to section 3102.4.4 of BOCA construction documents and owners consent is all follows; "Before any permit is issued for the erection of a sign, Construction Documents shall be filed with the code official showing the dimensions, materials and required details of construction, including loads, stresses and anchorage. The applications shall be accompanied by the written contract of the owner or lessees of the premises upon which the sign is to erected. NO PERMIT CAN OR WILL BE ISSUED UNLESS THIS INFORMATION IS SBUMITTED AND APPROVED BY THE INSPECTIONS OFFICE.

#### **ELECTRICAL SIGNAGE PERMITS/RESPONSIBLITIES**

All sign companies or any persons engaged in the installation, interchange or maintenance of signage in the City of Portland must have the Electrician or Electrical Contractor who provided power to the sign(s) or associated equipment apply for an electrical permit in the Inspections Office.

It is the responsibility of your company to contact your sub-contractor or he owner to inform them of this policy. Whether your company does the final connections, which requires a valid Maine Electricians License or your sub contractor provides this service; permits and inspections shall be required.

Failure to comply with this procedure may result in the denial of sign permits by this office for your company or its representation to install or interchange any future signage in the City of Portland.

If the property is located in a historic district, a separate sketch is required indicating the design, dimensions, construction materials and source of illumination if any. A photograph of the building façade should be submitted, showing where each sign is to be installed.

#### Certification

I hereby certify that I am the Owner of record of the named property, or that the owner of record authorizes the proposed work and that I have been authorized by the owner to make this application as his/her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant: Judy rainor Bailey Sign Date: 3-20-01

Sign Permit Fee: \$30.00 plus \$0.20 per square foot.

A building permit is also required for any awning based on cost of work-\$30.00 for the first \$1,000.00 and \$6.00 for each additional \$1,000.00

#### **BUILDING PERMIT REPORT**

DULLDENG I ERGET REFORM
DATE: 22 MAYCh 200 / ADDRESS: 290 Congres 5 5/- CBL: 628-1)-d63
REASON FOR PERMIT: S19199.
BUILDING OWNER: Oak Leaf Terrace Company
PERMIT APPLICANT: ICONTRACTOR Bailey Sign Con pauj tre
USE GROUP:CONSTRUCTION TYPE:CONSTRUCTION COST:PERMIT FEES:CO
The City's Adopted Building Code (The BOCA National Building Code/1999 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)
CONDITION(S) OF APPROVAL
This permit is being issued with the understanding that the following conditions shall be met: $\frac{*}{*}$

1. This permit does not excuse the applicant from meeting applicable State and Federal rules and laws.

 Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained. (A 24 hour notice is required prior to inspection) "ALL LOT LINES SHALL BE CLEARLY MARKED BEFORE CALLING."

3. Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than 10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2

4. Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and a maximum 6' O.C. between bolts. Section 2305.17

5. Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.

6. Precaution must be taken to protect concrete and masonry. Concrete Sections 1908.9-19.8.10/ Masonry Sections 2111.3-2111.4.

7. It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the

proper setbacks are maintained.

8. Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of ½ inch gypsum board or the equivalent applied to the garage side. (Chapter 4, Section 407.0 of the BOCA/1999)

9. All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical

Code/1993). Chapter 12 & NFPA 211

10. Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.

11. Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42". In occupancies in Use Group A, B.H-4, I-1, I-2, M, R, public garages and open parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. Handrails shall be a minimum of 34" but not more than 38". Exception: Handrails that form part of a guard shall have a height not less than 36 inches (914 mm) and not more than 42 inches (1067 mm). Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0). Handrails shall be on both sides of stairway. (Section 1014.7)

12. Headroom in habitable space is a minimum of 7'6". (Section 1204.0)

13. Stair construction in <u>Use Group R-3 & R-4 is a minimum of 10" tread and 7 ½" maximum rise.</u> All other Use Group minimum 11" tread, T' maximum rise. (Section 1014.0)

14. The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4

15. The Minimum required width of a corridor shall be determined by the most restrictive of the criteria under section 1011.3 but not less then 36".

16. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches (610mm). The minimum net clear opening width dimension shall be 20 inches (508)mm, and a minimum net clear opening of 5.7 sq. ft. (Section 1010.4)

17. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly

from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)

18. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closure's. (Over 3 stories in height requirements for fire rating is two (2) hours. (Section 710.0)

19. The boiler shall be protected by enclosing with (1) hour fire rated construction including fire doors and ceiling, or by providing automatic extinguishment. (Table 302.1.1)

- 20. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1999), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms
  - In each story within a dwelling unit, including basements
- 21. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
- 22. The Fire Alarm System shall be installed and maintained to NFPA #72 Standard.
- 23. The Sprinkler System shall be installed and maintained to NFPA #13 Standard.
- 24. All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1999)
- 25. Section 25 135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- 26. The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- 27. Ventilation and access shall meet the requirements of Chapter 12 Sections 1210.0 and 1211.0 of the City's Building Code. (Crawl spaces & attics).
- 28. All electrical, plumbing and HVAC permits must be obtained by Master Licensed holders of their trade. No closing in of walls until all electrical (min. 72 hours notice) and plumbing inspections have been done.
- 29. All requirements must be met before a final Certificate of Occupancy is issued.
- 30. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (The BOCA National Building Code/1996).
- 31. Ventilation of spaces within a building shall be done in accordance with the City's Mechanical code (The BOCA National Mechanical Code/1993). (Chapter M-16)
- 32. Please read and implement the attached Land Use Zoning report requirements.
- 33. Boring, cutting and notching shall be done in accordance with Sections 2305.3, 2305.3.1, 2305.4.4 and 2305.5.1 of the City's Building Code.
- 34. Bridging shall comply with Section 2305.16.
- 35. Glass and glazing shall meet the requirements of Chapter 24 of the building code. (Safety Glazing Section 2406.0)

	All flashing shall		• • • • • • • • • • • • • • • • • • • •
76	All flocking chall	comply with Sect	100 I 4 I 10 4 I I I I
.7().	All Hashing Shau	COMMUNITY WITH SCCI	1011 1400-2-10-

ses. Building Inspector

rge Schmuckal, Zoning Administrator

McDougall, PFD

. File Signage Shall be	done in accordance with S	 		 
		 	<del></del>	 

Michael Nugent, Inspection Service Manager

PSH 10/1/00

\*\*This permit is herewith issued, on the basis of plans submitted and conditions placed on these plans, any deviations shall require a separate approval.

\*\*\*THIS PERMIT HAS BEEN ISSUED WITH THE UNDERSTANDING THAT ALL THE CONDITIONS OF THE APPROVAL SHALL BE COMPLETED. THEREFORE, BEFORE THE WORK IS COMPLETED A REVISED PLAN OR STATEMENT FROM THE PERMIT HOLDER SHALL BE SUBMITTED TO THIS OFFICE SHOWING OR EXPLAINING THAT THE CONDITIONS HAVE BEEN MET. IF THIS REQUIREMENT IS NOT RECEIVED YOUR CERTIFICATE OF OCCUPANCY SHALL BE WITHHELD. (You Shall Call for Inspections)

\*\*\*\*ALL PLANS THAT REQUIRE A PROFESSIONAL DESIGNER'S SEAL, (AS PER SECTION 114.0 OF THE BUILDING CODE) SHALL ALSO BE PRESENTED TO THIS DIVISION ON AUTO CAD LT. 2000, DXF FORMAT OR EQUIVALENT.

\*\*\*\*\*CERTIFICATE OF OCCUPANCY FEE \$50.00

# ACORD. CERTIFICATE OF LIABILITY INSURANCE ID M1 03/15/01 PRODUCER THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE

Morse,	Payso	n &	Noyes	Ins.
P.O. Box Portlan			2-0404	•
POLCTAN	u ME	041	12-040	

Phone: 207-775-6000 Fax: 207-775-0339

HIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION
NLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE
OLDER. THIS CERTIFICATE DOES NOT AMEND, EXTEND OR
LTER THE COVERAGE AFFORDED BY THE POLICIES BELOW.
LIER THE COVERAGE AFFORDED BY THE FOLICIES BELOW:

INSURERS	<b>AFFORDING</b>	COVERAGE
----------	------------------	----------

Bailey Sign, Bruce Bailey 9 Thomas Dr.	Inc.
9 Thomas Dr. Westbrook ME	04092

INSURER A:	Commercial Union York Ins. Co.	
INSURER B:	MAINE EMPLOYERS MUTUAL	
INSURER C:		
INSURER D:		
INSLIBER E		

#### COVERAGES

INSURED

THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES AGGREGATE LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

	DLICIES. AGGREGATE LIMITS SHOWN MAY	HAVE BEEN REDUCED BY PAID CLAIMS.				
INSA	TYPE OF INSURANCE	POLICY NUMBER	POLICY EFFECTIVE DATE (MM/DD/YY)	POLICY EXPIRATION DATE (MM/DD/YY)	LMIT	s
	GENERAL LIABILITY				EACH OCCURRENCE	\$1,000,000
A	X COMMERCIAL GENERAL LIABILITY	YMR626389	03/01/01	04/01/01	FIRE DAMAGE (Any one fire)	\$ 100,000
	CLAIMS MADE X OCCUR				MED EXP (Any one person)	\$5,000
					PERSONAL & ADV INJURY	\$1,000,000
1					GENERAL AGGREGATE	\$2,000,000
1	GEN'L AGGREGATE LIMIT APPLIES PER:				PRODUCTS - COMP/OP AGG	\$2,000,000
	POLICY PRO-					
	AUTOMOBILE LIABILITY				COMBINED SINGLE LIMIT	\$1,000,000
A	X ANY AUTO	YMAH40710	03/01/01	04/01/01	(Ea accident)	\$ 1,000,000
1	ALL OWNED AUTOS				BODILY INJURY	s
	SCHEDULED AUTOS				(Per person)	•
	X HIRED AUTOS				BODILY INJURY	   \$
	X NON-OWNED AUTOS				(Per accident)	
					PROPERTY DAMAGE	s
					(Per accident)	
	GARAGE LIABILITY				AUTO ONLY - EA ACCIDENT	\$
	ANY AUTO				OTHER THAN EA ACC	\$
		_			AUTO ONLY: AGG	\$
	EXCESS LIABILITY				EACH OCCURRENCE	\$
	OCCUR CLAIMS MADE				AGGREGATE	\$
					<u> </u>	\$
	DEDUCTIBLE					\$
	RETENTION \$				100000000000000000000000000000000000000	\$
	WORKERS COMPENSATION AND				X TORY LIMITS ER	
A	EMPLOYERS' LIABILITY	1810049679	03/01/01	03/01/02	E.L. EACH ACCIDENT	\$ 500,000
					E.L. DISEASE - EA EMPLOYEE	
					E.L. DISEASE - POLICY LIMIT	s 500,000
	OTHER					
		•				

DESCRIPTION OF OPERATIONS/LOCATIONS/VEHICLES/EXCLUSIONS ADDED BY ENDORSEMENT/SPECIAL PROVISIONS
City of Portland is named as Additional Insured with respects to General
Liability.

CERTIFICATE HOLDER	N	ADDITIONAL INSURED; INSURER LETTER:	CANCELLATION
CITYPOR  City of Portland 389 Congress St. Portland ME 04101			SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION
			DATE THEREOF, THE ISSUING INSURER WILL ENDEAVOR TO MAIL 10 DAYS WRITTEN
			NOTICE TO THE CERTIFICATE HOLDER NAMED TO THE LEFT, BUT FAILURE TO DO SO SHALL
			IMPOSE NO OBLIGATION OR LIABILITY OF ANY KIND UPON THE INSURER, ITS AGENTS OR
			REPRESENTATIVES.
			Manage Parage & Manage Tanananana

WRITTEN CONSENT AND AGREEMENT RELATING TO A CERTAIN SIGN PROPOSED

TO BE ERECTED ON A BUILDING AT \_\_\_\_\_\_\_ 290 Congress St., Portland, Maine \_\_\_\_\_\_ IN

PORTLAND, MAINE \_\_\_\_\_ Oakleaf Terrace Co. \_\_\_\_\_ being the owner of the premises at \_\_\_\_\_\_ 290

Congress Street \_\_\_\_\_ in Portland, Maine hereby gives consent to the erection of a certain sign owned by \_\_\_\_\_ Lookin Good Laundry \_\_\_\_ over the public sidewalk or on the building from said premises as described in application to the Division of Inspection Services of Portland, Maine for a permit to cover erection of said sign:

An in consideration of the issuance of said permit Oakleaf Terrace Co., owner of said premises, in event said sign shall cease to serve the purpose for which it was erected or shall become dangerous and in event the owner of said sign shall fail to remove said sign or make it permanently safe in case the sign still serves the propose for which it was erected, hereby agrees for himself or itself, for his heirs, its successors, and his or its assigns, to completely remove said sign within ten days of notice from said Inspector of Buildings that said sign is in such condition and of order from him to remove it.

In Witness whereof, the owner of said premises has signed this consent and agreement this 13<sup>th</sup> day of February, 2001.


Witness

General Par

General Partner
177 High Street

Portland, Maine 04101

774-0501





## CITY OF PORTLAND, MAINE


**Department of Building Inspection** 

March 20th 2001	
Received from Bailey Sign	a fee
of One hundred and Senny too ->7100 Dollars \$ 172	OU
for permit to alter 4 Signs / Levinskys Plaza	
move /	
at 290 Congress St Est. Cost\$  CBL # 028-0-03	
CK# 20910  Inspector of buildings  Per Ch H	

## THIS IS NOT A PERMIT

No work is to be started until PERMIT CARD is actually posted upon the premises. Acceptance of fee is no guarantee that permit will be granted. PRESERVE THIS RECEIPT. In case permit cannot be granted the amount of the fee will be refunded upon return of the receipt less \$5.00 or 10% whichever is greater.

WHITE - Applicant's Copy YELLOW - Office Copy PINK - Auditors Copy



PO Box 63 Laconia, NH 032

Phone: (603)524-30 Fax: (603)527-07

) www.CWSarch

Wishcampo Propertion

177 High Str PORTLAND ME 041 (207) 774-690

General Contractor:

ATLANTIC COAS CONTRACTOR INC

> 145 KENNEBEC STREE PORTLAND, MAIN 04104-679

LEVINSKI'S
PLAZA
RENOVATIONS

CONGRESS STREET Portland, Maine