# City of Portland, Maine - Building or Use Permit Application 389 Congress Street, 04101, Tel: (207) 874-8703, FAX: 874-8716

Location of Construction: 292 Congress Street	Oak Leaf Terracy Co	2.	Phone:		Permit No:
Owner Address:	Lessee/Buyer's Name:	Phone:	Busines	sName:	991035
Contractor Name: Nelson & Small Luc. Dovid R.	Address: Fortin 212 Canco Road, Pti	Phone Id, ME 04104	:	Г	Permit Issued: PERMIT ISSUED
Past Use:	Proposed Use:	COST OF WORK \$ 5,000	K:	PERMIT FEE: \$ 60,00	SEP 2 4 1999
Laundromat	Same	FIRE DEPT.	Denied	INSPECTION: Use Group: Type: Signature:	SEP 2 4 1999 028-10-003 Zone: CBL: RELAND
Proposed Project Description:			-	ES DISTRICT (P.A.D.)	Zoning Approval:
Equipment replacement - additi	on of 2 tauning rooms only.	ŧ	Approved Approved Denied	with Conditions:	□ Shoreland
		Signature:		Date:	□ Subdivision □ Site Plan maj □minor □mm □
Permit Taken By:	Date Applied For:	9-15-99			Zoning Appeal
tion may invalidate a building permit an I hereby certify that I am the owner of record authorized by the owner to make this applica	started within six (6) months of the date of issund stop all work	David R. Fortin Selson & Small 212 Canco Road Portland, AB (	13c. 04104 Will e owner of t laws of th	is jurisdiction. In addition	
	ble hour to enforce the provisions of the code	(s) applicable to such j		ve the authority to enter al.	Date:
SIGNATURE OF APPLICANT	ADDRESS:	9-15-99 DATE:		PHONE:	-
SIGNATORE OF ALLECANT	ADDALSS.	DATE.		THOME.	
RESPONSIBLE PERSON IN CHARGE OF V	VORK, TITLE			PHONE:	CEO DISTRICT
Whit	te-Permit Desk Green-Assessor's Cana	ary-D.P.W. Pink-Put	olic File	Ivory Card-Inspector	NT IS

FILL IN AND S APPLICATION HEATING OR POW	FOR PERMIT NOV - 2 1999				
To the INSPECTOR OF BUILDINGS, PORTLAND, ME. The undersigned hereby applies for a permit to insta accordance with the Laws of Maine, the Building Code of th	<b>991207</b> CBL 028-0-003 Il the following heating, cooking or power equipment in e City of Portland, and the following specifications:				
Location <u>192 Congress Street</u> Use of Building <u>Loved 1 Met</u> Date <u>10/28/29</u> Name and address of owner of appliance <u>Look Good Laurdromat</u> <u>Nelson &amp; Sm</u> 5/1 <u>292 Congress Street</u> Installer's name and address <u>LUIDign Check ST</u> <u>1630 Forest Gree Reithard Mc</u> Telephone <u>878-2212</u>					
Location of appliance:	Type of Chimney:				
Basement   Floor	Masonry Lined				
Attic     Roof	Factory built				
a ceiling mount (					
Type of Fuel:	Metal				
Gas (gas Unit heater)	Factory Built U.L. Listing #				
Company Marting					
Appliance Name: A URE MODE TO DIER	Direct Vent				
U.L. Approved 🔄 Yes 🗆 No	Type UL#				
Will appliance be installed in accordance with the manufacture's					
installation instructions? Yes D No	Type of Fuel Tank				
	Gas ,				
IF NO Explain:	Gas Cas				
	Size of Tank				
•	Chief of Tank				
The Type of License of Installer:	Number of Tanks				
Master Plumber #					
Solid Fuel #	Distance from Tank to Center of Flame feet. Cast of WOIK $ 71,000.00$ Fee $ 730.00$				
• Oil#	Nost of WORE - \$1,000.00				
Gas# PNT337 (	Car of Notice				
Other	Fee - \$30.00				
Approved	Approved with Conditions				
Fire:	See attached letter or requirement				
Ele.:					
Bldg.:					
Structure of later on the Carrie Vil					
Signature of Installer					
White - Inspection Yellow - File Pink - Applicant's Gold - Assessor's Copy					

### **BUILDING PERMIT REPORT**

	BOILDING FERMIT REFORT					
DAT	E: 20 Sept. 99 ADDRESS: 292 Congress ST. CBL: \$28-D-\$3					
REA	DATE: 20 Sept. 99 ADDRESS: 292 Congress ST. CBL: \$28-D-\$3 REASON FOR PERMIT: 2 Tanning Booms in Laundromat					
BUI	LDING OWNER: Oak LeaF Terrace Co.					
PER	MIT APPLICANT: /Contractor Nelson & Small Inc.					
USE	$GROUP \_ B = CONSTRUCTION TYPE \_ 3 B = $					
	The City's Adopted Building Code (The BOCA National Building Code/1996 with City Amendments) The City's Adopted Mechanical Code (The BOCA National Mechanical Code/1993)					
	CONDITION(S) OF APPROVAL					
This	This permit is being issued with the understanding that the following conditions are met: $\frac{1}{1}$ , $\frac{1}{23}$ , $\frac{1}{27}$ ,					
	oved with the following conditions:					
1.						
× 1. 2.	This permit does not excuse the applicant from meeting applicable State and Federal rules and laws. Before concrete for foundation is placed, approvals from the Development Review Coordinator and Inspection Services must be obtained.					
	(A 24 hour notice is required prior to inspection)"ALL LOT LINES SHALL BE CLEARLY MARKED					
	BEFORE CALLING."					
3.	Foundation drain shall be placed around the perimeter of a foundation that consists of gravel or crushed stone containing not more than					
	10 percent material that passes through a No. 4 sieve. The drain shall extend a minimum of 12 inches beyond the outside edge of the					
	footing. The thickness shall be such that the bottom of the drain is not higher than the bottom of the base under the floor, and that the top of the drain is not less than 6 inches above the top of the footing. The top of the drain shall be covered with an approved filter					
	membrane material. Where a drain tile or perforated pipe is used, the invert of the pipe or tile shall not be higher than the floor					
	elevation. The top of joints or top of perforations shall be protected with an approved filter membrane material. The pipe or tile shall be					
4.	placed on not less than 2" of gravel or crushed stone, and shall be covered with not less than 6" of the same material. Section 1813.5.2 Foundations anchors shall be a minimum of ½" in diameter, 7" into the foundation wall, minimum of 12" from corners of foundation and					
4.	a maximum 6' o.c. between bolts. (Section 2305.17)					
5.	Waterproofing and dampproofing shall be done in accordance with Section 1813.0 of the building code.					
6. 7.						
7.	It is strongly recommended that a registered land surveyor check all foundation forms before concrete is placed. This is done to verify that the proper setbacks are maintained.					
8.	Private garages located beneath habitable rooms in occupancies in Use Group R-1, R-2, R-3 or I-1 shall be separated from adjacent					
	interior spaces by fire partitions and floor/ceiling assembly which are constructed with not less than 1-hour fire resisting rating. Private					
	garages attached side-by-side to rooms in the above occupancies shall be completely separated from the interior spaces and the attic area by means of 1/2 inch gypsum board or the equivalent applied to the garage means of 1/2 inch gypsum board or the equivalent applied to the					
	garage side. (Chapter 4, Section 407.0 of the BOCA/1996)					
9.	All chimneys and vents shall be installed and maintained as per Chapter 12 of the City's Mechanical Code. (The BOCA National Mechanical Code/1993). Chapter 12 & NFPA 211					
10.	Sound transmission control in residential building shall be done in accordance with Chapter 12, Section 1214.0 of the City's Building Code.					
11.	Guardrails & Handrails: A guardrail system is a system of building components located near the open sides of elevated walking surfaces					
	for the purpose of minimizing the possibility of an accidental fall from the walking surface to the lower level. Minimum height all Use Groups 42", except Use Group R which is 36". In occupancies in Use Group A, B, H-4, I-1, I-2, M and R and public garages and open					
	parking structures, open guards shall have balusters or be of solid material such that a sphere with a diameter of 4" cannot pass through					
	any opening. Guards shall not have an ornamental pattern that would provide a ladder effect. (Handrails shall be a minimum of 3e4" but					
	not more than 38". Use Group R-3 shall not be less than 30", but not more than 38".) Handrail grip size shall have a circular cross section with an outside diameter of at least 1 ¼" and not greater than 2". (Sections 1021 & 1022.0) - Handrails shall be on both sides of					
	stairway. (Section 1014.7)					
12.	Headroom in habitable space is a minimum of 7'6". (Section 1204.0)					
13.	Stair construction in Use Group R-3 & R-4is a minimum of 10" tread and 7 3/4" maximum rise. All other Use Group minimum 11" tread, 7" maximum rise. (Section 1014.0)					
14.	The minimum headroom in all parts of a stairway shall not be less than 80 inches. (6'8") 1014.4					
15.	5. Every sleeping room below the fourth story in buildings of Use Groups R and I-1 shall have at least one operable window or exterior door approved for emergency egress or rescue. The units must be operable from the inside without the use of special knowledge or separate					
	tools. Where windows are provided as means of egress or rescue they shall have a sill height not more than 44 inches (1118mm) above					
	the floor. All egress or rescue windows from sleeping rooms shall have a minimum net clear opening height dimension of 24 inches					

(610mm). The minimum net clear opening width dimension shall be 20 inches (508mm), and a minimum net clear opening of 5.7 sq. ft. (Section 1018.6)

- 16. Each apartment shall have access to two (2) separate, remote and approved means of egress. A single exit is acceptable when it exits directly from the apartment to the building exterior with no communications to other apartment units. (Section 1010.1)
- 17. All vertical openings shall be enclosed with construction having a fire rating of at least one (1) hour, including fire doors with self closer's. (Over 3 stories in height requirements for fire rating is two (2) hours.) (Section 710.0)
- The boiler shall be protected by enclosing with (1)hour fire rated construction including fire doors and ceiling, or by providing automatic 18. extinguishment. (Table 302.1.1)
- 19. All single and multiple station smoke detectors shall be of an approved type and shall be installed in accordance with the provisions of the City's Building Code Chapter 9, Section 920.3.2 (BOCA National Building Code/1996), and NFPA 101 Chapter 18 & 19. (Smoke detectors shall be installed and maintained at the following locations):
  - In the immediate vicinity of bedrooms
  - In all bedrooms

.

In each story within a dwelling unit, including basements

In addition to the required AC primary power source, required smoke detectors in occupancies in Use Groups R-2, R-3 and I-1 shall receive power from a battery when the AC primary power source is interrupted. (Interconnection is required) Section 920.3.2.

- 20. A portable fire extinguisher shall be located as per NFPA #10. They shall bear the label of an approved agency and be of an approved type. (Section 921.0)
  - The Fire Alarm System shall maintained to NFPA #72 Standard.
  - The Sprinkler System shall maintained to NFPA #13 Standard.
  - All exit signs, lights and means of egress lighting shall be done in accordance with Chapter 10 Section & Subsections 1023.0 & 1024.0 of the City's Building Code. (The BOCA National Building Code/1996)
- Section 25-135 of the Municipal Code for the City of Portland states, "No person or utility shall be granted a permit to excavate or open 24. any street or sidewalk from the time of November 15 of each year to April 15 of the following year".
- The builder of a facility to which Section 4594-C of the Maine State Human Rights Act Title 5 MRSA refers, shall obtain a certification 25. from a design professional that the plans commencing construction of the facility, the builder shall submit the certification the Division of Inspection Services.
- Ventilation shall meet the requirements of Chapter 12 Sections 1210.0 of the City's Building Code. (Crawl spaces & attics). 26.
- All electrical, plumbing and HVAC permits must be obtained by a Master Licensed holders of their trade. No closing in of walls until 27. all electrical (min.72 hours notice) and plumbing inspections have been done.
- 28. All requirements must be met before a final Certificate of Occupancy is issued.
- 29. All building elements shall meet the fastening schedule as per Table 2305.2 of the City's Building Code (the BOCA National Building Code/1996).
- Ventilation of spaces within a building shall be done in accordance with the City's Mechanical Code (The BOCA National Mechanical 30.
- Code/1993). (Chapter M-16) Please read and implement the attached Land Use Zoning report requirements. Sepansta prennits the required for Boring, cutting and notching shall be done in accordance with Sections 2305.4.4, 2305.5.1 and 2305.5.3 of the City's Building Code. 31 82 Glass and glazing shall meet the requirements of Chapter 24 of the building code. 33.
- All signage, shall be done in accordance with Section 3102.0 signs of the City's Building Code, (The BOCA National Building Code 34. 1996).

35.

36.

37.

38.

cc:

ouch thouses, Building Inspector

Lt. McDougall, PFD Marge Schmuckal, Zoning Administrator

MALUL PSH 7/24/99

\*\*On the basis of plans submitted and conditions placed on these plans any deviations shall require a separate approval.

DAVID R. FORTIN

Nelson & Small, Inc.

Construction Supressor

Incremention of World Class Points

Corporate Headquarters 212 Canco Road - P.O. Box 1420 - Portland, ME 04104 Tel (207) 775-4303 Fenal davidt@nelsonsmall.com - www.nelsonsmall.com

# FRUCTION CANNOT COMMENCE UNTIL THE ERMIT IS ISSUED

## **Use Permit Pre-Application**

nily Dwellings/Two-Family Dwelling

rcial Structures and Additions Thereto

est possible manner, please complete the Information below for a Building or Use Permit.

the City, payment arrangements must be made before permits of any kind are accepted.

Location/Addressof Construction (include Portion of Building) :	292 Congress	STREET		
Total Square Footage of Proposed Structure	Square Footage of Lot			
Tax Assessor's Chart, Block & Lot Number Chart# 0.2 & Block# D Lot# 003	OAK Leaf Surace Co	Telephone#:		
Owner's Address:	Lessee/Buyer's Name (If Applicable)	Cost Of Work:         Fee           \$ 6,000         \$ 60		
Proposed Project Description: (Please be as specific as possible) Equipment Replacement - addition of 2 tanning rooms only 64104				
Contractor's Name, Address & Telephone Net Scing Smpth Inc DAVIDR - FORTH Rec'd By LID				
Current Use: LAUNDROMPS	Proposed Use: LAINDS	Com AT		

Separate permits are required for Internal & External Plumbing, HVAC and Electrical installation.

•All construction must be conducted in compliance with the 1996 B.O.C.A. Building Code as amended by Section 6-Art II. •All plumbing must be conducted in compliance with the State of Maine Plumbing Code.

All Electrical Installation must comply with the 1996 National Electrical Code as amended by Section 6-Art III.

 HVAC(Heating, Ventililation and Air Conditioning) installation must comply with the 1993 BOCA Mechanical Collegent You must Include the following with you application:

1) ACopy of Your Deed or Purchase and Sale Agreement

2) A Copy of your Construction Contract, if available

3) A Plot Plan/Site Plan

Minor or Major site plan review will be required for the above proposed projects. The attached checklist outlines the minimum standards for a site plan.

#### 4) Building Plans

DEPERMITING

Unless exempted by State Law, construction documents must be designed by a registered design professional. A complete set of construction drawings showing all of the following elements of construction:

· Cross Sections w/Framing details (including porches, decks w/ railings, and accessory structures)

- Floor Plans & Elevations
- Window and door schedules
- Foundation plans with required drainage and dampproofing
- Electrical and plumbing layout. Mechanical drawings for any specialized equipment such as furnaces, chimneys, gas
  equipment, HVAC equipment (air handling) or other types of work that may require special review must be included.

Certification

I hereby certify that I am the Owner of record of the named property, or that the proposed work is authorized by the owner of record and that I have been authorized by the owner to make this application as his her authorized agent. I agree to conform to all applicable laws of this jurisdiction. In addition, if a permit for work described in this application is issued, I certify that the Code Official's authorized representative shall have the authority to enter all areas covered by this permit at any reasonable hour to enforce the provisions of the codes applicable to this permit.

Signature of applicant:	Martin	Date: Sport 15, 1999
	0.000 1 1 01000 1 1 0200 01	00000 /

Building Permit Fee: \$30.00 for the 1st \$1000.cost plus \$6.00 per \$1,000.00 construction cost thereafter. Additional Site review and related fees are attached on a separate addendum

